

# Total Intra Similarity and Intra Dissimilarity Measure for the Values Taken by a Parameter of Concern

Ramesh Chandra Bagadi

Associate Professor & Head, Department of Civil Engineering, Sanketika Vidya Parishad Engineering College, Visakhapatnam 41, India

**Abstract-** In this research investigation, the author has detailed a novel method of finding the ‘Total Intra Similarity and Dissimilarity Measure for the Values Taken by a Parameter of Concern’. This is akin to the concept of Intra-Class Correlation. The advantage of such a measure is that using this measure we can clearly distinguish the contribution of Intra aspect variation and Inter aspect variation when both are bound to occur in a given phenomenon of concern. This measure provides the same advantages as that provided by the popular Intra-Class Correlation.

**Index Terms-** Intra-Class Correlation

## I. INTRODUCTION

Cramer was the first to formulate the central idea of a Determinant in the middle of the eighteenth century. Later, Cauchy further refined it. This was followed by further refinements of this idea by Spottiswoode, Cayley, Sylvester and Hermite. Brioschi, Bellavitis and Baltzer also contributed substantially to the development of this idea. [1]

## II. INTRA-CLASS CORRELATION OVERVIEW

A good overview of Intra-Class Correlation can be found from the following website [https://en.wikipedia.org/wiki/Intraclass\\_correlation](https://en.wikipedia.org/wiki/Intraclass_correlation) Also, a detailed analysis of Intra-Class Correlation can be found in [1] and [2].

## III. ESTABLISHMENT OF THE NOTION OF INTRA-SIMILARITY AND INTRA-DISSIMILARITY

Given any Sequence of the kind,  
 $S = \{y_1, y_2, y_3, \dots, y_{n-1}, y_n\}$  which represent the (ordered) values taken by a Parameter of concern.

We first consider the Cartesian Cross Product of  $S$

$$R = S \times S = \underset{i=1}{\overset{n}{C}} \underset{i=1}{\overset{n}{C}} \{y_i, y_j\}$$

with itself, i.e. where

$C$  denotes a Collection. We now consider elements of the kind  $\{y_i, y_j\}$  and  $\{y_j, y_i\}$  as same and therefore will consider only one among them in the sum terms shown below in the next line, which appears as

$$LB = \underset{i=1}{\overset{n}{C}} \underset{i=1}{\overset{n}{C}} \{y_i, y_j\} - \underset{j:j>i}{\overset{n}{C}} \underset{i=1}{\overset{n}{C}} \{y_i, y_j\}$$

Equation 1

We now consider the smaller of each of the 2 tuple in the above set LB and add these values to give us

$$SLB = \sum \left\{ \text{Smaller} \left\{ \underset{i=1}{\overset{n}{C}} \underset{i=1}{\overset{n}{C}} \{y_i, y_j\} - \underset{j:j>i}{\overset{n}{C}} \underset{i=1}{\overset{n}{C}} \{y_i, y_j\} \right\} \right\}$$

Equation 2

For the terms of the kind  $\{y_i, y_i\}$ , the Smaller Operator detailed above selects  $y_i$  itself. The spirit behind considering the smaller number is that it represents the congruence part of the two numbers. The logic behind removing the  $\underset{j:j>i}{\overset{n}{C}} \underset{i=1}{\overset{n}{C}} \{y_i, y_j\}$  terms is that when their congruence part is evaluated it is the same as their places juxtaposed counterparts of themselves in  $S \times S$ .

We now consider the larger of each of the 2 tuple in the above set LB (RHS of Equation 2) and add these values to give us

Equation 3

$$LLB = \sum \left\{ \text{Larger} \left\{ \underset{i=1}{\overset{n}{C}} \underset{i=1}{\overset{n}{C}} \{y_i, y_j\} - \underset{j:j>i}{\overset{n}{C}} \underset{i=1}{\overset{n}{C}} \{y_i, y_j\} \right\} \right\}$$

Now, we call the Total Intra Similarity Measure as

$$AD = \frac{SLB}{LLB} = \frac{\left\{ \sum \left\{ \text{Smaller} \left\{ C_{i=1}^n C_{i=1}^n \{y_i, y_j\} - C_{j>i}^n C_{i=1}^n \{y_i, y_j\} \right\} \right\} \right\}}{\left\{ \sum \left\{ \text{Larger} \left\{ C_{i=1}^n C_{i=1}^n \{y_i, y_j\} - C_{j>i}^n C_{i=1}^n \{y_i, y_j\} \right\} \right\} \right\}}$$

Equation 4

For the terms of the kind  $\{y_i, y_i\}$ , the Larger Operator detailed above selects  $y_i$  itself.

The advantage of such a measure  $AD$  is that using this measure we can clearly distinguish the contribution of Intra aspect variation and Inter aspect variation (with respect to their similarity) when both are bound to occur in a given phenomenon of concern. This measure provides the same advantages as that provided by the popular Intra-Class Correlation.

Furthermore, we can even write the Total Intra Similarity Vector as

$$TISV = \sum_k \left\{ \text{Smaller} \left\{ C_{i=1}^n C_{i=1}^n \{y_i, y_j\} - C_{j>i}^n C_{i=1}^n \{y_i, y_j\} \right\} \right\} \hat{e}_k$$

Equation 5

$$k = n^2 - \left( \frac{n^2 - n}{2} \right) = \frac{n^2}{2} + \frac{n}{2}$$

Where

We can use this Total Intra Similarity Vector to compare the Total Intra Similarity Measure of two Parameters that take the same number of values. Such a comparison can be achieved using any popular type of Inner Product scheme. These two Parameters could be different or could be the same Parameter whose observation is repeated again.

In a similar manner, we can define the Total Intra Dissimilarity Measure as

$$AD^- = \left( \frac{LLB - SLB}{LLB} \right) = \frac{\left\{ \sum \left\{ \text{Larger} \left\{ C_{i=1}^n C_{i=1}^n \{y_i, y_j\} - C_{j>i}^n C_{i=1}^n \{y_i, y_j\} \right\} - \text{Smaller} \left\{ C_{i=1}^n C_{i=1}^n \{y_i, y_j\} - C_{j>i}^n C_{i=1}^n \{y_i, y_j\} \right\} \right\} \right\}}{\left\{ \sum \left\{ \text{Larger} \left\{ C_{i=1}^n C_{i=1}^n \{y_i, y_j\} - C_{j>i}^n C_{i=1}^n \{y_i, y_j\} \right\} \right\} \right\}}$$

Equation 6

The spirit behind considering the difference between the larger and smaller number is that it represents the non-congruence part of the two numbers.

The advantage of such a measure  $AD^-$  is that using this measure we can clearly distinguish the contribution of Intra aspect variation and Inter aspect variation (with respect to their dissimilarity) when both are bound to occur in a given phenomenon of concern. This measure provides the same advantages as that provided by the popular Intra-Class Correlation.

Furthermore, we can even write the Total Intra Dissimilarity Similarity Vector as

$$TIDSV = \sum \left\{ \left\{ \text{Larger} \left\{ C_{i=1}^n C_{i=1}^n \{y_i, y_j\} - C_{j>i}^n C_{i=1}^n \{y_i, y_j\} \right\} \right\} \right\} \hat{e}_k$$

$$\left\{ \left\{ -\text{Smaller} \left\{ C_{i=1}^n C_{i=1}^n \{y_i, y_j\} - C_{j>i}^n C_{i=1}^n \{y_i, y_j\} \right\} \right\} \right\}$$

$$k = n^2 - \left( \frac{n^2 - n}{2} \right) = \frac{n^2}{2} + \frac{n}{2}$$

where

and the summation is over the  $k$  terms.

#### IV. CONCLUSIONS

We can use this Total Intra Dissimilarity Vector to compare the Total Intra Dissimilarity Measure of two Parameters that take the same number of values. Such a comparison can be achieved using any popular type of Inner Product scheme. These two Parameters could be different or could be the same Parameter whose observation is repeated again.

#### ACKNOWLEDGMENT

The author would like to express his deepest gratitude to all the members of his Loving Family, Respectable Teachers, En-Deer-Able Friends, Inspiring Social Figures, Highly Esteemed Professors, Reverence Deserving Deities that have deeply contributed in the formation of the necessary scientific temperament and the social and personal outlook of the author that has resulted in the conception, preparation and authoring of this research manuscript document.

The author pays his sincere tribute to all those dedicated and sincere folk of academia, industry and elsewhere who have sacrificed a lot of their structured leisure time and have painstakingly

authored treatises on Science, Engineering, Mathematics, Art and Philosophy covering all the developments from time immemorial until then, in their supreme works. It is standing on such treasure of foundation of knowledge, aided with an iota of personal god-gifted creativity that the author bases his foray of wild excursions into the understanding of natural phenomenon and forms new premises and scientifically surmises plausible laws. The author strongly reiterates his sense of gratitude and infinite indebtedness to all such '*Philosophical Statesmen*' that are evergreen personal librarians of Science, Art, Mathematics and Philosophy.

#### REFERENCES

- [1] [https://en.wikipedia.org/wiki/Intraclass\\_correlation](https://en.wikipedia.org/wiki/Intraclass_correlation)
- [2] <http://www.sciencedirect.com/topics/nursing-and-health-professions/intraclass-correlation>
- [3] [https://www.uvm.edu/~dhowell/StatPages/More\\_Stuff/icc/icc.html](https://www.uvm.edu/~dhowell/StatPages/More_Stuff/icc/icc.html)  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4913118/>
- [4] Bagadi, R. (2017). Total Intra Similarity and Dissimilarity Measure For The Values Taken By A Parameter Of Concern. {Version 2}. ISSN 1751-3030. PHILICA.COM Article number 1153.