BMD Calculation for Osteoporosis detection from DXA Scan Images Using K-Means Clustering Bone Segmentation

A. Dr. Shubhangi D.C¹, B. Ayesha²

¹Head of the Department, Dept. of Computer Science and Engineering, VTU Regional Centre for PG Studies, Kalaburagi, Karnataka, India

²Student, Dept. of Computer Science and Engineering, VTU Regional Centre for PG Studies, Kalaburagi, Karnataka, India

Abstract - A common systemic skeletal disorder called Osteoporosis leads to decrease bone strength and increase vulnerability to osteofragility fracture. A measure termed Bone Mineral Density is used to detect the disease (BMD). Several image processing and machine learning algorithms are used to estimate BMD in both X-ray and DXA pictures. This methodology comprises segmentation algorithms like k-means clustering and mean-shift algorithms, as well as a comparison of algorithm accuracy. In addition, a futuristic mathematical approach is presented to accurately detect the osteoporosis state by measuring the values of T–score in DXA pictures with a new metric 'S' derived from Bone Mineral Density(BMD) data.

Index Terms - BMD(Bone Mineral Density), DXA, T-Score, X-ray.

INTRODUCTION

The disease osteoporosis meaning 'porous bone', which make bones weak, and brittle is triggered by loss of bone strength. Bone Mineral Density (BMD) is a metric that measures the porous quality of the bone and is a measure of the inorganic mineral content in bone. Osteoporosis increases the risk of fractures in both males and females. Women, on the other hand, are more likely to notice it. BMD is measured and osteoporosis is diagnosed using a variety of ways. Bone Mineral Density is measured using Diagnostic radiography/X-ray, Quantitative ultrasound (QUS), Compton scattering, Quantitative Computed Tomography (QCT), Single Energy X-ray Absorptiometry (SXA), high resolution peripheral quantitative CT(HR-pQCT), Magnetic resonance imaging (MRI), Dual Energy X-ray Absorptiometry (DXA), Neutron activation, peripheral quantitative CT (pQCT) and Radiographic Absorptiometry (RA) are the most commonly used imaging techniques nowadays. DXA is the optimum method for measuring BMD among these methods, although it is highly expensive when compared to other approaches. DXA machines are made by a variety of companies.

Osteoporosis can be discovered early on, which reduces the chance of a fissure. Image processing technologies are used to measure BMD in the early phases. Pre-processing, segmentation, and BMD measurement are only a few of the processes involved in image processing. The development of deep learning algorithms aids in the recognition of diseases with more accuracy than classical methods. For proper illness diagnosis, ROI segmentation is critical. As a result, there is a nececity to offer faithful segmentation methods which are automatic for segmenting bone regions and enhancing the accuracy of BMD calculation.

In this paper,segmentation algorithms like k means clustering & mean –shift algorithms are used and a futuristic mathematical approach is presented to accurately detect the osteoporosis state by measuring the T–score values in DXA pictures with a new metric 'S' derived from Bone Mmineral Ddensity(BMD) data.

RELATED WORK

S.M.Nazia Fathima et al [1] aims to link digital image processing approaches to the assessment of BMD using X-ray data. A database of X-Ray images consist of the spine, clavicle bones, hip and knee is considered for the research. A shock filter is added in the image Preprocessing, to enhance the image strength. To study the impact of image noise, the Peak Signal to Noise Ratio (PSNR) is used. To calculate BMD, segmentation methods like Active Contour and Mean Shift segmentation can be used. For the identification of osteoporosis, unprocessed and segmented pictures are evaluated, and the findings are compared. The planned effort also includes using gold standard methodologies to calculate T and Z scores. The proposed procedure has been tested on 78 people, and the results are promising.

Dildar Hussain et al [2] uses a Pixel Label Decision Tree (PLDT) method. PLDT creates seven new feature maps utilizing certain high energy (HE) and low energy (LE) X-ray features to find hidden patterns in DXA images and determine the optimum feature set for the model. Image segmentation methods like Global Threshold, Region Growing Threshold, and artificial neural networks are used to estimate the performance of PLDT in femur segmentation. PLDT achieved excellent results of femur segmentation (91.4%) than either Global Threshold (68.4%), Region Growing Threshold (76%) or artificial neural networks (84.4%) in DXA imaging.

T Hegemann et al. [3] To ascertain osteoporosis from X-ray images, the researchers introduced support vector machine 60 (SVM), a machine learning technique for classification. Also, simulated annealing technique 61 was utilised to divide training set into separable classes and choose best number of features. Li Chen et al [4] presents a new measure for BMD analysis with DXA images. This research provided a novel method for calculating a scalar value from DXA pictures that reveals the connectivity of bone mineral elements. This approach determines the bone's quality in terms of average bone density intensity and also calculates T and Z values. The λ -measure is a suggested new metric that opens up new possibilities for measuring how well bone components are connected. λT and λZ can be used to represent T and Z scores which are used to construct conventional values. When this method was combined with the λ connected maximum entropy approach, good segmentation results were discovered. The λ -measure should be in range of [0.962,0.977] based on the outcomes of the experiments and data received.

J. Wu et al[5] uses active shape model(ASM) for segmentation. To characterize object's shape, active shape model landmark points are used. Each landmark refers to the definite anatomical position. To find out the final position of an object, merging of landmark points is needed. Active shape model matches landmarks from a model sample to a collection of pixels in the test image using a statistical metric called Mahalanobis distance (MD). ASM sometimes can links to the false edges of an object. When the ASM model's covariance matrix is sparse, defining MD can be challenging. The ASM model assumes Gaussian appearance spaces, but this inference went wrong due to differences in bone structure, especially in patient's with bone spurs.

Proposed System

The proposed technique consists of the following key stages: Image enhancement, Data augmentation, segmentation, BMD measurement and classification. For segmentation of bone, algorithms like k-means clustering and mean-shift are used in this methodology and also accuracy of algorithm used is calculated. Also in addition, a futuristic mathematical approach is presented to accurately detect the osteoporosis state by measuring the T–score values in DXA pictures with a new metric 'S' derived from Bone Mineral Density(BMD) data.





Figure 1: System Architecture

Methodology

Image segmentation is a critical step in distinguishing between related and unrelated features in an image. Scanning in bone pictures entails the separation of bone composition from other areas like muscle and backdrop. In the field of bone X-ray imaging, this is a significant difficulty. The region of interest (ROI), crack, bone mineral density (BMD), fracture, and deformation can be anticipated by segmenting the bone region.

One of the best unsupervised classification techniques is K-means clustering. The approach is a desired

© October 2021 | IJIRT | Volume 8 Issue 5 | ISSN: 2349-6002

Reads the dataset

method because it works in a simple and effective way in the unsupervised learning methods.

K-Means Algorithm: The k-means algorithm uses the mean value of each cluster's components to represent the cluster's centre.

Input:

k: total volume of clusters.

D: a collection of n objects in a data set

Output: a collection of k clusters.

Method:

1. Pick k objects at random from D to serve as the initial clusters centers.

2. Repeat

 Using the algorithm below, re-assign each item to the cluster to which it is almost closely connected, depending on the mean value of the item in the cluster.
Find the mean value of the items for each cluster to update the cluster means.

5. Until no action.

The output of k-means approach is divided into segments based on cluster size. cluster size has an effect on performance. The larger the cluster, the higher the accuracy %.





Figure 2: Home Screen Menu consists of Image enhancement, Augmentation, segmentation and BMD



Figure 3: Read Dataset



Figure 4: Image Enhancement

This enhances the images



Figure 5: Image Augmentation



Figure 6: Image Segmentation

ima id cx nxl cv nxl	CX	CV								
0 00055300022 8	59 10	59 0 4	19434 (51709	2					
1 C00055300023 8	59 10	59 0.4	19434 (51700	à					
2 C00055300024 8	59 10	59 0.4	10434 (1 5170	à					
3 C00055300025 8	59 10	59 0.4	19434	5170	à					
4 C00055300026 8	59 10	59 0.4	19434 (1 5170	à					
ima id cy nyl cy nyl cy cy										
0 000055300022 5	00 70	0 0 37	7594 N	26316						
1 C00055300022 5		0 0.37	7504 0.0	26316						
2 C00055300024 5	00 70	0 0.07	7504 0.	26316						
3 C00055300025 5	00 70	0 0.07	7504 0.0	26316						
4 C00055300025 5			7504 0.	26316						
	/11 nvl	2 nvl3	nvl/	nvl5 r	vl6					
	u pri	2 1213	px14	hvið h	NI0					
0 000563/0107 0	0 0 0	0.0	0 0 0	0.0	0.0					
	.0 0.0	0.0	0.0 0.0	0.0	0.0					
1 00055300113 0	0 0 0	00 0	0 0 0	0.0	0 0					
	.0 0.0	0.0	0.0 0.0	0.0	0.0					
2 00055400070 0	0 0 0	0.0	0 0 0	0.0	٥٥					
2 000000400079 0	.0 0.0	0.0	0.0 0.0	0.0	0.0					
2 00056520106 0	0 0 0	0.0	0 0 0	0.0	0 0					
	.0 0.0	0.0	0.0 0.0	0.0	0.0					
4 C00056170026 0	0 0 0	00	0 0 0	0.0	0 0					
4 000000170000 0	.0 0.0	0.0	0.0 0.0	0.0	0.0					
0.0 0.0										
py11016 py11	017 m	/1010	nvl101) nyl1(າວດ					
px11010 px11	ur p	(11010	pxitut	a hyuu	JZU					
	0.0	0.0	00 0	0 0	٥					
1 00 00	0.0	0.0		0 0	0					
2 00 00	0.0	0.0	0.0 0	0 0	0					
2 0.0 0.0	0.0	0.0	0.0 0	.0 0	0					
3 0.0 0.0	0.0	0.0		0 0	0					
4 0.0 0.0	0.0	0.0	0.0 0	.0 0	.0					
py11022 py	24									
px11023 cx cy										
1 0.0 0.410045 0.	106002									
	490992 505969									
2 0.0 0.404211 0.	000200 175100									
4 0.0 0.201055 0	473100 511070									
4 0.0 0.301933 0.	0112/0									
[5 rows x 1027 colum	nel									
[310WS X 1027 COULTINS] (2008 1027)										
New dataframe's cha	no [.] (110	0/ 10	77)							
Traineet chane: (1120	N 32 2	2 1)	_/)							
Validateset shape. (1139	37 27	2, 1) 1)								
validateset shape. (000, 32, 32, 1)										

Figure 7: Dataset Details

Model: "sequential"					
Layer (type)	Output Shape	Pa	ram #		
conv2d (Conv2D)	(None, 32, 32,	32)	832		
conv2d_1 (Conv2D)	(None, 32, 32	2, 32)	25632		
max_pooling2d (Max	Pooling2D) (None,	16, 16	, 32) 0		
conv2d_2 (Conv2D)	(None, 16, 16	i, 64)	18496	1999-112 (1999-127) 1	
conv2d_3 (Conv2D)	(None, 16, 16	i, 64)	36928	Perendele di	
max_pooling2d_1 (M	axPooling2 (None,	8, 8, 6	4) 0	dielee eeu old die tuit	
flatten (Flatten)	(None, 4096)	0		(.). Second (M. 1997)	
dense (Dense)	(None, 512)	20	97664	annaidean sei Servi A	
dense_1 (Dense)	(None, 64)	3	2832	ta a seconda est	
dense_2 (Dense)	(None, 2)	13	0		
Total params: 2,212, Trainable params: 2, on-trainable params: Epoch 1/8 179/179 [========	514 212,514 0		=] - 62s 27	Oms/step	- loss: 0.6457
Epoch 2/8 179/179 [============ Epoch 3/8 170/170 [=========			=] - 49s 27	6ms/step 7ma/step	- loss: 0.3991
Epoch 4/8 179/179 [======= Epoch 5/8			=] - 403 20 =] - 50s 28	1ms/step	- loss: 0.1033
179/179 [======= Epoch 6/8 179/179 [========			=] - 52s 28 =] - 51s 28	9ms/step 6ms/step	- loss: 0.1071 - loss: 0.1070
Epoch 7/8 179/179 [======= Epoch 8/8			=] - 51s 28	7ms/step	- loss: 0.1070
179/179 [======= 357/357 [========= Score on trainset: 0.1	07005275785923		=] - 53s 29 =] - 8s 20n	5ms/step ns/step - lo	- loss: 0.1058 oss: 0.1070
19/19 [====================================	.10549381375312	:====] 805	Os 18ms/	/step - los:	s: 0.1055

Figure 8: Model & Epoch value

IJIRT 153117INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH IN TECHNOLOGY574





CONCLUSION

For detecting osteoporosis by measuring bone mineral density using DXA scan images, algorithms like k-means clustering and mean-shift are used for segmentation of bone in this methodology and also accuracy of algorithm used is calculated. In addition, a futuristic mathematical approach is presented to accurately detect the osteoporosis state by measuring the T–score values in DXA pictures with a new metric 'S' derived from Bone Mmineral Density (BMD) data.

REFERENCES

- S.M.Nazia Fathima, R.Tamilselvi and M.Parisa Beham, "Estimation of t-score and BMD values from X-ray images for detection of osteoporosis", ACM Digital Library, 2019.
- [2] Dildar Hussain, Mugahed A. Al-antari, Mohammed A. Al-masni, Seung-Moo Han* and Tae-Seong Kim, "Femur segmentation in DXA imaging using a machine learning decision tree", Journal of X-Ray Science and Technology,2018.
- [3] T. Hegemann, C.A. Morari, J. Pauli and R. Jennane, Detection of osteoporosis in X-Ray image data, PhD Thesis, 2016
- [4] Li Chen and V. B. Surya Prasath, "Measuring Bone Density Connectivity Using Dual Energy X-Ray Absorptiometry Images", International Journal of Fuzzy Logic and Intelligent Systems, Volume: 17, Issue: 4, pp. 235-244, December 2017.
- [5] J. Wu and M.R. Mahfouz, Robust X-ray image segmentation by spectral clustering and active shape model, Journal of Medical Imaging 3(3) (2016), 034005–034005
- [6] Arun Krishnaraj, Spencer Barrett, Orna Bregman-Amitai, Michael Cohen-Sfady, Amir Bar, David Chettrit, Mila Orlovsky, dad Elnekave, "Simulating Dual-Energy X-Ray Absorptiometry in CT Using DeepLearning Segmentation Cascade", J Am Coll Radiol 2019.
- [7] Nicolas Roussel "Denoising of Dual Energy Xray Absorptiometry Images and Vertebra Segmentation", thesis Stockholm, Sweden 2018.
- [8] S.M.Nazia Fathima, R.Tamilselvi and M.Parisa Beham, "Comparison of Various Filters on DXA Images", Proceedings of ETICT 18, 2018.
- [9] S.M.Nazia Fathima, R.Tamilselvi and M.Parisa Beham, "Evaluation of Fissure Risk Condition using Bone Mineral Content and Standard Deviation", International Journal of Innovative Technology and Exploring Engineering (IJITEE)ISSN:, Volume-8 Issue-8, 2278-3075, July 2019.
- [10] Yong Jun Choi, "Dual-Energy X-Ray Absorptiometry: Beyond Bone Mineral Density Determination", Endocrinology and Metabolism, Vol 31,2016, pp.25-30
- [11] Li Chen and V. B. Surya Prasath, "Measuring Bone Density Connectivity Using Dual Energy X-Ray Absorptiometry Images", International

Journal of Fuzzy Logic and Intelligent Systems Vol. 17, No. 4, , pp. 235-244,2017.

- [12] Gobert N. Lee and Hiroshi Fujita, "K-means clustering for classifying unlabelled MRI data", Digital Image Computing Techniques and Applications,pp.92-98,2007
- [13] Miguel ´ A. Carreira-Perpinan "A review of mean-shift algorithms for clustering", CRC Handbook of Cluster Analysis, 2015,pp.1-28
- [14] C Aroba Sahaya Ligesh, N Shanker and C C Glueer, "Estimation of Bone Mineral Density from the Digital Image of the Calcanium Bone", IEEE proceedings on ICECT,2011.
- [15] H.S.Prasantha, Shashidhara.H.L, N.B.Murthy and Madhavi Lata.G, "Medical Image Segmentation", International Journal on Computer Science and Engineering Vol. 02, No. 04, pp. 1209-1218, 2010.
- [16] Steffen Rüger, Markus Firsching, Julija Lucic, Alexander Ennen, Norman Uhlmann, and Thomas Wittenberg, "Automated detection of bone splinters in DXA phantoms using deep neural networks", Current Directions in Biomedical Engineering, Volume-5, Issue:1, pp.281–284, 2019.