

# Line Following Robot

Himanshu Reballiwar<sup>1</sup>, Ayushyaman Naik<sup>2</sup>, Sahil Adhikari<sup>3</sup>, Vanita Buradkar<sup>4</sup>

<sup>1,2,3</sup> Students of B.Tech, Computer Science, Rajiv Gandhi College of Engineering Research and Technology, Chandrapur, India

<sup>4</sup> Professor, Department of Computer Science, Rajiv Gandhi College of Engineering Research and Technology, Chandrapur, India

**Abstract** -A line-following robot is a type of autonomous mobile robot that follows a certain line on the ground by detecting it with various sensors and controlling its movement using special algorithms. The robot type is used extensively for implementation in transport automation systems, warehouse management activities, and education robotics. At its center, how the robot can actually sort out the line from the background that it has to follow is simply by detecting some kind of contrast between the two surfaces and frequently having IR (IR) or Optical Sensors do this work for us. A microcontroller processes the sensor data, modulating the motor commands so that the robot continually follows accurately along its desired path. To improve robot performance to minimize tracking errors during motion, is also essential the integration of various algorithms — for example proportional-integral-derivative (PID) controllers.

**Keywords** - Microcontroller, Motor Driver, PID Controller, Steering, Calibration, Curve Detection, Edge Detection, Infrared Sensors, Tracking Algorithm,

## INTRODUCTION

A line following robot is an autonomous mobile robot that follows a path, which is line of black or white color drawn on the floor. The path is typically of a different color (e.g., black line on white background or vice versa). It moves using sensors that identify the line and follow it in order to stay on its course.

Normally, the line-following robot works with an infrared (IR) sensor which can determine the 2 colors reflectivity where one color is the line and another is a surface. The sensor data is processed by a microcontroller which sends commands to the motors in order for the robot to stay on track Although in some cases it may use the simple on/off control for doing line following, and now in other cases the robot used PID (Proportional-Integral-Derivative) Control for achieving smoother. and more precise movements.

## OBJECTIVE

[1] Autonomous Navigation:

It should be capable of precisely following the line in between an initial point to a terminal point based on input from some sensors which detects the line and then decide what movement to make. The system needs to continue its trajectory, by regulating its speed and steering-ing into the corner or deviates.

[2] Simple Path Tracking:

It should follow a straight line or a curve The goal is to keep the robot on the line no matter its shape or orientation by using feedback from sensors that measure when it moves off of the path and inflecting accordingly.

[3] Precision and Accuracy:


The robot should be able to remain in line offset (centered on the track) and make smooth direction adjustments. This precision is crucial to ensure you do not go off the line or be trapped in short turns.

[4] Immediate Decision-Making:

The robot must be capable of analyzing sensor data instantly to assess its location in relation to the line and determine corrective moves, including turning left or right, accelerating, or decelerating.

## PROPOSED SYSTEM

A line-following robot is an autonomous machine created to adhere to a predetermined route indicated by a line, typically on the floor. The line may be black or white, allowing the robot to identify the contrast between them to remain on course. Presented here is a suggested framework for this robot, encompassing the key elements, sensors, and control algorithm.



### Core Components

#### Microcontroller:

Arduino, Raspberry Pi, or ESP32.

The microcontroller processes sensor information and controls the motors.

#### Motors:

DC motors fitted with encoders (or servo motors).

Control the robot's movement by managing its speed and direction.

#### Motor Controller:

L298N, L293D, or a MOSFET-based H-Bridge.

This is used to control the motors based on the signals obtained from the microcontroller.

#### Energy Source:

Batteries (like Li-ion or NiMH) power the motors, sensors, and microcontroller.

#### Sensors

The sensors' main function is to identify the line and send information to the microcontroller so that decisions can be made.

#### Infrared sensors (IR):

primarily utilized for line-following robots.

These sensors are made up of a photodiode and an infrared LED. The robot can tell the difference between the white surface and the black line, or the other way around.

Typical configuration: A horizontal alignment of two, three, four, or five sensors at the robot's front.

Working Principle: The majority of infrared light reflected back to the sensor from a white surface. Less light is reflected when it strikes the line, which is a

dark surface.

Examples of sensors include various infrared sensor modules, the TCS3200, and the QRE1113.

Sensors. The sensors' main function is to identify the line.

### Software and Algorithm

This simple line-tracking algorithm uses three sensors:

#### Step 1: Start

Connect the motor controller with the sensor input pins. Adjust the motor velocity and control settings.

Step 2: Monitor the sensor's measurements to identify if it registers white or black.

#### Step 3: Reaching a Conclusion:

If the left sensor detects a black line, turn to the right.

If the appropriate sensor detects black, make a left turn. If the main sensor identifies black, continue.

#### Step 4: Regulation of the Motor:

Adjust the motor speeds for left, right, forward, and backward based on the sensor information.

#### Step 5: Loop:

Repeat the process continuously, adjusting speed or direction as needed.

## APPLICATIONS

### Manufacturing and Warehousing (Automated Guided Vehicles - AGVs)

Description: In factories and storage facilities, robots that adhere to specific paths are employed to optimize the movement of materials, products, or components throughout the manufacturing space.

Material Handling: Line-following robots, referred to as Automated Guided Vehicles (AGVs), follow designated routes on the ground to transport items between different stations.

Inventory Management: Robots equipped with line-following technology can navigate aisles to deliver products, restock shelves, or move goods from one area to another.

Benefit: Improves efficiency, reduces the reliance on human labor, and accelerates processes in warehouses and manufacturing sites.

### Surveillance and Security

Description: In large facilities such as campuses, factories, or warehouses, line-following robots are

utilized to autonomously monitor and patrol designated areas.

**Surveillance:** Line-following robots can be programmed to navigate established paths across the premises, offering a surveillance solution that outperforms manual patrols in efficiency.

**Security Checkpoints:** The robot can traverse predetermined routes, inspecting security zones for unauthorized access and notifying security personnel of any unusual activity detected.

**Benefit:** This approach delivers cost-effective and continuous security monitoring, minimizing the reliance on human guards while enhancing the overall safety of large facilities.

autonomous transport in theme parks

**description:** in amusement parks, theme parks, and extensive public areas, line-following robots can be utilized for transportation or guidance services.

**application:**

**guided tours:** robots can autonomously navigate predefined paths, leading guests on self-guided tours throughout the park while providing information along the way.

**transportation:** compact line-following robots could be employed to transport goods (such as food or merchandise).

**benefit:** improves the visitor experience by offering efficient and innovative methods of transport or guidance while minimizing the need for staff intervention.

## CONCLUSION

Line-following robots are versatile and have broad applicability across various industries. They offer autonomous navigation and task execution, minimizing the necessity for human involvement in repetitive or hazardous activities. From logistics and warehousing to education and security, these robots significantly enhance efficiency, safety, and automation across various sectors.

## REFERENCE

Books:

- [1] "Arduino Robotics" by John-David Warren, Josh Adams, and Harald Molle
- [2] "Arduino Projects Book" by Scott Ferguson

Online Tutorials:

- [3] Arduino Official Website: The Arduino website

offers a wealth of tutorials and examples for building different types of robots. For line-following robots, you can explore their projects section.

YouTube Channels:

- [4] Paul McWhorter's YouTube Channel: Paul McWhorter has an excellent series on Arduino robotics, and you can find tutorials on building line-following robots as well as detailed explanations of the coding and hardware.