Image Emotion Recognition

Dr.G.Aparna[1], P.Ankith[2], B.Suresh[3], K.Karthik[4], A.Hemanth[5], P.Sathish[6]
[1]*Associate Professor, Hyderabad institute of technology and management, Medchal, Telangana*
[2,3,4,5] *UG student, Hyderabad institute of technology and management, Medchal, Telangana*

***Abstract*—This project aims to recognize emotions by understanding different facial expressions by collecting live video through a default web camera. The video stream is captured through a local camera attached to the machine or computer system and fed to various image extraction techniques. Identification of facial features is done using OpenCV operations, and a contour surrounding the face is utilized as a source of input for the Convolutional Neural Network (CNN). The CNN model consists of six activation layers, four of which are convolution layers and two are fully controlled layers. Each layer undergoes several training techniques. The main objective is to demonstrate the information is accurate in CNN model, discuss the outcomes, and improve the efficiency of the model. The scope of this project is also analyzed to enhance technologies developed in the near future.**

I. INTRODUCTION

The detection of facial emotions is a crucial application of image processing, Our emotions are revealed through our facial expressions, which play a significant role in interpersonal communication. Facial expression recognition is an evolving technology in human-computer interaction, extending across various applications like webinar technologies, virtual reality, and online surveys. Despite Even though we've made progress, there are still many diplomacies in this field.

Traditional methods with high latency are difficult to extract required features effectively, making them unsafe for real-time applications. A proposed solution is a facial recognition method using CNN, which addresses these issues and provides a safer alternative.

Convolutional Neural Networks (CNNs) are the primary deep learning models, have gained attention By learning discriminative features from raw images, they can eliminate the need for handcrafted feature extraction for facial emotion detection and achieving high performance in benchmarks.

Large-scale datasets like CK+, MMI, FER-2013, and AffectNet, containing thousands of labeled facial images displaying different emotions, have significantly aided in the development and evaluation of facial emotion detection systems.
To explore the dataset FER-2013, Face expression recognition dataset.

- To generate training and validation batches.
- To create a Convolution Neural Network (CNN) Model.
- To train and evaluate model.
- To represent the model as JSON string.
- The model can assist in recognizing facial expressions in real-time and analyzing their accuracy.

II. LITERATURE SURVEY

Facial emotion detection systems are being improved by researchers to enhance their performance and reliability. These systems are essential for students with high-functioning autism (HFA) who have trouble staying focused and paying attention in class because facial expressions can be mapped to specific emotions. The adaptive emotional regulation tools and early detection of emotional changes can be utilized to assist in emotional regulation. Dealing with negative emotions. The objective of this work is to propose an approach to emotion identification through facial expressions. expressions. The construction involved the use of both the sliding window approach and support vector machines (SVM) Facial landmark signals collected during experiments are used to classify. were utilized to construct classifiers from facial landmark signals collected during experiment The feature was evaluated through the use of Information Gain (IG) and Chi-square.

Emotion identification is determined through assessments to identify strong features. The effectiveness of classifiers with different sliding-window values was also evaluated. The experiments demonstrate the effectiveness of the recommended approach in distinguishing between different samples.

III. METHODOLOGY

The aim of this research is to develop a model for facial emotion recognition using a structured approach that focuses on image processing and deep learning

techniques . Data collection and pre-processing are the first steps in the methodology to ensure that the model is trained on a diverse and well-structured dataset. The FER-2013 dataset, a vast collection of grayscale images that are characterized by seven primary emotional states: neutral, angry, disgust, surprise, sad, fear, and happy is the ideal choice for your usage. To simplify the model's input requirements and reduce computational demands, these images were standardized to a resolution of 48x48 pixels. Data augmentation techniques, including rotation, flipping, and cropping, are utilized to expand the dataset's variability, which improves the model's robustness and protects from overfitting.

To identify, the images that have been processed are examined and extract facial features that help in recognizing emotions. Facial landmarks can be detected using OpenCV, which highlights important features like the eyes, mouth, and eyebrows. The model's definition of regions of interest is guided by these facial landmarks, which allows for a more focused and effective feature extraction process.

The CNN architecture is chosen because of its capacity to self-learn complex patterns in visual data, thereby eliminating the need for manual feature engineering. The model acquires the ability to recognize unique patterns associated with various emotions by training the CNN on these facial regions.

IV. IMPLEMENTATION

The process of implementing the CNN model involves coding and training it using Python libraries like Keras and TensorFlow on platforms like Jupyter Notebook or Google Colab. The project code includes steps such as loading data, preprocessing, building models, training, and evaluation. The CNN model processes and learns through the activations and pooling of each layer, after feeding in images.

Monitoring training results involves the use of loss and accuracy metrics to assess model performance in testing. To ensure accuracy, the trained model is evaluated on a separate test dataset to verify its ability to generalize. Loss graphs show progress in learning and model stability over time, with close alignment between training and validation curves suggesting minimal overfitting. The model's effectiveness is confirmed during this phase, with validation accuracy reaching a competitive 81%, and it is positioned as a viable solution for real-time emotion recognition applications.



Figure 5.1 Accuracy Graph Test 1



Figure 5.12 Accuracy Graph Test 2

V. HARDWARE SETUP

System Requirements for Facial Expression Recognition

• Processor: Intel or Ryzen processor is needed for efficient data processing and CNN computations.
• RAM: Minimum 8GB recommended for smooth model training and data pre-processing.
• Storage: 1GB required for dataset and model files, with model and dataset size increasing with training and additional datasets.
• Camera: Standard webcam for real-time video or image input.
• Network Access: For online setups, it's necessary to have Wi-Fi or other internet access, particularly for cloud-based setups remote data access or storage.

VI. RESULT

The purpose of this project was to investigate the use of CNNs for facial modeling. Expression detection demonstrates its effectiveness in accurately recognizing expressions and Organizing facial expressions into categories. By utilizing deep learning and CNNs, The facial expression detection system that was proposed has been successful in capturing facial

expressions. Predicting emotions with high accuracy by analyzing facial features.

The system achieved significant results after conducting extensive experimentation and evaluation Accuracy and robustness are key factors in performance. The model was successful in learning Facial images showed discriminatory features that allowed for classification of various types of objects. emotions, including sadness, happiness, fear, neutral, surprise, anger and disgust expressions. The use of techniques such as data pre-processing, CNN architecture design, and Optimization algorithms were instrumental in the overall success of the system.





VII. CONCLUSION

The project successfully showcases a CNN-based approach to facial emotion recognition, using a well-structured deep learning model and an established dataset. The system's accuracy and stability are significant, indicating it is suitable for applications requiring real-time emotion detection. By utilizing CNNs, the project is able to effectively overcome the limitations of traditional methods in terms of accuracy, speed, and feature extraction, illustrating the advantages of deep learning in complicated visual tasks.

The system's ability could be expanded by incorporating larger, more diverse datasets to cover a broader range of facial expressions and demographic variations in future work. By integrating this system into cloud-based or mobile platforms, it can be extended and accessible across different devices and environments. The findings show that CNNs can be useful in advancing emotion recognition technology, which will encourage further research and development in this field.

REFERENCES

[1] Jaiswal, S., & Valstar, M. (2016). Deep learning the dynamic appearance and shape official action units. https://doi.org/10.1109/wacv.2016.7477625.

[2] Li, J., Mi, Y., Li, G., & Ju, Z. (2019). CNN-Based Facial Expression Recognition from Annotated RGB-D Images for Human–Robot Interaction. International Journal of Humanoid Robotics, 16(04), 1941002.

[3] https://doi.org/10.1142/s0219843619410020

[4] Singh, S., & Nasoz, F. (2020). Facial Expression Recognition with Convolutional Neural Networks. In 2020 10th Annual Computing and Communication Workshop and Conference (CCWC). https://doi.org/10.1109/ccwc47524.2020.9031283.

[5] Begaj, S., Topal, A., & Ali, M. (2020). Emotion Recognition Based on Facial Expressions Using Convolutional Neural Network (CNN).

[6] https://doi.org/10.1109/contesa50436.2020.9302866

[7] 2017, Zhang et al. proposed a novel CNN architecture Attentional Convolutional Neural Network (ACNN) for facial expression detection. (2018). IEEE.

[8] Facial Emotion Recognition using Deep Learning. (2022, March 10). IEEEConference Publication | IEEE Xplore. https://ieeexplore.ieee.org/document/975218