

Advancements in Pneumonia Detection Using U-Net

Hardhik Sai Palivela¹, Dr.R. Annie Uthra², Aaditya Gawali³

^{1,3}Cintel, ²Hod Cintel, SRM Institute of Science and Technology, KTR Chennai, India

Abstract—Pneumonia is an acute respiratory infection that continues to be a major cause of morbidity and mortality globally. Timely and precise diagnosis is crucial for effective treatment, but conventional approaches may face diagnostic limitations in accurate testing at a low-cost level. The objective of this study is to apply U-Net, a deep learning-based convolutional neural network (CNN) architecture, designed for biomedical image segmentation tasks, to automate pneumonia detection within chest X-ray medical images. We try to locate the infected areas in chest X-ray images using U-Net which uses a strong semantic segmentation architecture that can segment into pixels. We use a customized U-Net architecture, where we enhanced its features with attention techniques to emphasize the most notable parts of samples and enabling distinguishing between normal and pneumonia tissues more effectively.

Index Terms—Medical Image Segmentation, U-Net, Attention Mechanisms, Deep Learning, Convolutional Neural Networks

I. INTRODUCTION

Image segmentation for medical images is an important process and has a prominent role in the processing of medical imaging and to identify different diseases. This technique refers to partitioning medical images into semantic intersections such as locating diseases or anything else like structures in the body. Correct classification is crucial for diagnosis and treatment of diseases collect, automate, track, and analyze the step now which is primary of many medical practices. It's no exaggeration. It's the basis for sophisticated medical procedures which assist radiologists and physicians in decision making and growth, allowing for better treatment strategies. Since medical images vary in sizes, shapes and textures, the high segmentation is challenging to achieve. IT & Machine Learning. Nevertheless, these methods provide unsatisfactory results due to their inability to synthesize fine details

and variations described in clinical photos. Deep learning, especially convolutional neural networks (CNN), has fast tracked the progress of clinical segmentation. Out of them, the U-Net architecture has been one of the key models for segmentation purposes. Spatial data can be stored in different layers of the network due to its encoder-decoder architecture that have been implemented together. This structure from U-net enables it to perform well in a number of medical applications. U-Net and similar models are still challenged to capture patterns in medical images when the target structure is small or masked by changes in adjacent tissue. Tracking tools in deep learning models to solve these problems. Tracking guides the network to differentiate what are vital components of the input and emphasize their attention, which enhances the ability of the model to capture essential features while suppressing the rest of the data in panic. For the task of medical image segmentation, the greatest advantage is that it can help the model focus on specific parts of the image, such as small lesions or hidden background, everything could be tracked. Thus, the developed U-Net model is expected to provide better and more reliable results by better solving the problems caused by complex medical images. This integration also provides a combination of u-net efficiency.

II. LITERATURE REVIEW

With the introduction of deep learning, especially neural networks (CNN), image segmentation has made significant progress. Before deep learning, traditional methods such as initialization, growing space, and book descriptions are used, but these methods are often affected by the diversity and complexity of medical imaging. The emergence of CNNs has changed the field, leading to more accurate and efficient classification. Deep learning models for pneumonia detection applications in the literature have progressed, and many new deep learning model architectures and techniques have been introduced over time with

substantial contributions. The U-Net model proposed by Ronneberger et al pioneering in biomedical segmentation due to its encoder-decoder architecture, (2015) can achieve precise localization from 2D medical images. But it's not ideal with small datasets and can't deal with 3D data, so it isn't directly applicable to volumetric scans. Shen et al. in 2017, reviewed deep learning methods from CNNs to RNNs, autoencoders which have been the primary catalysts of what is now a new frontier in disease detection using deep learning, especially pneumonia. While their work is exhaustive, specific details on implementation and a comparative performance analysis are still missing for the community to use it beneficially. Long et al. In 2015, Fully Convolutional Networks (FCNs) was proposed replacing the fully connected layers with convolutions in order to make end-to-end segmentation possible. FCNs are powerful, but must be adapted to medical imaging where precise pixel-wise classification is needed, such as mantle pneumonia. In SegNet architecture by Badrinarayanan et al. It combines an encoder-decoder structure (Shelhamer et al., 2017) with pooling indices to achieve efficient upsampling, thus increasing the performance of segmentation. However, the limitations of SegNet for clinical setting are linked to a dependency on large sized labelled datasets which is impracticable and susceptibility to variability in images. Attention U-Net, introduced by Oktay et al. (2018) includes attention mechanisms that allow it to focus on relevant regions of the image, thus boosting segmentation performance in complicated medical images such as pancreas detection. However, the use of it on other organs such as lungs for pneumonia detection is not as well-studied. Milletari et al. (2016) introduced residual connections and volumetric convolutions to aid in complicated 3D data segmentation problems, is beneficial for detailed pneumonia scan analysis. The computational requirements for V-Net limit its use in a conventional medical environment. For 3D dense volumetric data, Çiçek et al. (2016) extended the U-Net which is a convolutional network for image segmentation built at first and developed three-dimensionally (3D) came from (Oscar A Mn, 2016) which provides segmentation solutions in sparsely annotated 3D medical images. While it has its merits, the heavy reliance that 3D U-Net placed on a specific format of

data combined with high compute requirements may also prevent this architecture from being as generalizable.

He et al. (2016) contributed to ResNet: Deep Residual Networks helped in image recognition with deep Resnet model having ability to stabilize the training of deep architectures so that this becomes used for pneumonia detection on X-ray images pattern recognition. But ResNet was designed around classification and needs changes for segmentation. Goodfellow et al. Gan et al. (2014) proposed Generative Adversarial Networks (GANs), and these has proven to be useful for data augmentation and artificial training image generation particularly in the field of medical imaging providing important benefits for tasks such as pneumonia detection in case where sufficient amount of data is unavailable. Although the main purpose of Generative Adversarial Networks (GANs) is to generate data, GANs need some improvement in order to do segmentation. Finally, Dou et al. With specific focus on the FCN, Zhang et al. (2018) highlighted the issue of domain adaptation in medical image segmentation and thereby improved the robustness of performance across different datasets which can be a significant asset when architectures, e.g. VGG-16 are used for identifying variances between major patient populations. But this method still does not solve for all types of data variability or natural different distributions which leaves some room for exploration.


Hence, the literature survey is comprehensive and highlights the merits of deep learning models on medical images, but the findings often overlook constraints to be addressed alongside ongoing advancements in these technologies for pneumonia detection.

III. METHODOLOGY

A. U-Net Architecture

U-Net architecture is a widely accepted deep learning model designed for biomedical image segmentation. It follows an encoder-decoder model that allows it to capture high-resolution and crisp details, which makes it particularly useful for segmenting medical images. The convolution technique is based on the max pooling function. Each convolution layer is usually followed by a modified linear unit (ReLU) function and sometimes by batch normalization. The goal of the encoder is to slowly extract rich and more abstract features from the

input image, capturing the essence of the structure in the image (convolution) to develop segmentation maps based on abstract features. Each upsampling step is followed by a convolutional layer that refines the segmentation map and eventually produces the output of a large amount of input images. It connects the layers in the encoder and decoder. These connections allow the model to reuse spatial information that may be lost during encoding, allowing for more precise segmentation, especially for small or thin models. Max pooling layer for downsampling, upsampling layer for reconstruction, and ReLU activation function. The final process is usually 1x1 convolution, which reduces the output to the desired classes (for multi-class segmentation) or a single output channel (for binary segmentation).



B. Attention Mechanisms


Tracking techniques have become powerful tools in deep learning, allowing selective models to focus on the most important parts of the input data. This is especially true for problems where different input data have different values. Self-awareness: One of the most commonly used forms of attention, self-awareness works by calculating the impact of each piece of the input compared to each other. This is done by creating three vectors for each element in the sequence or specification map: the query vector, the priority vector, and the value vector. The high score is calculated based on the inner product of the problem and the key vectors used to evaluate the value vectors. This process allows the model to capture long-term expectations and relationships in the data. Improved feature selection: In the context of neural networks, attention mechanisms improve feature selection by dynamically adjusting attention to different parts of the input data. This helps the model focus on important areas that provide more information for the task, such as focusing on

pneumonia in medical images, while reducing the influence of other regions.

C. Integrating Attention into U-Net

The focusing machine is placed between the encoder and the decoder. Here, the features extracted from the encoder are processed by the receiver before being transferred to the decoder. This ensures that the most important features are captured during operation and reconstruction. Within Jump Links: There are additional views in Jump Links. Before the encoder inserts the feature maps into the decoder, we use a search module to filter out rare features, thus improving the accuracy of missing data. Monitoring module design: The monitoring system used in the U-Net upgrade is based on self-monitoring. For each feature map, query, importance, and value vectors are calculated, and the resulting score is used to evaluate the weights of the features. This process allows the model to focus on the most important areas of the specification. Loss function and optimization changes: Modify the loss function to further improve the segmentation performance. An integrated loss function that combines the cross-entropy loss and the non-entropy loss is used. The blind spot penalty for the mis predicted area is assumed to be significant for the tracking process. Also, the optimization process is adjusted to focus the training supervision on the real regions of interest in training. Architecture diagram: The updated U-Net architecture with color coding can be explained as follows: Input process: Acquisition of medical images. Encoder: Pooled convolution layer that generates the map. Monitor module: please see the specific value before the machine is cut. Crosstalk: Listening module filters the features before passing to the decoder. Decoder: Up sampling and convolution layers reconstruct the segmentation maps. Output layer: generate the final segmented image. Integrating the tracking process into U-Net aims to improve the performance of the model in segmenting complex medical images by better focusing on important regions, thus achieving good segmentation results.

This integration of attention mechanisms into U-Net is designed to enhance the model's performance in segmenting complex medical images by focusing more effectively on critical regions, leading to superior segmentation results.



IV. EXPERIMENTAL SETUP

A. Datasets

For the Pneumonia Detection Dataset, we used a publicly available dataset of chest Xray images containing various labelled images for the presence/absence of pneumonia. Preprocessing of the dataset was done to standardize image size, Resolution and contrast. CT images are resampled to standard voxel size and normalized. They are resized and normalized to achieve same dimension of inputs and similar pixels values distribution over all samples, respectively making them suitable for training. For augmenting the training set and increasing robustness of the model and overcome overfitting, different data augmentation techniques such as rotation, zoom, horizontal flip and brightness were applied. Also, the dataset was split into three parts for training, validation set, and test set, while at the same time maintaining balanced pneumonia vs non-pneumonia cases in the test set. This split was random, but stratified to keep the class proportion of the original dataset so that we maintained how many classes exist on the dataset. The training set to U-Net

model, the validation set to assess model performance and assist hyperparameter tuning. The separated test set, never used during training, was used at the end for validation of models.

B. Implementation Details

The implementation of the U-Net model is proposed through a joint integration process using state-of-the-art deep learning techniques and computational techniques optimized for large-scale medical images. Software framework: This model is implemented in Python using TensorFlow and Keras libraries, and provides flexible and efficient tools for building and training deep learning models. Hardware used: Experiments were conducted on a workstation equipped with NVIDIA RTX 3060 GPU and 6 GB VRAM to support large medical data processing and modeling. The system also includes 16 GB RAM and an Intel i7 processor to manage the preliminary data and training models. Hyperparameters: Learning rate: The learning rate is initialized to 0.001 using variable learning rate and is decreased by a factor of 0.5 when the acceptance rate reaches a plateau. Batch size: Batch size of 16 is used to balance memory usage and learning efficiency, especially when processing high-resolution images. Optimizer: Adam optimizer is used due to its fast convergence and ability to resolve gradients well. Epochs: Train the model for 100 epochs using early stopping technique as false positive to avoid overfitting. Data augmentation: Data augmentation including rotation, displacement, scaling, and elastic deformation is used to improve the stability of the model to changes in the input image. Training method: The model is trained using the cross-entropy loss method with additional attention to emphasize correct segmentation of important regions. The performance of the validation process is monitored each time by splitting the training data into 80% training data and 20% validation data.

C. Evaluation Metrics

Various metrics are used to evaluate the segmentation performance of the proposed model; each metric is selected based on its relevance to the clinical segmentation features. Dice coefficient: Dice coefficient is a widely used metric in medical image segmentation and is calculated as the harmonic mean of precision and response. It measures the overlap between the predicted segmentations and the ground data and gives a score from 0 (no overlap) to 1 (perfect overlap).

Rationale: Dice coefficients are particularly useful in evaluating patterns in class-invariant problems (e.g. pneumonia segmentation) where the target location (e.g. pneumonia) is relatively much smaller than the previous history. Intersection over Unity (IoU): IoU, also known as the Jaccard index, measures the intersection and union ratio between the predicted segmentation and the ground truth. It gives a value between 0 and 1, with higher values indicating better performance. Rationale: IoU is a rigorous metric that produces both positive and negative results, making it a reliable indicator of good segmentation, especially for tasks where accurate edge identification is important. Accuracy: Accuracy provides an overall view of the model's performance by measuring the proportion of pixels in the segmentation map that are classified. Rationale: Accuracy is a general metric, but can lead to class overlap. Therefore, it is used in conjunction with Dice and IoU to provide a complete metric model. Accuracy and completeness: Precision measures the proportion of correct predictions per good prediction, while recall measures the proportion of correct predictions per really good prediction. Why: These indicators are important for detecting adverse effects that may lead to unnecessary interventions and adverse effects that may cause blindness. The balance between accuracy and recall is important to ensure model accuracy.

V. RESULTS AND DISCUSSION

A. Quantitative Results


The table below shows a comparison of each model:

Model	Dice Coefficient	IoU	Precision	Recall	F1-Score
Baseline U-Net	0.82	0.76	0.83	0.81	0.82
Attention U-Net	0.87	0.83	0.88	0.86	0.87
Existing Method A	0.84	0.78	0.85	0.83	0.84
Existing Method B	0.83	0.77	0.84	0.82	0.83

From the table, it is clear that U-Net tracking outperforms U-Net and other existing methods in all performance metrics. Especially, the dice coefficient and IoU show significant improvement, indicating the potential of the model to improve segmentation of medical images more accurately.

B. Qualitative Results

In this section, we present a visual approach to segmented images to evaluate the performance of Attention U-Net. These examples focus on complex cases such as overlapping areas, small objects, or blur and image contrast. This image shows the case where two areas overlap. In comparison, Attention U-Net achieves clearer and more accurate classification in different areas. Small object segmentation: Note here U-Net works well in segmenting small objects that are often forgotten or not segmented by the base model. Obviously, even the smallest patterns can be seen. The tracking process allows the model to tune and focus on the relevant features, resulting in more efficient segmentation.



C. Discussion

The integration of tracking into the U-Net architecture has proven to be very useful for clinical segmentation. Quantitative results show that the segmentation accuracy is significantly increased. This can be attributed to the ability of the improved model to focus on the important part of the image. Different input data are weighted and unimportant or irrelevant data are ignored. This analysis is especially useful for difficult segmentation problems where the boundaries are unclear or objects are small and hard to distinguish. By having a model focused on these important areas, better tracking of U-Net can achieve the best performance of U-Net and other existing methods. Despite this improvement, this method still has some limitations. First, the use of the maintenance process

complicates the construction, resulting in higher costs and longer time. This may limit its applicability in areas where access or immediate use is limited. In addition, although the tracking method increases the accuracy of the segmentation in most cases, it may not always be effective in cases where the target is subtle or the material paper is not believed. In this case, additional adjustments must be made to the color layer or the previous step. Future research can explore the following directions: Optimizing attention processes: Explore different types of attention (e.g., individual attention, channel attention) and their combinations to improve segmentation performance. Model simplification: Create a process to reduce the overhead from monitoring the process and make the model perform better without realism. Domain Adaptation: Apply U-Net to focus on different aspects of medical imaging (e.g., histopathology, ultrasound) to assess the scope of the domain and identify specific problems in the region. Interpretation: Provide an interpretation process to better understand how the monitoring process leads to decision making and provide insights to lead to further improvements.

VI. CONCLUSION

This work demonstrates that significant benefits can be achieved by integrating the tracking process into the U-Net architecture for image segmentation. The main results of the experiments show that the optimal tracking U-Net consistently outperforms the initial U-Net and other existing methods in various performance metrics, including Dice coefficient, Intersection over Union (IoU), precision, recall, and F1 score. . . The model is able to focus on important areas of medical images, which leads to more accurate and robust segmentation, especially in difficult cases such as overlapping areas, small objects, small segmentation, and mindset change. The use of tracking techniques in U-Net allows the model to prioritize important features while ignoring irrelevant information, thereby solving some of the problems inherent in medical segmentation. This makes the boundaries more accurate, improves the quality of the models to be seen, and improves the overall segmentation performance. The potential impact of this research in the field of clinical image analysis is significant. Improved segmentation

accuracy can directly contribute to improved diagnostic outcomes, making it easier to diagnose, assess, and monitor conditions. This can lead to better treatment plans and improved patient outcomes.

REFERENCES

- [1] Ronneberger, O., Fischer, P., & Brox, T. (2015). U-Net: Convolutional Networks for Biomedical Image Segmentation. In International Conference on Medical Image Computing and Computer-Assisted Intervention (MICCAI).
- [2] Shen, D., Wu, G., & Suk, H. (2017). Deep learning in medical image analysis. *Annual Review of Biomedical Engineering*, 19, 221-248.
- [3] Long, J., Shelhamer, E., & Darrell, T. (2015). Fully Convolutional Networks for Semantic Segmentation. In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 3431-3440.
- [4] Badrinarayanan, V., Kendall, A., & Cipolla, R. (2017). SegNet: A Deep Convolutional Encoder-Decoder Architecture for Image Segmentation. *IEEE Transactions on Pattern Analysis and Machine Intelligence (TPAMI)*, 39(12), 2481-2495.
- [5] Oktay, O., Schlemper, J., Le Folgoc, L., Lee, M., Heinrich, M., Misawa, K., Mori, K., McDonagh, S., Hammerla, N., Kainz, B., Glocker, B., & Rueckert, D. (2018). Attention U-Net: Learning Where to Look for the Pancreas. In International Conference on Medical Image Computing and Computer-Assisted Intervention (MICCAI).
- [6] Milletari, F., Navab, N., & Ahmadi, S. (2016). V-Net: Fully Convolutional Neural Networks for Volumetric Medical Image Segmentation. In 4th International Conference on 3D Vision (3DV).
- [7] Çiçek, Ö., Abdulkadir, A., Lienkamp, S. S., Brox, T., & Ronneberger, O. (2016). 3D U-Net: Learning Dense Volumetric Segmentation from Sparse Annotation. In International Conference on Medical Image Computing and Computer-Assisted Intervention (MICCAI).
- [8] He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep Residual Learning for Image Recognition. In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 770-778.
- [9] Goodfellow, I., Pouget-Abadie, J., Mirza, M., Xu, B., Warde-Farley, D., Ozair, S., Courville, A., &

Bengio, Y. (2014). Generative Adversarial Nets. In Advances in Neural Information Processing Systems (NIPS), 2672-2680.

- [10] Dou, Q., Ouyang, C., Chen, C., Chen, H., Glocker, B., Zhuang, X., & Rueckert, D. (2018). Domain Adaptation for Medical Image Segmentation with Fully Convolutional Networks. In International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI).