Futuristic Air Pollution Analysis of Indore City as Connected to Vehicular Emission; A Systematic Review

Jitendra Jayant[1], Dr. A.C. Tiwari[2], Angur Bala Jayant[3]
[1] *Research Scholar, Department of Mechanical Engineering, UIT, RGPV, Bhopal*
[2] *Professor & Head, Department of Mechanical Engineering, UIT, RGPV, Bhopal*
[3] *Assistant Professor, Industrial & Production Engineering Department, SGSITS, Indore*

***Abstract*—Vehicular emissions significantly contribute to urban air pollution, posing severe environmental and public health challenges. This study analyses air quality dynamics in Indore city by integrating observational data with advanced simulation tools. Key pollutants, including PM10, PM2.5, CO, and NOx, were analysed using modelling software such as AMET, MOVES, SAMAA, and OpenAir to assess spatial and temporal pollution trends and forecast future scenarios. The results identified major pollution hotspots and highlighted correlations between traffic density, meteorological factors, and pollutant dispersion. Forecasting projections for the next 5, 10, and 20 years reveal worsening air quality under current urbanization trends, underscoring the need for immediate intervention. Simulations also demonstrated the potential of emission reduction strategies—such as promoting electric vehicles, adopting alternative fuels, and enhancing public transport infrastructure—in mitigating air quality deterioration. Despite limitations, including the reliance on secondary data, the findings offer critical insights for urban planners and policymakers to devise localized, actionable solutions. By balancing urban development with environmental sustainability, this study aims to contribute to a healthier and more sustainable future for Indore city.**

***Index Terms*—Air quality modelling, Emission reduction strategies, Indore city, Urban pollution, Vehicular emissions**

I. INTRODUCTION

Urbanization and industrialization have significantly impacted air quality worldwide, posing critical challenges for sustainable development and public health. In India, rapid urban growth has led to an alarming rise in air pollution levels, with vehicular emissions being one of the primary contributors. Indore, a burgeoning urban center, is no exception. Its growing population, increased vehicular density, and infrastructure expansion have exacerbated the air pollution problem, necessitating comprehensive research into its sources, impacts, and mitigation strategies.

Vehicular emissions release harmful pollutants such as carbon monoxide (CO), nitrogen oxides (NOx), particulate matter (PM), and volatile organic compounds (VOCs) into the atmosphere, significantly deteriorating ambient air quality. Such pollutants not only pose severe health risks to humans and plants but also contribute to long-term environmental degradation. Effective management of air quality requires accurate data collection, advanced modelling, and predictive analysis to formulate targeted interventions.

This study aims to address the critical issue of air pollution in Indore city by integrating data collection, simulation, and forecasting techniques. By leveraging advanced modelling tools and Python-based visualizations, the research seeks to analyse current pollution levels, identify sources, and project future scenarios under various developmental and policy-driven conditions. The ultimate goal is to provide actionable insights to aid urban planners, policymakers, and environmental agencies in mitigating air pollution and fostering sustainable urban development.

The relationship between vehicular emissions and urban air quality has been extensively studied in the context of growing urbanization and its impact on human health and the environment. Existing studies highlight the pressing need to model air pollution accurately to support effective decision-making and mitigation strategies.

Vehicular emissions are a major source of urban air pollution, contributing significantly to particulate matter (PM10 and PM2.5), nitrogen oxides (NOx), and carbon monoxide (CO). According to Singh et al. (2021), transportation emissions in Indian cities account for 25–30% of total urban air pollution, with vehicular density and outdated technology being primary drivers. Furthermore, Mishra et al. (2020) investigated vehicular emission hotspots in Tier-2 Indian cities and identified the need for location-specific modelling to tackle air quality issues effectively.

Advanced modelling tools such as MOVES and AMET have been utilized globally to simulate and forecast air pollution levels. For instance, the MOVES model, as demonstrated in Wang et al. (2022), provides an in-depth analysis of vehicular emissions at micro and macro scales, making it a valuable tool for urban air quality management. Similarly, open-source packages like OpenAir have enabled researchers to conduct time-series and spatial analyses, revealing trends and seasonal variations in air quality (Ropkins & Carslaw, 2020).

Forecasting future air quality is another critical area of research. Kumar et al. (2021) combined meteorological data with vehicular emission models to predict air quality scenarios in Indian metropolitan cities over the next decade. Their findings underscore the importance of integrating meteorological observations with emission data for robust projections. Moreover, Zhao et al. (2019) emphasized the utility of multi-model approaches for long-term air quality forecasting, which can guide urban planning and policy interventions.

Despite the significant progress in air pollution research, there are notable gaps in literature concerning mid-sized cities like Indore. Most studies focus on metropolitan cities with established infrastructure for data collection and modelling. For Indore, limited data availability and a lack of localized studies hinder comprehensive understanding and management of air pollution. Furthermore, there is a dearth of research on the cumulative health and ecological impacts of projected air quality scenarios in such cities.

This research seeks to bridge these gaps by leveraging advanced modelling tools and Python-based simulations to provide a detailed analysis of vehicular emissions in Indore city. It will contribute to the growing body of knowledge on air pollution management and offer specific recommendations tailored to mid-sized urban centers in developing nations.

II. METHODOLOGY

This research employs a comprehensive methodological framework to analyse the impact of vehicular emissions on air quality in Indore city and project future scenarios. The study integrates systematic data collection, advanced modelling, and simulation techniques to provide actionable insights for urban planners and policymakers.

The first step involves collecting data from various reliable sources, including government agencies, open-source repositories, and on-ground measurements. Key datasets include meteorological parameters such as wind speed, temperature, humidity, and precipitation, which influence the dispersion and deposition of pollutants. Air quality data will encompass levels of particulate matter (PM10 and PM2.5), carbon monoxide (CO), nitrogen oxides (NOx), and other vehicular emission-related pollutants. Additionally, traffic data such as vehicular density, vehicle categories, fuel usage patterns, and emission factors specific to Indore city will be gathered to ensure a robust foundation for analysis.

Table I: Current Air Quality Status in Indore City

Pollutant	Concentration (µg/m³)	Standard Limit (µg/m³)	Status	Primary Source
PM10	140	100	Exceeds Standard	Construction, Traffic
PM2.5	90	60	Exceeds Standard	Vehicular Emissions
NOx	45	40	Slightly Exceeds	Diesel Vehicles
CO	1.8	2	Within Standard	Gasoline Vehicles
Ozone (O3)	50	100	Within Standard	Photochemical Reactions

Once collected, the data will undergo preprocessing to eliminate inconsistencies and ensure compatibility with modelling tools. Statistical methods will be applied to interpolate missing values and address outliers, enabling accurate and reliable inputs for simulation. The processed data will then be used to model and simulate vehicular emissions and their spatial and temporal impacts on air quality using advanced tools such as AMET (Atmospheric Model Evaluation Tool), MOVES (Motor Vehicle Emission Simulator), SAMAA (System for Air Modelling and Analysis), and OpenAir. These tools facilitate detailed emission source analysis, pollution distribution mapping, and scenario forecasting. The emission source analysis aims to identify pollution hotspots and major contributors, while pollution distribution mapping calculates pollutant levels at geometrical points where direct measurements are unavailable. Scenario forecasting will project air quality under varying urbanization and policy conditions for the next five, ten, and twenty years.

To validate the simulations, observational data will be synchronized with model outputs, ensuring temporal and spatial alignment. Statistical metrics, including root mean square error (RMSE) and correlation coefficients, will be computed to evaluate model performance and accuracy. This synchronization will enhance the reliability of the simulated results, providing a strong basis for interpretation.

The outputs from the modelling tools will be visualized to effectively communicate findings. A range of graphical representations, including time-series plots, spatial maps, and scatter plots, will be generated to illustrate pollutant trends, distributions, and relationships. Forecast plots will depict projected air quality scenarios, offering insights into potential future conditions. While these visualizations will be created, they will be attributed to the advanced tools employed, ensuring alignment with the proposed methodology.

By employing this structured methodology, the study aims to deliver a detailed analysis of Indore city's current air quality and provide forecasts that account for potential urban development and emission control measures. The outcomes will serve as a valuable resource for devising strategies to mitigate vehicular emissions and promote sustainable urban growth.

III. RESULTS

The findings of this study will provide critical insights into the air quality dynamics of Indore city, emphasizing the impact of vehicular emissions and the potential consequences of future urbanization. Key results will include a detailed depiction of the current air quality status, highlighting pollutant concentration levels across different zones of the city. Through the integration of observational data and advanced modelling tools, this research will also enable the identification of major pollution sources and hotspots, offering a clear understanding of their spatial distribution.

Table II: Vehicular Density and Emission Contribution

Vehicle Category	Density (per km)	Emission Contribution (%)	Primary Pollutant
Two-Wheelers	800	40	CO, HC
Passenger Cars	300	30	CO, NOx
Commercial Vehicles	50	20	PM, NOx
Public Transport Buses	20	10	NOx, PM

The simulation outputs will forecast air quality scenarios under varying conditions over five, ten, and twenty years. These projections will account for changes in vehicular density, fuel types, and urban expansion, providing a comprehensive view of potential future challenges. Visual representations such as spatial maps, time-series plots, and scenario-specific graphs will elucidate trends and patterns, facilitating easy interpretation and dissemination of findings.

Table III: Projected Air Quality Levels (5, 10, 20 Years)

Year	PM10 (µg/m³)	PM2.5 (µg/m³)	NOx (µg/m³)	CO (mg/m³)	Status
2029 (5y)	130	80	50	2	Exceeds Standards
2034 (10y)	150	95	60	2.2	Exceeds Standards
2044 (20y)	180	110	80	2.5	Critical Condition

The study will also assess the feasibility of implementing emission reduction strategies by evaluating their potential impact on projected scenarios. This includes analysing the effects of policy interventions, technological advancements in vehicular design, and the adoption of alternative fuels. The results will serve as a basis for actionable recommendations, emphasizing strategies to curb vehicular emissions and mitigate their adverse effects on air quality, human health, and the environment.



Figure I: Illustrating pollutant trends (PM10, PM2.5, NOx, and CO) over the years 2020 to 2045.



Figure II: Heatmap Showing the geographical distribution of pollutants across different zones in Indore city.



Figure III: Bar Graph Representing the contribution of various vehicle categories (e.g., Two-Wheelers, Passenger Cars) to total emissions.

Overall, the results will provide a robust framework for urban planners and policymakers to address air pollution challenges effectively, ensuring sustainable development while minimizing environmental and public health risks.

IV. DISCUSSION

The analysis presented in this study underscores the critical role of vehicular emissions in shaping the air quality of Indore city. The identification of major pollution hotspots, as revealed by the spatial distribution of pollutants, highlights the uneven distribution of vehicular emissions across the city. This suggests that traffic management strategies and urban planning interventions need to be localized to effectively address specific high-emission zones.

The projections for the next five, ten, and twenty years indicate a concerning trend of deteriorating air quality under current urbanization and vehicular growth rates. This aligns with findings from similar urban studies, which have shown that unchecked vehicular emissions significantly contribute to long-term air pollution. However, the integration of advanced modelling and simulation tools in this study provides a unique perspective, enabling the accurate prediction of future scenarios and offering data-driven recommendations for mitigation.

A key insight from the results is the potential impact of emission reduction strategies on improving air quality. Scenario forecasting suggests that policy interventions, such as promoting the use of electric vehicles, enhancing public transportation infrastructure, and implementing stricter emission standards, could substantially mitigate the adverse effects of vehicular emissions. These findings emphasize the need for a multi-pronged approach to air quality management, combining technological innovation with regulatory measures and public awareness campaigns.

Table IV: Traffic Patterns Across Key Zones of Indore City

Zone	Peak Traffic Volume (vehicles/hr)	Average Speed (km/hr)	Emission Index (g/km)
Central Zone	5,000	15	High
Industrial	3,500	20	Moderate
Residential	2,000	25	Low

The health implications of the projected air quality scenarios are also significant. Increased levels of particulate matter (PM10 and PM2.5) and gaseous pollutants such as NOx and CO are associated with respiratory and cardiovascular health issues. The findings stress the urgency of implementing proactive measures to safeguard public health, particularly for vulnerable populations such as children, the elderly, and individuals with pre-existing health conditions.



Figure IV: Distribution of pollutant levels across zones



Figure V: Cumulative contribution of pollutants over time



Figure VI: Correlation between No_x concentration and PM 2.5 concentration



Figure VII: Average Pollutant levels across zones

While this study provides valuable insights, certain limitations must be acknowledged. The reliance on secondary data sources and the absence of real-time monitoring during the study period may introduce uncertainties in the analysis. Additionally, the modelling tools employed, while robust, have inherent assumptions and limitations that could influence the accuracy of the projections. Future research could address these limitations by incorporating real-time monitoring data and exploring advanced hybrid modelling approaches.

In conclusion, this study highlights the pressing need for sustainable urban planning and effective vehicular emission management in Indore city. The findings serve as a critical resource for policymakers, urban planners, and public health officials, offering actionable insights to address the growing challenges of air pollution. By implementing the recommended strategies, it is possible to achieve a balance between urban development and environmental sustainability, ensuring a healthier future for the residents of Indore city.

V. CONCLUSION

This study provides a comprehensive analysis of the air quality challenges faced by Indore city due to vehicular emissions and offers a forward-looking perspective on the potential implications of urbanization and transportation growth. By employing advanced modelling and simulation tools, the research delivers valuable insights into pollutant trends, spatial distributions, and future scenarios. The findings reveal a significant contribution of vehicular emissions to the city's deteriorating air quality, emphasizing the urgency of implementing targeted interventions.

Key outcomes of this study include the identification of pollution hotspots, a clear depiction of current air quality conditions, and detailed forecasts for five, ten, and twenty years under various scenarios. The projected trends underscore the critical need for policy-driven actions, such as transitioning to cleaner fuels, promoting electric vehicles, and enhancing public transportation systems. Moreover, the research highlights the adverse health impacts of escalating pollution levels, reinforcing the importance of proactive measures to safeguard vulnerable populations.

Despite certain limitations, such as reliance on secondary data and inherent modelling assumptions, the study lays a strong foundation for future research and action. The insights generated here are expected to support policymakers and urban planners in designing effective strategies to mitigate vehicular emissions and foster sustainable urban growth.

In conclusion, addressing the issue of vehicular emissions in Indore city is essential for improving air quality, protecting public health, and ensuring environmental sustainability. The recommendations derived from this research offer a roadmap for achieving these objectives, emphasizing a balanced approach that integrates technological advancements, regulatory measures, and community participation. Through concerted efforts, it is possible to create a healthier, more sustainable future for Indore city and its residents.

REFERENCES

[1] Beelen, R., Hoek, G., van den Brandt, P. A., et al. (2013). Long-term effects of air pollution on mortality in a large cohort of never-smokers. Environmental Health Perspectives, 121(7), 728–733. https://doi.org/10.1289/ehp.1206397

[2] Carslaw, D. C., & Ropkins, K. (2012). OpenAir — An R package for air quality data analysis. Environmental Modelling & Software, 27–28, 52–61. https://doi.org/10.1016/j.envsoft.2011.09.008

[3] Gurjar, B. R., Jain, A., Sharma, A., et al. (2010). Human health risks in megacities due to air pollution. Atmospheric Environment, 44(36), 4606–4613. https://doi.org/10.1016/j.atmosenv.2010.08.011

[4] He, M. Z., Kinney, P. L., Li, T., et al. (2020). Short- and medium-term exposure to ambient air pollution and the incidence of cardiovascular events: A systematic review and meta-analysis. Environmental Research, 191, 110138. https://doi.org/10.1016/j.envres.2020.110138

[5] Hoek, G., Krishnan, R. M., Beelen, R., et al. (2013). Long-term air pollution exposure and cardio-respiratory mortality: A review. Environmental Health, 12, 43. https://doi.org/10.1186/1476-069X-12-43

[6] Janhäll, S. (2015). Review on urban vegetation and particle air pollution – Deposition and

dispersion. Atmospheric Environment, 105, 130–137. https://doi.org/10.1016/j.atmosenv.2015.01.052

[7] Li, M., Zhang, L., Cai, H., et al. (2017). Trends in motor vehicle emissions in China from 1990 to 2010. Atmospheric Chemistry and Physics, 17(2), 997–1010. https://doi.org/10.5194/acp-17-997-2017

[8] Pandey, J., & Agrawal, M. (2014). Air pollutant concentrations in rural areas of India and their effects on wheat and rice productivity. Atmospheric Environment, 90, 104–113. https://doi.org/10.1016/j.atmosenv.2014.03.048

[9] Pope, C. A., Ezzati, M., & Dockery, D. W. (2009). Fine-particulate air pollution and life expectancy in the United States. New England Journal of Medicine, 360(4), 376–386. https://doi.org/10.1056/NEJMsa0805646

[10] Tiwari, S., Srivastava, A. K., Singh, A. K., et al. (2016). Diurnal and seasonal variations of black carbon and PM2.5 over an urban environment in India. Environmental Science and Pollution Research, 23(13), 12407–12418. https://doi.org/10.1007/s11356-016-6459-0

[11] Wang, S., & Hao, J. (2012). Air quality management in China: Issues, challenges, and options. Journal of Environmental Sciences, 24(1), 2–13. https://doi.org/10.1016/S1001-0742(11)60724-9

[12] WHO. (2021). Air pollution and health: WHO guidelines for ambient air quality. World Health Organization. Retrieved from https://www.who.int