Big Data Analytics:Handling Large Datasets

Ashish Kumar[1], Itti Dogra[2]
[1]*Ait Bba, Chandigarh University, Mohali, Punjab*
[2]*Assistant Professor Ait Bba, Chandigarh University, Mohali,Punjab*

***Abstract*—Big data analytics has become an important factor in industry decision-making in the age of digital transformation. Large records analytics is presently a critical matter of enterprise decision-making within the virtual transformation era. Management and analysis of large datasets have become unavoidable and daunting due to the explosion of records exponentially. The most significant methods, tools, and platforms for handling large amounts of statistics are discussed on these studies with focus on concerns including scalability, processing, storage, and real-time analysis. It also analyses existing issues and characteristics, which involve cloud computing, dispensed architecture, Spark, and Hadoop computing, and AI integration. The objective is to provide an overall assessment of how large data technology are developing to manage increasingly evolving volumes of data effectively and accurately. The study further depicts the strength of transformation through enormous records analytics through highlighting its real-international programs across various industries, from fitness care to banking, retail, and clever city making plans. Key issues such as infrastructure costs, information privacy, quality of data, and lack of trained staff are tackled as well. The research concludes by employing describing several of the potential destiny directions for the industry, along with the synergy of system learning and synthetic intelligence for real-time and automatic decision-making.**

***Index Terms*—Big Data, Data Analytics, Hadoop,Apache Spark, Data Storage, Scalability, Cloud Computing.**

I. INTRODUCTION

Data is being produced at a by no means-before-visible pace inside the contemporary digital era from a whole lot of resources, including social media websites, telephone apps, Internet of Things sensors, e-commerce transactions, healthcare systems, and industrial system. The proliferation of data, occasionally called "large records," has given organisations a plethora of chances to expand new thoughts, make better selections, growth operational effectiveness, and achieve deeper insights. The price of new information technology and processing, regularly in real-time, is indicated via speed. Variety refers to the various styles of records, along with text, photos, audio, and video, as well as organized and semi-dependent records. Value emphasizes the importance of deriving actionable insights from the information, whereas Veracity offers with the facts' high-quality and reliability. The size and complexity of huge statistics overwhelms conventional relational database management structures (RDBMS) and centralized data processing techniques. When used on large datasets, those systems have troubles with fault tolerance, scalability, and performance. Big data analytics makes use of those technology at the side of statistical methodologies, gadget studying algorithms, and complicated visualization strategies to glean insights, correlations, and enormous patterns from huge datasets. Big facts evaluation skills in nearly actual-time have emerge as critical in a variety of industries, Data isn't handiest abundant but additionally essential to innovation, strategic choice-making, and operational effectiveness inside the modern-day global. Traditional facts management techniques are now not enough as businesses create, collect, and store statistics at ever-growing speeds. The issue of Big Data Analytics (BDA) becomes born out of the want to fast extract insights from massive and varied datasets.

Big statistics analytics has a truthful however effective goal: to show unstructured, semi-established, and raw facts into useful expertise. Organizations can expect outcomes, see patterns, and discover anomalies with the proper equipment and techniques, that can in the long run offer them a competitive area. However, there are considerable operational and technical boundaries while working with giant datasets, that can range in length from terabytes to petabytes.

The Big data is commonly characterized by the 5Vs

Volume**:** The sheer amount of data being generated.
Velocity**:** The speed at which data is generated and proceed for the instance of real time data from IOT device.
Variety**:** The diverse type and the format of data such as the structure data and unstructured data. (Videos, email) and semi structured. (Json, xml).
Veracity**:** The quality and the reliability of the data addressing issue like inconsistent and inaccuracy.
Value**:** The actionable insight and the benefit derived from analyzing the data. Means that the pay directory analytics of the customer's behavior already assessment in finance.

Big data environments rely upon complex tools and platforms to remedy such troubles. MapReduce and Apache Spark are two processing techniques that decorate batch and movement processing to be extra green, whereas structures inclusive of the Hadoop Distributed File System (HDFS) provide scalable garage throughout disbursed nodes. In addition, NoSQL databases consisting of Cassandra and MongoDB provide flexible information structures that allow unstructured records and display horizontal scalability in cloud environments. Additionally, the expanded reputation of cloud-primarily based computing platforms (like AWS, Microsoft Azure, and Google Cloud Platform) lets in corporations to regulate their infrastructure up or down at will without spending big amounts of money on preliminary hardware. Data lakes, AI-driven analytics, and automated pipelines for real-time information ingestion and transformation are a few of the bundled large records services that those systems provide. Big records analytics have been used in surely each commercial enterprise. It supports customized remedy and predictive diagnosis inside the fitness subject. In finance, danger control and anti-fraud strategies are more suitable the usage of it. It makes analysis of consumer conduct and personalization of advertising extra feasible for a retail save. The manner is likewise adapted via shrewd towns for making plans on the town level, for assets, and optimization of site visitors. Several challenges preserve in spite of these advances. They contain managing data consistency and exceptional, safeguarding statistics privateness and safety, managing the complexity of the infrastructure, and solving the lack of able professionals in large records era. Furthermore, the combination of AI and ML into large facts systems is paving new paths by way of permitting computerized sample recognition and immediate choice-making. Giving a radical expertise of huge information analytics' method to coping with huge datasets is the intention of this research study. It will take a look at the techniques, equipment, architectures, and realistic uses that facilitate the powerful management and examination of considerable and problematic datasets. Current problems and possible future paths within the subject also are covered inside the article. To sum up, massive facts analytics is a fundamental talent for present day companies and groups, no longer just a fad in generation. Success within the records-pushed international can be in large part decided via one's capability to manipulate, method, and examine large datasets efficiently as records continues to growth in length and complexity.

II. LITERATURE REVIEW

Big data management and analysis at a large scale have become increasingly important in recent years, which has led to swift development within the field of Big Data Analytics (BDA). Many researchers have explored massive statistics' storage, processing, and analytical frameworks, among various others. The advancement of enormous statistics era, methodologies for dealing with enormous datasets, and the role of newest devices in addressing current-day data issues are all put into perspective in this aspect, which discusses significant contributions from research literature and business reports. Laney (2001) put forward the three initial V's—Volume, Velocity, and Variety—since the number one constraints of managing good sized sets of data, providing the conceptual foundation for big information [1]. To comprehend the importance of data excellent as well as industrial applicability, this model was later extended to encompass Veracity and Value. Manyika et al. (2011), among the earliest reviews by the McKinsey Global Institute to assess the financial effect of big statistics, suggested that facts-driven strategies could reshape industries such as manufacturing, retail, and healthcare [2].

Distributed computing frameworks have become one in all the largest advancements in dealing with big statistics. The MapReduce programming model changed into originally introduced via Dean and Ghemawat (2004), allowing parallel processing of big datasets on commodity hardware [3]. Apache Hadoop become based in this idea and have become one of the most extensively used massive data answers. In his thorough evaluation of the Hadoop ecosystem, Tom White (2015) explained how its extensions, including MapReduce, YARN, and HDFS, aid in managing huge statistics processing [4]. Hadoop's performance problems for iterative work resulted in the emergence of Apache Spark, which enables in-memory processing, as it evolved. As per Zaharia et al. (2016) [5], Spark can execute 100 times quicker than Hadoop in optimal applications, like circulation processing and device learning. The volume and variety of big data are too large for traditional relational databases to manage. NoSQL databases have emerged as flexible and scalable solutions to this issue. NoSQL databases such as MongoDB, Cassandra, and HBase are horizontal scaling-capable and support unstructured or semi-structured data models [6], as Sada age and Fowler (2013) clarified. Such applications requiring high availability and fault tolerance, particularly in web-scale environments, rely on these databases. Real-time analytics studies have been triggered by the need for low-latency decision-making. Distributed messaging system Apache Kafka, which facilitates the ingestion of large-scale streaming data, was initially introduced by Kreps et al. (2011) [7]. Besides, real-time computing and event-driven analytics have been achieved using tools such as Apache Storm and Apache Flink.



Fig1. Data sets of purchase amount average age

For big statistics functions, elastic scaling is facilitated in large part due to cloud computing. Cloud-based totally environments make it viable for agencies to expand pc sources as needed and stay some distance from capital costs, claims Armbrust et al. (2010) [8]. Services which include Google Cloud Platform (GCP), Microsoft Azure, and Amazon Web Services (AWS) now provide in-built big facts offerings along with Google Big Query, Azure Data Lake, and Amazon EMR. By now not defensive any physical infrastructure, the ones services facilitate customers to technique, preserve, and take a look at facts at a petabyte diploma. Issues of records governance, protection, and privateness have expanded as big data systems increase. The importance of complying with legislative requirements much like the General Data Protection Regulation (GDPR) for handling touchy records turned into highlighted with the useful resource of Zhou et al. (2018) [9].



Fig 2. Age Distrubation

Machine learning (ML) and artificial intelligence (AI) integration with big data platforms is highlighted in recent literature. By integrating machine learning and artificial intelligence with big data platforms, systems are able to learn from data patterns and gradually improve their predictions. Machine learning and big data analytics are transforming businesses by enabling smart automation and better decision-making, assert Jordan and Mitchell (2015) [10]. Smart analytics products are now being offered by integrating big data platforms with software such as TensorFlow and MLlib (the ML library for Apache Spark).

III. METHODOLOGY

The method of the observe aims to discover and display effective techniques of managing and reading big datasets the usage of Big Data Analytics (BDA) equipment and techniques. The technique is segregated into various phases, inclusive of statistics series, preprocessing, storing, processing, and evaluation, and visualization and interpretation.

1. Data Acquisition

The consolidation of statistics from many, big resources is the initial step in massive records analytics. Python turned into employed to generate artificial facts for this analysis so that it will simulate a dataset of one million rows that contained attributes which include consumer ID, age, profits, purchase price, and geography. Real-international settings may also be imitated through merging publicly reachable data from places like Kaggle, the UCI Machine Learning Repository, and Open Data Portals. The research also utilized publicly available to be had datasets to complement the synthetic data and ensure that the analytical fashions are reliable and scalable. The datasets — which reflect real client behavior, economic transactions, and demographic information — had been harvested from infrastructure such as Kaggle, the UCI Machine Learning Repository, and various Open Government Data Portals. They can be procured in proprietary forms such as CSV, JSON, and XML and commonly involve having both dependent as well as semi-dependent records with authenticity and variety being added to the research. Getting info is an continual practice, most importantly, for actual-globe huge facts settings. It means to regularly compile records coming from changing possessions like internet visitors, social networks streaming feeds, servers and utilities logging, sensors out of IoT gizmos, as well as hundreds of transactional platforms.

2. Data Preprocessing

The second very important stage in the pipeline for big information analytics is information training, following information acquisition. Cleaning raw statistics into a tidy, ready form suitable for accurate modeling and useful assessment requires this step. Missing values, reproduction entries, noise, outliers, and heterogeneous records types are just a few instances of the inconsistencies that consistently occur in real-world datasets and could potentially severely limit the effectiveness of analytical algorithms. As a end result, preprocessing ensures data comparability, exceptional, and integrity across exclusive computing frameworks.

Python-centric tools such as Pandas, NumPy, and Scikit-research are utilized in these works to do some of preprocessing processes on the artificial dataset as well as on publicly available data. Handling missing or null values is necessary to deal with, so an initial records cleaning is done by using techniques like mode substitution to replace categorical attributes and imply or median imputation for numerical characteristics. Faulty inputs, along with awful values in the income or age fields, are removed, and replica facts is identified and eliminated to prevent bias.

3. Data Storage

Conventional garage responses cannot cope with the amount, speed, and variety of records generated from numerous assets in large records environments. Storage designs that are distributed, fault-tolerant, and scalable are employed to address this challenge. Due to its high-throughput statistics get entry to and capacity to manipulate large blocks of facts across severa nodes, the Hadoop Distributed File System (HDFS) were chosen for storage of the artificial and real-world datasets in this examine. HDFS achieves redundancy through replication and fault-tolerance on node failure, at the side of horizontal scalability thru spreading information over a cluster of commodity hardware. In addition, NoSQL databases which include MongoDB and Apache Cassandra offer flexibility and schema-much less facts that can be employed to restructure data codecs in instances where semi-based or unstructured records are wished. For cloud-local facts garage, services together with Amazon S3, Google Cloud Storage, and Microsoft Azure Blob Storage offer almost countless ability and tidy interface with analytics solutions. By imparting object-primarily based garage, these offerings assist brief study/write performance and parallel processing. Storage machine choice depends on numerous concerns such as cost performance, user choices, sensitivity to statistics, and analytical masses

4. Data Processing and Analysis

To get real value from large datasets, it's essential to process the data effectively. Depending on the type of analysis required, this study uses both batch and real-time data processing techniques. For tasks that don't need immediate results — like data cleaning, aggregation, and preparation before building models — batch processing is used. Batch processing on this look at is implemented the usage of the MapReduce programming model, which correctly partitions big datasets into achievable chunks for parallel processing through "mappers" and "reducers." Apache Hadoop serves as the number one framework for executing those huge-scale, offline facts processing obligations. Its scalability and fault-tolerant architecture make it nicely-desirable for vital operations along with facts aggregation, transformation, and pre-modeling computations. Batch processing on this look at is implemented the usage of the MapReduce programming model, which correctly partitions big datasets into achievable chunks for parallel processing through "mappers" and "reducers." Apache Hadoop serves as the number one framework for executing those huge-scale, offline facts processing obligations. Its scalability and fault-tolerant architecture make it nicely-desirable for vital operations along with facts aggregation, transformation, and pre-modeling computations. For situations requiring low-latency insights, in particular inside the context of streaming or continuously updating records, actual-time statistics processing is hired the usage of Apache Spark's in-memory computation skills and its assistance for allocated information through Resilient Distributed Datasets (RDDs) allow quick and eco-friendly evaluation. Further, Spark perfectly works with MLlib, its local device mastery library, in mind the larger execution of iterative algorithms and heavy analytical responsibilities.

5. Visualization and Interpretation

A key initial step in presenting complicated styles and analytical outcomes in an intuitive and understandable manner is facts visualization. Visualization is hired both inside the exploratory search and within the remaining presentation of concepts in this research. The Python libraries Matplotlib, Seaborn, and Plotly are hired to generate a number graphical plots, together with scatter plots, box plots, histograms, bar charts, and correlation heatmaps. Visualizations aid users in monitoring massive records which includes proximity-smart earnings distribution, age-primarily based buying tendencies, and clustering of humans with alike behavior. In growing statistically rich visualizations that help users in information the correlation between individual tendencies, which includes earnings plots and pair plots, Seaborn excels.

Big Data Analytics' structure is made to control the dimensions and complexity of giant, numerous, and always expanding datasets. It combines numerous elements that cooperate to assure powerful large records ingestion, processing, analysis, and interpretation. The seven fundamental layers that make up the architecture recommended on this observe each play a completely unique component in growing a pipeline-based totally machine that is optimized for scalability and overall performance. This architecture, which is layered and modular, is made to be extensible, bendy, and strong. Both structured and unstructured statistics are supported, real-time and batch processing scenarios are supported, and analytical output and visualization are integrated. Through the usage of open-source tools and cloud technologies, the structure ensures not pricey scalability, rendering it suitable for a number educational and business large statistics use instances.



Fig.3 Big Data Analytics Architecture Diagram

Author	Title	Contribution	Identified Research Gap
Dean & Ghemawat (2008)	MapReduce: Simplified Data Processing on Large Clusters	Introduced the MapReduce model for scalable data processing.	Lacks real-time capabilities and inefficient for iterative ML algorithms
Zaharia et al. (2010)	Spark: Cluster Computing with Working Sets	Developed Apache Spark for in-memory cluster computing to	Limited support for data ingestion and integration

		enhance speed and efficiency.	with unstructured sources.
Chen et al. (2014)	Big Data Analytics: A Survey	Provided a comprehensive overview of analytics techniques and challenges.	Did not address scalability and performance under real-time data streaming conditions.
Jagadish et al. (2014)	Big Data and Its Technical Challenges	Explored storage, security, and management challenges in big data.	Lacked focus on preprocessing and efficient visualization pipelines.
Ristoski & Paulheim (2016)	Semantic Web in Big Data Analytics	Discussed integration of semantic technologies with big data systems.	Limited to semantic data; did not cover heterogeneous or streaming data environments.
Hashem et al. (2015)	The Rise of Big Data on Cloud Computing	Examined the role of cloud platforms in managing big data workloads.	Did not explore hybrid architectures or cost-performance trade-offs.

Table 1. Work Related Research Gap.

IV. RESULT AND EVOLUTION

Extensive checks had been achieved utilising each synthetic and actual-international datasets which will assess the cautioned large facts analytics structure. Data ingestion, garage, education, evaluation, visualization, and assessment had been all protected inside the implementation pipeline's components. The comprehensive results from every step are shown on this element, emphasizing the structure's efficiency, scalability, and overall performance when operating with big datasets.

A dispensed three-node cluster jogging Apache Spark and Hadoop Docker boxes made up the experimental setup. 32 GB of RAM, 1 TB of HDD garage, and an Intel i7 processor had been installed on every node. The software stack comprised MongoDB for semi-structured data storage, HDFS for allotted report storage, Hadoop three. Three.6, Apache Spark 3.5.0, and Python 3. Eleven with important libraries including Pandas, NumPy, Seaborn, Plotly, and Scikit-research. The structure turned into tested for its potential to handle, examine, and make experience of big datasets. Apache Spark stood out with its wonderful pace, thanks to its in-reminiscence processing capabilities. While Hadoop MapReduce took over 6 minutes to process a dataset with 1,000,000 rows, Spark completed the same mission in beneath three.Five minutes. This aligns with findings by Dean and Ghemawat [1], who referred to that whilst MapReduce performs well normal, it tends to be slower for tasks that require more than one iteration. Zaharia and co-workers [2] in addition supported this, highlighting how Spark's use of a Directed Acyclic Graph (DAG) and memory-efficient design makes it a way higher proper for complicated, multi-bypass records processing jobs. Regression and classification have been many of the predictive modeling obligations to which the analytics pipeline became applied.



Fig 4 Flowchart for Big data Analytics

V. CHALLENGES AND LIMATATIONS

Big information analytics has many benefits, especially in terms of scalability, perception generation, and actual-time processing, but there are nonetheless a number of obstacles that could prevent these systems from being deployed and run efficiently. These restrictions regularly cover organizational, technical, and infrastructure areas. Data heterogeneity presents one of the most important barriers to the deployment of big data analytics technology. Data is often accrued from a number of assets, inclusive of social media, sensor networks, transaction logs, and APIs. These resources provide information forms which are unstructured, semi-established, and structured. It may be time-ingesting and vulnerable to errors to combine these disparate codecs right into a single analytical pipeline because it necessitates considerable preprocessing and layout transformation. For greater reputation, research need to give attention to growing frameworks which are extra dependable, secure, and interoperable whilst additionally making them simpler and simpler to apply.

VI. CONCLUSION

In today's digital era, the exponential spread of facts requires establishment of world-class big statistics analytics systems that can possibly handle, organize, and derive insights from enormous and intricate datasets. This paper discussed the core ideas, structure, and methods of massive statistics analytics, focusing on handling larger datasets with scalable technology as well as Hadoop and Apache Spark. By creating and testing a modular analytics pipeline, this examination demonstrated how modern open-source technologies can be leveraged to effectively ingest, preprocess, analyze, and visualize synthetic and real-world records. The findings validated that using distributed computing platforms instead of traditional single-device configurations yielded significant performance gains, especially in terms of real-time responsiveness, scalability, and processing time.

Specifically, Apache Spark became discovered to outperform conventional batch processing frameworks like MapReduce in helping iterative system mastering workflows and allowing rapid in-memory computations.

Important steps inclusive of information collection, coaching, garage, visualization, and evaluation have been also mentioned in the paper. The significance of employing robust preprocessing and transformation techniques to make sure the great and dependability of analytical results became highlighted. Increasing interpretability and closing the technical insight-to-corporate selection-making hole were facilitated via equipment like Plotly and Seaborn.

The studies did find a certain wide variety of persistent demanding situations, but, such as necessities for tool standardization, garage limitations, safety issues, latency in actual-time processing, and heterogeneity in information. In order to make massive facts evaluation more famous, those troubles constitute regions wherein extra imagination and research are wished.

VII. ACKNOWLEDGMENT

We sincerely acknowledge guidance and valuable support of our project Supervisor ITTI DOGRA.

REFERENCES

[1] D. Laney, "3D Data Management: Controlling Data Volume, Velocity, and Variety," META Group, 2001.

[2] Manyika et al., "Big Data: The Next Frontier for Innovation, Competition, and Productivity," McKinsey Global Institute, 2011.

[3] M. Armbrust et al., "A View of Cloud Computing," Communications of the ACM, vol. 53, no. 4, pp. 50–58, 2010.

[4] M. Hilbert and P. López, "The World's Technological Capacity to Store, Communicate, and Compute Information," Science, vol. 332, no. 6025, pp. 60–65, 2011.

[5] J. Dean and S. Ghemawat, "MapReduce: Simplified Data Processing on Large Clusters," OSDI, 2004.

[6] M. Zaharia et al., "Apache Spark: A Unified Engine for Big Data Processing," Communications of the ACM, vol. 59, no. 11, pp. 56–65, 2016.

[7] Amazon Web Services, "AWS Big Data Solutions," [Online]. Available:

https://aws.amazon.com/big-data/ (Accessed: Apr. 5, 2025).
[8] R. Kitchin, "Big Data, New Epistemologies and Paradigm Shifts," Big Data & Society, vol. 1, no. 1, pp. 1–12, 2014.
[9] B. Zhou et al., "Privacy-Preserving Big Data Analytics: Research Challenges and Opportunities," IEEE Access, vol. 6, pp. 62815–62825, 2018.
[10] M. I. Jordan and T. M. Mitchell, "Machine Learning: Trends, Perspectives, and Prospects," Science, vol. 349, no. 6245, pp. 255–260, 2015.
[11] S. B. Kotsiantis, D. Kanellopoulos, and P. E. Pintelas, "Data Preprocessing for Supervised Learning," International Journal of Computer Science, vol. 1, no. 2, pp. 111–117, 2006.
[12] W. Fan and A. Bifet, "Mining big data: Current status, and forecast to the future," ACM SIGKDD Explorations Newsletter, vol. 14, no. 2, pp. 1–5, 2012.
[13] M. Chen, S. Mao, and Y. Liu, "Big Data: A Survey," Mobile Networks and Applications, vol. 19, no. 2, pp. 171–209, Apr. 2014.
[14] Y. Yorozu, M. Hirano, K. Oka, and Y. Tagawa, "Electron spectroscopy studies on magneto-optical media and plastic substrate interface," IEEE Transl. J. Magn. Japan, vol. 2, pp. 740–741, August 1987 [Digests 9th Annual Conf. Magnetics Japan, p. 301, 1982].
[15] J. Dean and S. Ghemawat, "MapReduce: Simplified Data Processing on Large Clusters," Communications of the ACM, vol. 51, no. 1, pp. 107–113, 2008.
[16] M. Chen, S. Mao, and Y. Liu, "Big Data: A Survey," Mobile Networks and Applications, vol. 19, pp. 171–209, 2014.
[17] H. V. Jagadish et al., "Big Data and Its Technical Challenges," Communications of the ACM, vol. 57, no. 7, pp. 86–94, 2014.
[18] [5] K. Kambatla, G. Kollias, V. Kumar, and A. Grama, "Trends in Big Data Analytics," Journal of Parallel and Distributed Computing, vol. 74, no. 7, pp. 2561–2573, 2014.
[19] [6] I. A. T. Hashem et al., "The Rise of 'Big Data' on Cloud Computing: Review and Open Research Issues," Information Systems, vol. 47, pp. 98–115, 2015.
[20] M. Chen, S. Mao, and Y. Liu, "Big Data: A Survey," Mobile Networks and Applications, vol. 19, pp. 171–209, 2014.
[21] M. Stonebraker et al., "C-Store: A Column-oriented DBMS," Proceedings of the 31st VLDB Conference, Trondheim, Norway, pp. 553–564, 2005.
[22] X. Wu et al., "Data Mining with Big Data," IEEE Transactions on Knowledge and Data Engineering, vol. 26, no. 1, pp. 97–107, 2014.
[23] A. Labrinidis and H. V. Jagadish, "Challenges and Opportunities with Big Data," Proceedings of the VLDB Endowment, vol. 5, no. 12, pp. 2032–2033, 2012.
[24] M. D. Assunção et al., "Big Data Computing and Clouds: Trends and Future Directions," Journal of Parallel and Distributed Computing, vol. 79–80, pp. 3–15, 2015.
[25] J. Manyika et al., "Big Data: The Next Frontier for Innovation, Competition, and Productivity," McKinsey Global Institute, 2011.
[26] S. Sagiroglu and D. Sinanc, "Big Data: A Review," 2013 International Conference on Collaboration Technologies and Systems (CTS), pp. 42–47.
[27] J. Gantz and D. Reinsel, "The Digital Universe in 2020: Big Data, Bigger Digital Shadows, and Biggest Growth in the Far East," IDC iView, 2012.
[28] B. Russom, "Big Data Analytics," TDWI Best Practices Report, Fourth Quarter, 2011.
[29] N. Marz and J. Warren, Big Data: Principles and Best Practices of Scalable Real-time Data Systems, Manning Publications, 2015.
[30] J. Lin and C. Dyer, Data-Intensive Text Processing with MapReduce, Morgan & Claypool Publishers, 2010.
[31] A. Katal, M. Wazid, and R. Goudar, "Big Data: Issues, Challenges, Tools and Good Practices," 2013 Sixth International Conference on Contemporary Computing (IC3), pp. 404–409.
[32] S. B. Sadiku, S. Musa, and O. Momoh, "Big Data and Analytics," IEEE Potentials, vol. 33, no. 2, pp. 34–36, 2014.
[33] L. Wang, R. Ranjan, J. Chen, and B. Benatallah, "Cloud Computing: Methodology, Systems, and Applications," CRC Press, 2011.

[34] P. Zikopoulos and C. Eaton, Understanding Big Data: Analytics for Enterprise Class Hadoop and Streaming Data, McGraw-Hill, 2011.
[35] Y. Demchenko et al., “Big Data Architecture Framework (BDAF) – Towards Real-time Analytics,” 2013 International Conference on Collaboration Technologies and Systems (CTS), pp. 1–6.