AI–Powered Emotion Tracking System for Workplace Well-Being

Keerthana R[1], Mr. H. Hemal Babu[2], Lokeshwaran S[3], Naveen B[4]
[1,3,4] *Department of Artificial Intelligence and Data Science Rajalakshmi Institute of Technology, Chennai*
[2] *Assistant Professor, Department of Artificial Intelligence and Data Science Rajalakshmi Institute of Technology, Chennai*

***Abstract*— Employee well-being is a crucial factor in workplace productivity, job satisfaction, and overall organizational success. This research introduces an AI-powered facial expression recognition system designed to detect stress and depression among employees in real time. The system utilizes the Tiny Face Detector for efficient face detection, leveraging fiducial landmark detection powered by deep Convolutional Neural Networks (CNNs) to enhance accuracy. A CNN-based Face Expression Recognition Model classifies emotions, including happiness, sadness, neutrality, and anger, enabling comprehensive emotional analysis. Additionally, a ResNet-based deep CNN model is integrated for age and gender detection, providing further insights into emotional patterns across different demographic groups. To facilitate real-time data management, the system employs a Django-based backend with PostgreSQL, where employee emotion data is periodically recorded and analyzed. The collected data is used to compute an individual's average daily emotional state, enabling continuous monitoring and trend analysis. If prolonged negative emotional states are detected, an AI-powered chatbot provides personalized motivational messages or mental health recommendations. Furthermore, an interactive HR dashboard displays real-time emotional trends, enabling management to take proactive measures, such as offering mental health support. This AI-driven system highlights the transformative potential of emotion recognition technology in fostering a supportive work culture and improving employee mental health and productivity.**

***Index Terms*-- Facial Expression Recognition, Emotion Detection, Deep Learning, CNN, Stress Detection, AI Chatbot, Workplace Well-being, Mental Health Monitoring, Django, PostgreSQL.**

I. INTRODUCTION

In today's fast-paced corporate environment, employee well-being plays a crucial role in maintaining productivity, job satisfaction, and overall organizational success. The increasing prevalence of workplace stress, anxiety, and depression has become a major concern for organizations worldwide. Employees experiencing prolonged stress may suffer from reduced efficiency, burnout, and declining mental health, ultimately affecting the overall performance of the organization. Traditional methods of assessing employee well-being rely on self-reported surveys and periodic assessments, which are often subjective, time-consuming, and ineffective in real-time monitoring. As a result, there is a growing need for an automated, AI-driven solution that can continuously monitor employee emotions and provide timely interventions. This research presents an AI-powered emotion tracking system that leverages advanced deep learning techniques to detect stress and depression among employees using facial expression recognition. The system integrates Tiny Face Detector for real-time face detection, utilizing fiducial landmark detection and deep Convolutional Neural Networks (CNNs) to accurately classify emotions such as happiness, sadness, neutrality, and anger. Additionally, a ResNet-based deep CNN model is employed for age and gender detection, providing valuable insights into emotional trends across different demographic groups.

To ensure seamless data processing and management, the system is built using a Django-based backend with PostgreSQL as the database for storing real-time emotion data at periodic intervals. This data is further analyzed to compute an employee's average emotional state over a day, allowing for long-term emotional trend monitoring. If an employee exhibits a consistent negative emotional state, an AI-powered chatbot intervenes by delivering motivational messages or mental health recommendations to help improve their well-being. Furthermore, an interactive HR dashboard provides a visual representation of employee emotions, enabling management to take proactive measures such as counseling sessions or personalized support programs.

This research aims to bridge the gap between traditional mental health assessments and real-time emotion analysis through AI-powered automation. By leveraging computer vision, deep learning, and AI-driven interventions, the proposed system offers an innovative solution to improve workplace well-being, enhance employee productivity, and create a healthier, more supportive work environment.

II. LITERATURE SURVEY

The detection of stress and depression through facial expression recognition has garnered significant attention in recent years, leading to the development of various methodologies and systems aimed at enhancing workplace well-being.

Giannakakis et al. [1] explored the use of video-recorded facial cues to detect stress and anxiety, establishing a model that identifies emotional states ranging from neutral to stressed or anxious. Their comprehensive experimental approach induced systematic variations in emotional states, providing a foundational framework for subsequent research.

Zhang et al. [2] demonstrated the effectiveness of deep learning models in analyzing facial expressions to detect stress in real-time video data. Their research highlighted the potential of deep neural networks in accurately identifying stress-related facial expressions, contributing to advancements in real-time stress detection systems.

Li and Liu [3] focused on stress detection using deep neural networks, emphasizing the importance of integrating machine learning algorithms and computer vision techniques. Their work underscored the significance of leveraging facial expressions and physiological signals for stress detection, aiming to develop innovative solutions for real-time stress monitoring and intervention.

Research by Walambe et al. [7] proposed a multimodal AI-based framework to monitor a person's working behavior and stress levels. By concatenating heterogeneous raw sensor data streams, including facial expressions, posture, heart rate, and computer interaction, the study aimed to detect stress and its levels, identifying stress patterns over time with high accuracy.

Hosseini et al. [8] developed a multimodal stress detection system integrating facial landmarks and biometric signals. Their approach employed both early-fusion and late-fusion techniques, achieving high accuracy rates in stress detection and contributing valuable insights into enhancing stress detection through a multimodal approach.

Research by Dinges et al. [10] pioneered the use of optical computer recognition of facial expressions associated with stress induced by performance demands. Their study laid the groundwork for subsequent research in stress detection from facial expressions, demonstrating the potential of computer vision techniques in identifying stress-related facial cues.

Another study in the *International Journal of Advanced Research in Computer Science and Software Engineering* [5] reviewed various face detection and recognition approaches, highlighting the reliability of these methods in facial expression detection. The study emphasized the role of image processing operations, classifiers, filters, and virtual machines in enhancing the performance and usability of facial expression recognition systems.



Stress Distribution Based on Survey

III. PROPOSED WORK

This project developed an AI-powered emotion tracking system aimed at enhancing workplace well-being through computer vision techniques. The system monitors employees' emotional states in real-time, providing insights that can help improve the work environment and support mental health initiatives. The development process encompassed several critical stages, each contributing to the creation of an effective and ethical application for emotion tracking in the workplace.

A. Data Collection

The foundation of this project involved assembling a diverse and representative dataset of facial images capturing a wide range of emotional expressions relevant to workplace settings. Publicly available datasets, such as the Facial Expression Recognition (FER) dataset, were utilized. Additionally, data collection involved controlled environments where participants were exposed to scenarios eliciting genuine emotional responses, ensuring authentic representation of emotions commonly experienced in the workplace. Participants from various demographic backgrounds, encompassing different ages, genders, and ethnicities, were included to enhance the model's generalizability across diverse employee populations. Ethical considerations were paramount, ensuring informed consent and privacy protection for all participants.

B. Data Preprocessing

Once the dataset was compiled, it underwent a series of preprocessing steps to prepare it for model training. Initially, face detection algorithms were employed to identify and isolate facial regions within each image, ensuring the focus remained on relevant areas. Subsequently, pixel values were normalized to a consistent scale, facilitating uniformity across the dataset and improving the convergence rate during training. Data augmentation techniques, including rotation, scaling, flipping, and color adjustments, were applied to artificially expand the dataset, enhancing the model's ability to generalize by simulating various real-world scenarios encountered in the workplace. Additionally, landmark detection was performed to identify key facial features such as the eyes, eyebrows, nose, and mouth, capturing subtle movements and expressions associated with different emotional states.

C. Machine Learning Model Training And Evaluation

Initially, we employed the Tiny Face Detector for face recognition, which is renowned for its efficiency in detecting small faces within images. This model's lightweight architecture made it ideal for real-time applications, balancing speed and accuracy effectively. For facial expression recognition, we implemented a Convolutional Neural Network (CNN) trained on datasets such as FER2013 and CK+. This approach allowed us to capture intricate facial features and expressions, achieving state-of-the-art accuracy rates of 73.1% on FER2013 and 94.6% on CK+. The integration of these models enabled our system to perform real-time emotion detection with high precision, contributing significantly to workplace well-being initiatives.

D. Model Selection

After evaluating various models, we selected the Tiny Face Detector for face recognition and a Convolutional Neural Network (CNN) for facial expression analysis. The Tiny Face Detector's efficiency in detecting small faces within images made it ideal for real-time applications, balancing speed and accuracy effectively. For emotion recognition, the CNN demonstrated superior performance in capturing intricate facial features and expressions, achieving high accuracy rates. This combination ensured that our system operates effectively under varying conditions, such as different lighting and angles commonly found in workplace environments, maintaining robustness in real-world scenarios.



Confusion Matrix

E. Deployment Using Django

The deployment phase of our AI-powered emotion tracking system involved configuring a robust backend, integrating a responsive frontend, and ensuring seamless communication between components to deliver real-time emotion analysis aimed at enhancing workplace well-being, along with implementing secure data handling protocols to protect user privacy, and optimizing the system for low-latency performance across various devices.

i) Backend Deployment

We established the backend using Django, leveraging its scalability and versatility to manage the application's core functionalities. PostgreSQL was chosen as the database system due to its reliability and advanced feature set, facilitating efficient storage and retrieval of emotion data. To enable seamless interaction between the frontend and backend, we developed a RESTful API using Django REST Framework, ensuring that endpoints are well-structured and adhere to REST principles. Cross-Origin Resource Sharing (CORS) was managed by incorporating the django-cors-headers package, allowing the React frontend to communicate securely with the Django backend. Sensitive information, including database credentials and email service configurations, was securely stored in environment variables using a .env file to maintain confidentiality and facilitate easy configuration across different deployment environments



SYSTEM ARCHITECTURE

ii) Email Integration

To proactively support employees exhibiting negative emotions, we integrated an email notification system using Gmail's SMTP service. Upon detection of such emotions, the system automatically sends motivational emails to the concerned individuals. SMTP configurations and email credentials were securely managed within the .env file, ensuring both functionality and security.

iii) Data Storage and Logging

Emotion data, along with corresponding timestamps, was systematically stored in the PostgreSQL database, enabling comprehensive tracking and analysis over time. During development, Django's debug mode was activated to facilitate real-time error detection and resolution. For the production environment, logging mechanisms were configured to monitor system performance and capture any anomalies, ensuring the application's reliability and stability.

iv) Frontend Integration

The React-based frontend was seamlessly integrated with the Django backend through API calls, providing users with an interactive and responsive interface. This integration facilitated real-time retrieval and visualization of emotion data, employing libraries such as Chart.js or Recharts to present insights in an intuitive manner. Additionally, we incorporated an AI chatbot into the frontend, offering users immediate assistance and resources related to workplace well-being, thereby enhancing user engagement and support.

By meticulously executing these deployment steps, we successfully delivered a comprehensive, real-time emotion tracking system that integrates advanced AI capabilities with user-centric design, contributing significantly to promoting well-being in the workplace.

F) Visualization and Analysis

To evaluate the system’s performance, various visualizations were generated using Python libraries such as matplotlib, seaborn, and sklearn. A bar chart was used to display the distribution of employee stress levels categorized as Normal, Mild Stress, and High Stress. The analysis revealed that while 55 percent of employees were in a normal emotional state, a notable 45 percent exhibited signs of stress. This emphasizes the importance of continuous emotional monitoring and early intervention in workplace settings.

In addition, a confusion matrix was employed to measure the accuracy of the CNN-based emotion recognition model. The matrix showed a high number of correct predictions along the diagonal, indicating strong model performance in identifying emotions like happy, sad, angry, and neutral.

These visualizations highlight the system's practical value in identifying stress patterns and enhancing employee support. They also serve as key components of the HR dashboard, helping management make informed decisions to promote mental well-being in the workplace.

Model Output

IV EVALUATION METRICS

In our comparative analysis of machine learning (ML) and deep learning (DL) models for facial analysis tasks, we employed several key evaluation metrics to assess performance:

- Accuracy Score: The proportion of correctly predicted instances among the total instances evaluated.
- Mean Average Precision (mAP): The mean of average precision scores for each class, providing insight into the model's precision across multiple classes.
- Precision: The ratio of true positive predictions to the sum of true positive and false positive predictions, indicating the accuracy of positive predictions.
- Recall: The ratio of true positive predictions to the sum of true positive and false negative predictions, reflecting the model's ability to identify all relevant instances.
- F1 Score: The harmonic mean of precision and recall, offering a balance between the two metrics.

Model	Accuracy	mAP	Precision	Recall	F1 Score
Tiny Face Detector	95%	0.85	0.91	0.89	0.90
Face Expression Recognition	80-85%	0.72	0.69	0.67	0.68
Age & Gender Classification(Gender)	90-95%	-	0.95	0.92	0.94
Age & Gender Classification(Age)	75-80%	-	0.69	0.67	0.68
Facial Landmark Detection	98%	-	0.97	0.95	0.96

Evaluation Table

V FUTURE ENHANCEMENTS

To further advance our AI-powered emotion tracking system for workplace well-being, we propose the following enhancements:

a) Fine-Tuning the Model for Multi-Emotion Detection

Enhancing the model's capacity to simultaneously detect and differentiate multiple emotions will provide a more nuanced understanding of employees' emotional states. This can be achieved by:

- Expanding the Emotion Dataset: To improve the model's ability to recognize a wider range of emotional expressions, it is important to expand the current dataset. By incorporating additional labeled emotional expressions, including more subtle and complex emotions such as anxiety, frustration, and confusion, the system can be trained to identify emotions that are less overt but equally significant. This expansion would allow the model to capture a more comprehensive spectrum of emotional states, improving its accuracy and applicability in real-world scenarios, particularly in diverse workplace environments.
- Implementing Advanced Neural Architectures: Utilize architectures such as Attention-Augmented Deep Convolutional Networks (AA-DCN), which have demonstrated efficacy in detecting multiple distinct emotions from image data.
- Transfer Learning Techniques: Apply pre-trained models on large emotion datasets and fine-tune them with workplace-specific data to enhance detection accuracy in the workplace context.

b) Real-Time Multi-Emotion Tracking with a Single Camera

Implementing real-time tracking of multiple emotions using a single camera involves:

- Optimizing Computer Vision Algorithms: Employ lightweight and efficient algorithms capable of processing video feeds in real-time to detect and analyze multiple faces and their corresponding emotions simultaneously.
- Utilizing Facial Landmark Detection: Incorporate models that detect facial landmarks to accurately capture subtle muscle movements

associated with different emotions, thereby improving detection precision.
- Ensuring System Scalability: Design the system architecture to handle increased computational loads, ensuring consistent performance as the number of subjects being monitored increases.

c) Integration of Multimodal Data Sources

To enhance the robustness of emotion detection:
- Incorporate Physiological Signals: Integrate data from wearable sensors that monitor physiological indicators such as heart rate variability and skin conductance, providing additional context to emotional assessments.
- Analyze Vocal Intonations: Combine facial expression analysis with vocal emotion recognition to improve the accuracy of detecting emotional states

d) Development of a Comprehensive Dashboard for HR Analytics

Enhancing the HR dashboard to provide deeper insights includes:

- Visualizing Emotional Trends: Implement advanced data visualization tools to display real-time and historical emotional trends, aiding in the identification of patterns and potential areas of concern.
- Predictive Analytics: Utilize machine learning algorithms to predict potential stress or burnout scenarios based on emotional data, enabling proactive interventions.
- Customizable Alerts: Develop a system for setting thresholds that trigger alerts when certain emotional patterns are detected, facilitates timely support.

e) Addressing Ethical and Privacy Considerations
As the system evolves, it is imperative to:

- Ensure Data Anonymization: Implement robust data anonymization techniques to protect employee identities and maintain confidentiality.
- Obtain Continuous Consent: Establish clear protocols for obtaining and renewing employee consent for emotion tracking, ensuring transparency and trust.
- Regular Ethical Reviews: Conduct periodic ethical assessments of the system's impact on employee well-being and privacy, making adjustments as necessary to uphold ethical standards.

By implementing these enhancements, the emotion tracking system can provide more detailed and accurate insights into workplace well-being, enabling organizations to foster a supportive and responsive work environment.

VI CONCLUSION

The development and implementation of our AI-powered emotion tracking system mark a significant advancement in promoting workplace well-being. By integrating the Tiny Face Detector and Convolutional Neural Networks (CNNs), the system effectively monitors and analyzes employees' emotional states in real-time. This capability enables organizations to proactively address factors affecting employee morale and mental health, thereby fostering a supportive and productive work environment. The integration of Django and PostgreSQL ensures efficient data management, while the AI-driven chatbot offers personalized support, enhancing the overall effectiveness of the system. This project exemplifies the potential of AI technologies to contribute positively to organizational culture and employee satisfaction.

VII REFERENCES

[1] Khanzada et al. (2020). Facial Expression Recognition with Deep Learning. Available: https://arxiv.org/abs/2004.11823

[2] Zhang et al. (2016). A deep neural network driven feature learning method for multi-view facial expression recognition. Available: https://ieeexplore.ieee.org/document/7530823

[3] Li and Liu: Li, R., & Liu, Z. (2020). Stress detection using deep neural networks. Available:https://bmcmedinformdecismak.biomedcentral.com/articles/10.1186/s12911-020-01299-4

[4] Walambe et al.: Walambe, R., Nayak, P., Bhardwaj, A., & Kotecha, K. (2023). Employing multimodal machine learning for stress detection. Available: https://arxiv.org/abs/2306.09385

[5] Hosseini et al. (2023) Multimodal stress detection using facial landmarks and biometric

signals. Available: https://arxiv.org/abs/2311.03606
[6] Kaur and Chakraborty (2020). An advanced face detection and recognition. Available:https://www.researchgate.net/publication/343849367_AN_ADVANCED_FACE_DETECTION_AND_RECOGNITION
[7] Zhang et al.: Zhang, W., Liu, G., & Yin, J. (2020). Video-Based Stress Detection through Deep Learning. Available: https://www.mdpi.com/1424-8220/20/19/5552
[8] Jiddah et al. (2020) Stress Detection through Compound Facial Expressions Using Neural Networks. Available:https://www.researchgate.net/publication/383175938_Stress_Detection_through_Compound_Facial_Expressions_Using_Neural_Networks
[9] Hosseini et al. (2022) Empathic School: A Multimodal Dataset for Real-Time Facial Expressions and Physiological Data Analysis under Different Stress Conditions.Available: https://arxiv.org/abs/2209.13542
[10] Chang et al. (2023) LibreFace: An Open-Source Toolkit for Deep Facial Expression Analysis. Available: https://arxiv.org/abs/2308.10713
[11] Ouzar et al. (2023) Multimodal Contactless Human Stress Detection Using Deep Learning. Available: https://www.researchgate.net/publication/386326295_Multimodal_Contactless_Human_Stress_Detection_Using_Deep_Learning
[12] Ziaratnia et al. (2024). Multimodal Deep Learning for Remote Stress Estimation Using CCT-LSTM. Available: https://ieeexplore.ieee.org/document/10483750
[13] Almeida and Rodrigues (2023) Facial expression recognition system for stress detection with deep learning. Available: https://www.scitepress.org/PublishedPapers/2021/104742/104742.pdf
[14] Korakun and Sasipongpan: (2024) Stress Detection Based on Facial Expressions using a Combination of Convolutional Neural Network and K-Nearest Neighbors. Available: https://www.semanticscholar.org/paper/Stress-Detection-Based-on-Facial-Expressions-using-Korakun-Sasipongpan/cf8b152ee298d96080d756ffd90172809e97e597