Remote Control Flood Relief Water Drone

Tushar Charpe[1], Hardik Santoshwar[2], Harsh Jawade[3], Aditya Bhure[4], Rikshita Kusare[5], Prof. M.K. Parve[6], Dr. R. Keswani[7]

[1,2,3,4,5,6,7]*Department of Electrical Engineering, Priyadarshini College of Engineering Nagpur, Maharashtra, India*

Abstract- Flooding is one of the most devastating and frequent natural disasters globally, leading to significant loss of life, destruction of infrastructure, and widespread displacement. Conventional flood relief efforts rely on manned Drones, helicopters, and ground transportation, all of which face limitations in accessibility, speed, and safety. This paper presents the concept and development of a remote-controlled (RC) flood relief drone as a promising solution to overcome these challenges. Leveraging advanced communication systems, autonomous navigation, and real-time data sharing, RC flood relief Drones offer enhanced operational efficiency, safer execution of missions, and greater accessibility in disaster-stricken zones. The paper explores the design considerations, technological components, operational applications, and future potential of RC Drones in flood disaster management.

Keywords: Remote control Technology, Arduino, Wireless Communication, Cost-Effective.

1. INTRODUCTION

Floods, caused by factors such as heavy rainfall, snowmelt, dam failures, or rising sea levels, result in severe economic and human impacts, often displacing millions of people worldwide. Rapid response is critical to mitigate these effects, especially in regions where infrastructure is damaged or inaccessible. Traditional flood response strategies, including the use of manned Drones, helicopters, and ground vehicles, often face challenges related to accessibility, risk to human life, slow deployment times, and the inability to navigate hazardous conditions.

The introduction of remote-controlled flood relief Drones represents a significant leap forward in overcoming these limitations. With the ability to operate autonomously or remotely, these Drones could navigate floodwaters, deliver critical supplies, and assist in rescue missions without putting human lives at risk. This paper investigates the design, technological components, and potential applications of such Drones, discussing how they could revolutionize flood disaster response.

2. LITERATURE SURVEY

1. Remote-Controlled Rescue Drone:

The use of remote-controlled drone in rescue operations has been explored in various studies. These Drones offer a safer and more efficient way to reach stranded individuals during floods. According to a study published in IEEE Xplore, remote-controlled drone equipped with cameras and sensors have proven effective in navigating through debris laden waters, providing real-time visuals and aiding in the rescue process

2.Disaster Management and Rescue Training:

The Indian Rescue Academy has been a pioneer in training for disaster management, including the use of technology in rescue operations. Their expertise in flood rescue operations serves as an inspiration for developing practical and deployable solutions like the Flood Relief water drone.

3.Autonomous Surface Vehicles (ASVs):

Autonomous Surface Vehicles (ASVs) have been utilized for environmental monitoring and rescue missions. A review in ResearchGate highlights the importance of ASVs in water quality monitoring and their potential adaptation for flood rescue operations. These vehicles typically use GPS for navigation, although simpler designs, like the Flood Relief Drone, rely on manual remote control for cost and simplicity.

4. Application of Arduino in Rescue Drone:

The book Arduino Project Handbook provides various examples of how Arduino can be used to control motors, making it an ideal choice for building remote-controlled rescue drone.

SCOPE

The Remote Control Flood Relief drone is designed to assist in flood relief and rescue operations by providing a safe, efficient, and cost-effective means of delivering aid and conducting surveillance in disaster-affected areas

AIM

The aim of this project is to develop a remote-controlled flood relief drone that can assist in disaster response by delivering essential supplies, conducting surveillance, and aiding rescue operations in flood-affected areas

3. PROBLEM STATEMENT

Despite advancements in disaster response technologies, flood relief operations remain hindered by several challenges:

Navigational Challenges: Floodwaters often conceal submerged obstacles, including debris, fallen trees, and damaged structures, making navigation hazardous.

Human Safety: Rescue missions typically involve putting human lives at risk in dangerous, unpredictable conditions.

Slow Response Times: Traditional methods of delivering aid, such as helicopters or ground vehicles, can be slow, and Drones may be difficult to deploy in highly flooded areas.

Limited Reach: In severely flooded regions, rescuers may not be able to access certain areas, particularly in areas with limited infrastructure or dangerous currents.

An RC flood relief drone can address these issues by offering remote operation capabilities, reducing the need for human intervention in hazardous situations, and enhancing overall efficiency during flood response efforts.

Design Considerations for Remote-Controlled Flood Relief Drones

The successful development and deployment of remote-controlled flood relief Drones hinge on several key design elements. These considerations ensure that the Drones operate safely, efficiently, and reliably in flood-affected environments.

3.1. Remote Control and Autonomous Navigation

One of the core features of RC flood relief Drones is their ability to operate remotely or autonomously in challenging flood conditions. Autonomous navigation, powered by GPS, LiDAR, and obstacle detection sensors (such as ultrasonic and infrared), allows these Drones to move through debris-filled, fast-moving waters without human intervention. Artificial Intelligence (AI)-based algorithms enhance the drone's decision-making ability, allowing it to adjust its course dynamically, avoid obstacles, and select the best route in real-time.

Remote control, on the other hand, offers operators the ability to directly monitor and navigate Drones from a safe distance via a user-friendly interface. Communication systems such as satellite links, 4G/5G networks, or radio frequencies ensure that the drone can be controlled even in areas with limited terrestrial communication infrastructure.

3.2. Durability and Resistance to Harsh Environments

Floodwaters are often polluted and contain floating debris, which can damage Drones. Therefore, RC flood relief Drones must be designed with durable materials that can resist corrosion, abrasion, and impact. The hull should be made from lightweight, high-strength composites, such as carbon fibers or fiberglass, which provide durability without sacrificing buoyancy. Additionally, the drone's design should prioritize stability in fast-moving waters, ensuring it remains upright even in turbulent conditions.

3.3. Power Supply and Energy Efficiency

Power management is a critical component, as flood relief Drones need to operate for extended periods. To ensure reliable and sustained operation, these Drones should feature hybrid power systems combining high-capacity rechargeable batteries with renewable energy sources such as solar panels. By integrating energy-efficient propulsion systems and regenerative braking technology, these Drones can maximize their operational time while reducing environmental impact.

3.4. Payload Capacity and Cargo Handling

Flood relief operations often require transporting supplies such as food, water, medical equipment, and even personnel. The RC drone's cargo area should have sufficient capacity and robust securing mechanisms to safely transport these supplies. The compartment should be waterproof to protect against water ingress and

equipped with features that allow easy loading and unloading, even in turbulent waters.

3.5. Communication and Data Integration
The drone must be equipped with reliable communication systems that allow real-time data transmission between the drone and rescue teams. Sensors onboard could monitor water quality, the drone's location, battery status, and environmental conditions. Furthermore, cameras and imaging systems, such as thermal or infrared sensors, could be used to detect people in distress or assess environmental damage. This data can be sent back to command centers to guide decision-making in disaster relief operations.

4. APPLICATION

The Remote Control Flood Relief drone has a wide range of applications in disaster management, emergency response, and research

4.1. Search and Rescue Operations
One of the most pressing needs during floods is the ability to rapidly search for and rescue stranded individuals. RC flood relief Drones can be deployed immediately to reach hard-to-access areas, operating in regions where human personnel cannot safely navigate. With built-in thermal or night-vision cameras, the drone can identify survivors, even in low visibility conditions, and relay their locations back to rescue teams.

4.2. Supply Delivery
In flood-prone areas, transportation infrastructure is often compromised, making it difficult to deliver vital supplies such as food, water, and medicines. RC Drones offer a rapid and effective means of delivering these supplies to isolated areas. Their ability to navigate flooded environments safely and autonomously ensures a continuous flow of relief without exposing human responders to danger.

4.3. Environmental Monitoring and Data Collection
Beyond immediate relief efforts, RC flood Drones can be equipped with environmental sensors to monitor and report on water quality, pollution levels, and flood extent. This data can be shared with local authorities, aiding in recovery efforts and providing valuable insights for future disaster preparedness.

5. PROPOSED SYSTEM

The proposed system is a remotely operated flood relief drone designed to assist in disaster management by transporting essential supplies, conducting surveillance, and aiding rescue missions. The drone will be controlled via remote control or a mobile application and will have features like live video streaming, autonomous navigation, and environmental monitoring.

2. System Components
A. Hardware Components
drone Frame & Material: Lightweight, waterproof, and buoyant material (e.g., fiberglass or plastic).

Propulsion System: Waterproof DC motors and propellers for movement.

Power Supply: Rechargeable battery (Li-ion or solar-powered for sustainability).
Control Unit:
Remote control via RF, Wi-Fi, or Bluetooth.
Option for GPS-based autonomous navigation.
Sensors & Monitoring:

Water Quality Sensors (Optional): Monitors pH, turbidity, and contamination.

Communication System: Wireless communication for remote operation, using Wi-Fi, GSM, or RF modules.

B. Software Components
Remote Control Interface:
Mobile app or RF controller for manual operation.
Joystick-based control system.

Data Transmission:
IoT-based system for remote monitoring of sensor data.

6. COMPONENTS USED

1. Arduino NANO

The Arduino Nano is an open-source breadboard-friendly microcontroller board based on the Microchip ATmega328P microcontroller (MCU) and developed byArduino.cc and initially released in 2008.

General Specification:

• Microcontroller: ATmega328P

• Operating Voltage: 5V

• Input Voltage (recommended): 7-12V

• Input Voltage (limits): 6-20V

• Digital I/O Pins: 14 (of which 6 can be used as PWM outputs)



• Analog Input Pins: 8 (10-bit resolution)

• Flash Memory: 32 KB (with 2 KB used by the bootloader)

• SRAM: 2 KB

• EEPROM: 1 KB

• Clock Speed:

• Clock Speed: 16 MHz

Communication:

• USB Interface: Mini-USB or Micro-USB (depending on the version)

• Serial Communication: 1 USART, I2C, and SPI

• Bootloader: Pre-installed; allows for easy programming via USB

2. NRF24L01 Module

The NRF24L01 module is very popular choice for wireless communication when using Arduino. The nRF24L01 is a single chip 2.4GHz transceiver with an embedded baseband protocol engine (Enhanced Shock Burst™), designed for ultra low power wireless applications. The nRF24L01 is designed for operation in the world wide ISM frequency band at 2.400 - 2.4835GHz. An MCU (microcontroller) and very few external passive components are needed to design a radio system with the nRF24L01.

General Specifications:

• Frequency Range: 2.400 to 2.4835 GHz

• Modulation: GFSK (Gaussian Frequency Shift Keying)

• Data Rate: •250 kbps •1Mbps • 2 Mbps

• Range: Up to 100 meters (line of sight); varies based on environment and configuration.

Power Specifications:

• Supply Voltage: 1.9V to 3.6V (typically powered at 3.3V)

Current Consumption: RX: ~12.3 mA (at 1 Mbps)

X: ~12.3 mA (at 1 Mbps, with PA set to high)

Power-down mode: < 1 µA

Communication Specifications:

• Number of Channels: 126 channels(from 0 to 125)

• Address Width: 1 to 5 bytes (variable)

• Payload Size: Up to 32 bytes per packet.

Features:

• Multi-Pipe Support: Up to 6 data pipes for receiving.

• Auto Retransmission: Configurable auto-retransmit feature on failed transmission.

• Enhanced Shock Burst: For efficient data transmission and reduced power consumption.

3. Analog Joystick Module:

Analog module joysticks are electronic devices that detect and respond to user input, providing Analog voltage outputs for both X and Y axes.

They are commonly used in robotics, gaming, and other applications where precise control is required.

4 Motor :

In the Remote Control Flood Relief drone project, motors play a crucial role in propulsion and maneu verability. Waterproof DC motors drive the propellers, enabling the drone to navigate through floodwaters efficiently. The motors provide the necessary thrust to move forward, reverse, and turn in different directions. Servo motors may also be used for rudder control, enhancing precision in steering. Additionally, brushless motors can be considered for better efficiency and durability. The speed and direction of the motors are controlled via a remote controller or microcontroller, ensuring smooth and responsive operation in rescue and relief missions.

Technical specifications:

•Operating voltage: 6 V to 18 V DC

•Nominal voltage: 12 V DC

•Idle speed: 12000 rpm

•No-load current consumption: 0,75 A

•Torque: 0.425 kg*cm (0.04 Nm)

•Power: 40 W (63% capacity)

•Shaft diameter: 3.17 mm

•Engine diameter: 36 mm (without flange)

•Motor body length: 57 mm

4. Motor Drivers:

Motor drivers are circuits or devices that allow you to

control the operation of motors, providing the necessary power and control signals.

They act as an interface between microcontrollers (like Arduino or Raspberry Pi) and the motors, enabling precise control over motor speed and direction.

Protection Features Overcurrent Protection: This feature helps prevent damage by shutting down the driver if the current exceeds a certain threshold.

5. Li-ion Battery:

Lithium-ion (Li-ion) batteries are a type of rechargeable battery known for their high energy density, long lifespan, and relatively low self-discharge rate.

They are widely used in various applications, including electronic devices, electric vehicles, and renewable energy systems.

Battery Rating- 12V / 8Amp

Run Duration- 2 to 3 Hours





7. CONCLUSION

Remote-controlled flood relief Drones present a transformative solution to the challenges faced by traditional flood response methods. By offering rapid deployment, improved safety, and enhanced operational capabilities, these Drones have the potential to revolutionize disaster relief efforts. As technology continues to advance, the integration of AI, autonomous navigation, and renewable energy sources will further increase their effectiveness and accessibility, making them invaluable tools in global flood disaster management.

REFERENCE

[1] Smith, J., & Cooper, R. (2023). Advances in Autonomous Vehicles for Emergency Response: A Focus on Flood Relief. Journal of Disaster Management, 14(4), 123-137.

[2] Tran, H., & Nguyen, D. (2022). Technological Innovations in Flood Relief Operations: The Role of Robotics and Drones. International Journal of Humanitarian Technology, 9(2), 56-71.

[3] Greenfield, A. (2024). Robotics and AI in Disaster Response: An Emerging Paradigm for Flood Management. Journal of Rescue Robotics, 11(2), 40-55.

[4] European Commission. (2023). Autonomous Drones in European Flood Relief Efforts: Pilot Project Outcomes. European Union Disaster Response Review, 19(1), 8-25.

[5] Indian Rescue Academy Launches ITUS Drone To Save People From Drowning (2024) (https://www.indianrescueacademy.org/)

[6] Singh, A., & Sharma, R. (2020). Design and Control of a Remote Controlled Drone Flood Relief. IEEE Xplore.

[7] Geddes, M. (2016). Arduino Project Handbook: 25 Practical Project