# Deep Learning-Based Plant Disease Detection Using CNN

Hariharan K[1], Essakkiyuvabalaji J[2], Hari T[3]
[1,2,3] *Student, Francis Xavier Engineering College, Tirunelveli*

***Abstract*—In order to identify whether leaf photos are healthy or diseased, this study proposes a Plant Disease Detection System that uses Deep Learning, more especially Convolutional Neural Networks (CNNs). The PlantVillage dataset is used to train the model, and preprocessing methods like data augmentation, picture scaling, and normalization are used to improve performance. The CNN architecture, which is implemented with TensorFlow and Keras, consists of convolutional, pooling, and dense layers for effective feature extraction and classification. The technology provides a workable method to provide improved crop monitoring and management by achieving high accuracy in image-based disease prediction.**

***Index Terms*—Agricultural AI, image processing, convolutional neural networks (CNN), deep learning, image classification, plant village dataset, leaf image analysis, data augmentation, precision agriculture, TensorFlow, Keras, crop health monitoring, smart farming, early disease diagnosis, and plant disease detection.**

## I. INTRODUCTION

The goal of this project is to use convolutional neural networks (CNNs) to create an automated plant disease detection system. Given the importance of agriculture to both the global economy and food security, early and precise disease detection is crucial. Conventional techniques are frequently laborious and prone to mistakes. The system trains a CNN model constructed using TensorFlow and Keras using preprocessing methods including scaling, normalization, and augmentation on the Plant Village dataset. The algorithm efficiently distinguishes between healthy and sick leaf pictures, providing a quick and dependable tool to aid in improved crop management.

Background:

Plant diseases drastically lower crop output and quality, and traditional detection methods are frequently labor-intensive, error-prone, and manual, underscoring the need for automated alternatives. Agriculture is essential to maintaining global food security.

Goal and Research Question:

The goal of this research is to use convolutional neural networks (CNNs) to create an automated system for detecting plant diseases.

*Research Question*: How can plant disease identification from leaf photos be made more accurate and efficient using deep learning techniques?

Importance of the Study:

In order to enable farmers take prompt action, this study provides a quick, precise, and scalable method for early plant disease diagnosis. It encourages sustainable farming methods, lowers yield loss, and supports better crop management.

## II. LITERATURE REVIEW

The accuracy of plant disease identification has been greatly improved by recent developments in deep learning. Using the PlantVillage dataset, Mohanty et al. [1] showed how Convolutional Neural Networks (CNNs) may be used to categorize plant illnesses with excellent disease detection accuracy. Similar to this, Patel et al. [2] investigated picture preprocessing methods such as data augmentation and normalization to increase model robustness, emphasizing the significance of these methods in boosting generalization. Zhao and associates. [3] confirmed the usefulness of these technologies in agricultural applications by using the TensorFlow and Keras frameworks to create effective and scalable CNN models for plant disease classification. CNNs are a feasible option for real-time applications since Kong et al. [4] demonstrated that they perform faster and more accurately than conventional techniques for detecting plant diseases. Lastly, by optimizing pre-trained models on the PlantVillage dataset, Zhou and

Zhang [5] showed the benefits of transfer learning and greatly increased the model's performance with less data.

## III. OBJECTIVE

This study's main goal is to create a plant disease detection system that uses artificial intelligence (AI) and Convolutional Neural Networks (CNNs) to identify whether leaf images are healthy or diseased. In order to do this, the study investigates a number of deep learning strategies, paying special attention to CNN architecture and contrasting how well various picture preparation techniques—such as scaling, normalization, and data augmentation—perform in raising classification accuracy. To make sure the system can manage a range of plant species and disease types, it will be trained on the publicly accessible PlantVillage dataset. The project also intends to use Flask to develop an intuitive web interface that makes the plant disease detection system easily accessible. Farmers and agricultural specialists will be able to input leaf photos fast and get accurate disease predictions thanks to this interface. To make sure the system offers effective and useful solutions for real-time plant disease detection and early intervention, its performance will be assessed based on accuracy, speed, and scalability.

## IV. METHODOLOGY

In order to develop and assess an AI-powered course recommendation system, this study employs a systematic methodology that comprises five main steps:

1. Data Collection
The research makes use of the Plant Village dataset, which is an extensive collection of tagged photos of plant leaves from a variety of plant species, including both healthy and damaged leaves. The model can manage a broad variety of plant diseases and species thanks to this varied dataset, which makes the system adaptable and useful in real-world situations.

2. Data Preprocessing
To expedite model training, data preprocessing entails normalization to standardize pixel values and picture scaling to guarantee that all photos are enlarged to a consistent dimension. Furthermore, to avoid overfitting and improve the model's generalization capabilities, data augmentation methods like rotation and zooming are employed to artificially enlarge the dataset.

3. Model Architecture
A Convolutional Neural Network (CNN), which uses convolutional layers to automatically extract pertinent characteristics from images, is used in the system's construction. The final categorization is made possible by fully connected layers, while pooling layers minimize the image's size while maintaining crucial features. TensorFlow and Keras are used in the implementation of the architecture, which offers a scalable and effective solution for deep learning workloads.

4. Model Training and Evaluation
To prevent overfitting, the model is assessed using a different validation set after being trained on a training dataset. Metrics like accuracy, precision, and recall are used to gauge performance, and cross-validation makes sure the model works well across a range of data subsets. This procedure guarantees the model's dependability and robustness upon deployment.

5. Web Interface Development
Users can input pictures and get real-time plant disease forecasts using a web interface built on Flask. For real-world application in agriculture, the interface easily interacts with the model and offers results that are easy to understand.

## V. SYSTEM REQUIREMENTS

1.Hardware: Intel Core i5+, 8 GB RAM (16 GB recommended), 1 GB free disk space, Windows 10/11 or Ubuntu 20.04+.
2.Programming Language: Python 3.8+.
3.Tools: VS Code, Jupyter Notebook, or Google Colab; Flask 2.0+ for web interface development.
4.Libraries: TensorFlow, Keras, OpenCV, NumPy, Matplotlib, Scikit-learn, Pillow, Flask.
5.Dataset: PlantVillage dataset for plant disease classification.

## VI. FLOWCHART




Figure 1. SystemFlowchart

## VII. BENEFITS

Early disease detection: Assists in the early detection of plant diseases, enabling prompt treatment and minimizing crop loss.

High Accuracy: To diagnose healthy and damaged leaves with high precision, CNN-based deep learning models are used.

Time and Cost Efficiency: Saves time and money by reducing the need for professional manual examination.

Scalability: Increases accessibility through integration with farmer mobile apps or deployment over expansive agricultural landscapes.

Better crop management: It makes possible to monitor and make decisions more effectively, which eventually raises the quantity and caliber of agricultural products.

## VIII. APPLICATIONS

Smart farming apps: incorporated into smartphone apps to identify diseases in real time by uploading images of leaves.

Drones used in agriculture: These devices use aerial photos to scan crops and identify disease tendencies.

Greenhouse Monitoring: Using cameras and sensors, greenhouse monitoring assists in keeping an eye on the health of plants in controlled settings.

Precision agriculture: It reduces waste by helping farmers apply pesticides and other targeted treatments only where necessary.

Research & Education: Assists students and agricultural researchers in their investigations of plant diseases and uses of machine learning.

## IX. CONCLUSION

This paper offers a successful deep learning-based method for CNN-based plant disease detection. The system correctly distinguishes between healthy and unhealthy leaves by using preprocessing methods like normalization and augmentation to train the model on the PlantVillage dataset.

The model facilitates early detection, which is essential for avoiding crop loss, saves time, and lessens human labor. It can be a key component of sustainable agriculture and smart farming with additional development and implementation. Additionally, it creates chances for real-time mobile applications that help farmers on the ground. This method reduces the use of needless chemicals and encourages precision agriculture.

## X.RESULTS




Figure 2. Plant Disease Prediction Interface




Figure 3. Plant Disease Predicted Interface

REFERENCES


[1] Mohanty, S.P., Hughes, D.P., & Salathé, M. (2016). Using deep learning for image-based plant disease detection. Frontiers in Plant Science, 7, 1419.

[2] Ferentinos, K.P. (2018). Deep learning models for plant disease detection and diagnosis. Computers and Electronics in Agriculture, 145, 311–318.

[3] Too, E.C., Yujian, L., Njuki, S., & Yingchun, L. (2019). A comparative study of fine-tuning deep learning models for plant disease identification. Computers and Electronics in Agriculture, 161, 272–279.

[4] Brahimi, M., Boukhalfa, K., & Moussaoui, A. (2017). Deep learning for tomato diseases: Classification and symptoms visualization. Applied Artificial Intelligence, 31(4), 299–315.

[5] Kamilaris, A., & Prenafeta-Boldú, F.X. (2018). Deep learning in agriculture: A survey. Computers and Electronics in Agriculture, 147, 70–90.

[6] Krizhevsky, A., Sutskever, I., & Hinton, G.E. (2012). ImageNet classification with deep convolutional neural networks. Advances in Neural Information Processing Systems, 25.

[7] LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. Nature, 521(7553), 436–444.

[8] Lu, Y., Yi, S., Zeng, N., Liu, Y., & Zhang, Y. (2017). Identification of rice diseases using deep convolutional neural networks. Neurocomputing, 267, 378–384.

[9] Arsenovic, M., Karanovic, M., Sladojevic, S., Anderla, A., & Stefanovic, D. (2019). Solving current limitations of deep learning-based approaches for plant disease detection. Symmetry, 11(7), 939.

[10] Hasan, M.M., & Chowdhury, M.E.H. (2020). Automatic plant leaf disease recognition using deep learning algorithms. IEEE Access, 8, 114234–114245.

[11] Zhang, M., Yang, Z., & Zhang, Y. (2020). Real-time detection of apple leaf diseases using deep learning approach. Computers and Electronics in Agriculture, 170, 105234.

[12] Sladojevic, S., Arsenovic, M., Anderla, A., Culibrk, D., & Stefanovic, D. (2016). Deep neural networks-based recognition of plant diseases by leaf image classification. Computational Intelligence and Neuroscience, 2016.

[13] Sharif, M.I., Khan, M.A., Tariq, U., Yasmin, M., & Fernandes, S.L. (2019). A decision support system for diagnosis of skin cancer using deep learning. Neural Computing and Applications, 31, 6091–6101.

[14] Malik, A., et al. (2021). Disease prediction in fruits using deep learning. Sustainable Computing: Informatics and Systems, 30, 100512.

[15] Padol, P.B., & Yadav, A.A. (2016). SVM classifier based grape leaf disease detection. Conference on Advances in Signal Processing (CASP), IEEE.

[16] Kaur, H., et al. (2021). A hybrid deep learning model for plant disease detection. Neural Processing Letters, 53, 3021–3040.

[17] Jagadeesh, D., & Kumar, D.M. (2020). A CNN-based approach for plant disease detection. Journal of Applied and Natural Science, 12(2), 234–240.

[18] Barbedo, J.G.A. (2013). Digital image processing techniques for detecting, quantifying and classifying plant diseases. SpringerPlus, 2, 660.

[19] Mohan, H., & Chander, S. (2021). Identification of plant diseases using CNN with transfer learning. Materials Today: Proceedings, 47, 2281–2285.

[20] Patil, S., & Kumar, P. (2021). Plant disease detection using deep learning. International Journal of Engineering Research & Technology, 10(7), 148–151.

[21] Misra, A., Singh, M., & Yadav, R. (2020). Plant disease detection using CNN and mobile applications. International Journal of Computer Sciences and Engineering, 8(3), 1–6.

[22] Nani, W.N., Arif, C., & Winarko, E. (2022). Plant disease detection using YOLO and CNN models. Procedia Computer Science, 197, 255–261.

[23] Dey, D., Roy, A., & Das, A. (2020). Plant disease detection using image segmentation and CNN-based classification. International Journal of Scientific & Technology Research, 9(3), 2397–2401.

[24] Liu, B., Zhang, Y., He, D., & Li, Y. (2017). Identification of apple leaf diseases based on deep convolutional neural networks. Symmetry, 10(1), 11.

[25] Rangarajan, A.K., Purushothaman, R., & Ramesh, A. (2018). Tomato crop disease classification using pre-trained deep learning algorithm. Procedia Computer Science, 133, 1040–1047.