

Deep Learning Based Agriculture Weed Detection and Classification

Nikhil Bare, Rohan Doifode, Prof. J. S. Pawar, Godavari Kadam, Bhakti Shirsat
Department of Information Technology, Singhad College of Engineering, Vadgaon, Pune

Abstract—Weed detection using deep learning is a cutting-edge application of artificial intelligence in agriculture. This technology offers a sophisticated solution to the age-old problem of weed management, aiming to revolutionize farming practices worldwide. The process begins with the acquisition of image data depicting agricultural fields, captured through various means. These images serve as the raw material for training the CNN model, providing a rich source of information about the crops and the surrounding environment, including the presence of weeds. The essence of CNNs lies in their ability to automatically learn and extract intricate patterns and features from images. Through multiple layers of convolution and pooling, these neural networks transform raw pixel data into meaningful representations, enabling them to discern subtle differences between crops and weeds. Training a CNN model for weed detection involves a complex interplay of data preprocessing, model architecture selection, and optimization. The dataset is carefully curated, normalized, and augmented to ensure diversity and robustness.

Key Words— weed detection, Image processing, deep learning; CNN.

I. INTRODUCTION

Weed detection using machine learning, particularly Convolutional Neural Networks (CNNs), represents a promising frontier in modern agriculture. By harnessing the power of computer vision, this technology aims to address one of the most persistent challenges faced by farmers worldwide: weed management. At its core, weed detection with CNNs involves the meticulous collection of image data depicting agricultural fields.

During training, the model learns to differentiate between crop plants and weeds by analyzing patterns and features extracted from the images. Transfer learning, leveraging pre-trained CNN models, offers a shortcut to effective weed detection, especially when datasets are limited. Once trained and validated, these models hold the potential to revolutionize agriculture.

II. RELATED WORK

1) Broad-Leaf Weed Detection in Pasture. Et.al. Wenhao Zhang, Mark F. Hansen, Timothy N. Weed control in pasture is a challenging problem that can be expensive and environmentally unfriendly. This paper proposes a novel method for recognition of broad-leaf weeds in pasture such that precision weed control can be achieved with reduced herbicide use. Both conventional machine learning algorithms and deep learning methods have been explored and compared to achieve high detection accuracy and robustness in real-world environments. In pasture grass/weed image data have been captured for classifier training and algorithm validation. The proposed deep learning method has achieved 96.88% accuracy and is capable of detecting weeds in different pastures under various representative outdoor lighting conditions.

2) Design and Development of Automatic Weed Detection and Smart Herbicide Sprayer Robot. Et.al. Aravind R, Daman M, Kariyappa B S. The conventional way of killing weeds in a crop plantation is to spray herbicides throughout the plantation. This results in contamination of the food crops and also the yield becomes less as some of the crop plants die along with the weeds. Thus there is a need for a smart weed control system. In this paper, an image processing algorithm is used to take images of the plantation rows at regular intervals and upon identifying the weeds in the image, the herbicide is sprayed directly and only on the weeds. The algorithm predominantly uses an Erosion and Dilation approach to detect weeds. The colour image is converted to binary by extracting the green parts of the image. The amount of white pixels present in the region of interest is determined and regions with higher white pixel count than the predefined threshold are considered as weeds. The herbicide is stored in a container fitted with water pump motors attached to spray nozzles. Once the weeds are identified, a signal is sent from Raspberry-Pi to the motor driver IC

controlling the water pump motors to spray the chemicals over the weeds.

3) Algorithm of Weed Detection in Crops by Computational Vision. Et.al. A. J. Irías Tejeda, R. Castro Castro This research has been based on the use of precision agriculture tools for the management of weeds in crops. It has focused on the creation of an image-processing algorithm to detect the existence of weeds in a specific site of crops. The main objective has been to obtain a formula so that a weed detection system can be developed through binary classifications. The initial step of image processing is the detection of green plants in order to eliminate all the soil in the image, reducing information that is not necessary. Then, it has focused on the vegetation by segmentation and eliminating unwanted information through medium and morphological filters. Finally, a labeling of objects has been made in the image so that weed detection can be done using a threshold based on the area of detection. This algorithm establishes an accurate monitoring of weeds and can be implemented in automated systems for the eradication of weeds in crops, either through the use of automated sprayers for specific site or a weed cutting mechanism. In addition, it increases the performance of operational processes in crop management, reducing the time spent searching for weeds throughout a plot of land and focusing weed removal tasks on specific sites for effective control.

4) Automatic Weed Detection System and Smart Herbicide Sprayer Robot for com fields. Et.al. Amir H. Kargar B, Ali M. Shirzadifar. The goal of this paper is to develop a new weed detection and classification method that can be applied for autonomous weed control robots. In order to achieve this goal plants must be classified into crops and weeds according to their properties which is done by a machine vision algorithm. Plants growing between rows are considered as weed, while inside a row, where crops are mixed with weeds, a classification method is required. Accordingly in the initial step, plants pixels were segmented from background with an adaptive method which is robust against variable light conditions as well as plant species. After that, crops and weeds were classified according to features extracted from wavelet analysis of the image. Finally, based on positions of weeds, herbicide sprayers are told to spray right on desired spots. The whole algorithm is implemented in LabVIEW software which is appropriate for real-time in-field purposes.

In order to evaluate the performance of the algorithm 73 corn field images have been taken and selected, overall classification accuracy of 95.89% was achieved.

LITERATURE SURVEY

S r · N o .	Publication Details	Seed Idea	Drawbacks
1	Aravind R, Daman M, Kariyappa B S , "Design and Development of Automatic Weed Detection and Smart Herbicide Sprayer Robot ", 2015 IEEE	The core idea is to automate weed detection and herbicide spraying using image processing.	The system heavily depends on good lighting conditions, which can affect its accuracy.
2	Prajakta Khaire , Dr.Vahita Attar, Shrida Kalamkar " A comprehensive survey of weed detection and classification datasets for precision agricultre ", 2023 IEEE	A detailed survey of publicly available weed detection and classification datasets	Limited coverage of newer datasets, lesser noise management in images
3	Fengjuan Miao, Siqu Zheng, Bairui Tao" Crop Weed Identification System Based on Convolutional Neural Network",2019 IEEE	It is a CNN-based system for crop-weed identification is proposed to improve precision agriculture by classifying crops and weeds, with a focus on carrot seedlings	Crops and weeds in the picture are infected to some extent, and the recognition accuracy needs to be improved.
4	Deepthi G. Pai, Radhika Kamath, and Mamatha Balachandra," Deep Learning Techniques for	The paper explores how deep learning can enhance weed detection accuracy in	Deep learning models face limitations due to the scarcity of large annotated datasets and

Weed Detection in Agricultural Environments: A Comprehensive Review”, June 2024, IEEE	agriculture, replacing labor-intensive and environmental ly harmful traditional methods.	generalizability issues across different crops and environments.
---	--	--

III. PROBLEM STATEMENT

Given a set of images depicting agricultural fields, the task is to develop a machine learning system capable of automatically detecting and localizing weeds within the images. The system should accurately differentiate between crops and weeds, providing farmers with actionable insights to enable targeted interventions for weed control

IV. OBJECTIVES


- Enable real-time detection of weeds in agricultural fields by optimizing the CNN model for efficiency and speed.
- Achieving high precision and recall rates is crucial to minimize false positives and negatives, ensuring effective weed management.
- Design a scalable weed detection system that can handle large-scale agricultural operations, covering extensive areas of farmland efficiently.
- The system should be adaptable to different crop types, growth stages, and environmental conditions.
- Develop user-friendly interfaces or tools to facilitate the integration of the weed detection system into existing agricultural workflows.

V. METHOD OF IMPLEMENTATION

- Select the appropriate image based on the crop type and field
- Apply image filtering techniques to remove noise and enhance contrast. Perform segmentation to separate plants from the soil background, often using techniques like thresholding or edge detection.
- Train deep learning models on labeled datasets that include images. Use algorithms like CNNs, which are effective in image recognition tasks. The models are trained to learn the differences between weeds and crops based on extracted features. Validate the model using a separate test dataset to ensure accuracy.

- Once the model is trained, it is deployed for classification. As new images are captured, the model processes them and classifies each plant as a weed.

VI. SYSTEM ARCHITECTURE



VII. LIMITATION

The effectiveness of machine learning models heavily depends on the availability and quality of training data. Limited or biased datasets may result in suboptimal model performance, especially when dealing with rare or regional weed species

VIII. METHODOLOGY

The data collection, where high-resolution images of the fields are captured. Following this, image preprocessing is performed to enhance the data by filtering noise, adjusting contrast, and segmenting images to separate plants from the background. Once the images are prepared, the next step is feature

extraction, where key characteristics like color, shape, and texture are analyzed to distinguish crops from weeds. Deep learning algorithms are then applied to classify plants based on these features, with models like convolutional neural networks (CNNs) being commonly used.

IX. RESULTS



Figure No. 1: Image Preprocessing



Figure No. 2: Image Testing Result




Figure No. 3: Model Output




Figure No. 4: Model Accuracy Graph

X. CONCLUSION

Weed detection using machine learning, particularly Convolutional Neural Networks (CNNs), represents a transformative approach to enhancing weed management in agriculture. By leveraging the power of computer vision and artificial intelligence, this technology provides a scalable, accurate, and sustainable alternative to traditional weed control methods. In our implementation, the CNN model achieved a training accuracy of 99.91% and a testing accuracy of 98.91%, demonstrating its effectiveness and robustness in distinguishing between crops and weeds.

Despite these promising results, certain challenges must still be addressed. These include the availability of large and diverse annotated datasets, model generalization across different crop types and environments, and seamless integration into existing agricultural systems. Furthermore, regulatory, ethical, and economic factors must be carefully considered to ensure responsible deployment and equitable access to this technology in real-world farming scenarios.

REFERENCES

- [1] A. Binch and C. W. Fox. "Controlled comparison of machine vision algorithms for Rumex and Urtica detection in grassland." Computers and Electronics in Agriculture, 140:123-138
- [2] T. Kounalakis, G. A. Triantafyllidis, and L. Nalpantidis, "Weed recognition framework for robotic precision farming." IEEE International Conference on Imaging Systems and Techniques (IST), pp. 466-471.
- [3] F. K. van Evert, G. Polder, G. W. A. M. Van Der Heijden, C. Kempenaar, and L. A. P. Lotz. "Realtime visionbased detection of Rumex obtusifolius in grass land." Weed Research vol. 49, no. 2, pp.164-174.
- [4] K. Fukushima. Neocognitron: A self-organizing neural network model for a Cybernetics, vol 36, no. 4, pp. 193-202 pp. 2278-2324 mechanism of pattern recognition unaffected by shift in position. Biological
- [5] Y. LeCun, L. Bottou, Y. Bengio, and P. Haffner. "Gradient-based learning applied to document recognition." In Proceedings of the IEEE, vol. 86, no. 11,

- [6] Y. Taigman, M. Yang, M. Ranzato, and L. Wolf. "Deepface: Closing the gap to human-level performance in face verification". In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, pp. 1701-1708.
- [7] M. F. Hansen, M L. Smith, L. N. Smith, M. G. Salter, E .M. Baxter, M. Far ish, and B. Grieve. Towards on-farm pig face recognition using convolutional neural networks. Computers in Industry, vol 98, pp. 145-152
- [8] T. Ojala, M. Pietikainen, and T. Maenpaa. "Multiresolution Gray Scale and Rotation Invariant Texture Classification With Local Binary Patterns." IEEE Transactions on Pattern Analysis and Machine Intelligence. Vol. 24, no. 7, pp. 971-987.
- [9] M. M. Adankon and M Cheriet. "Support vector machine." In Encyclopedia of biometrics, pp. 1303-1308. Springer US
- [10] M. M. Adankon and M Cheriet. "Support vector machine." In Encyclopedia of biometrics, pp. 1303-1308. Springer US, 2019.