

Smart Agriculture Monitoring System using ESP8266, Android app for farmer alerts and POWER BI for crop and environmental data analytics

K. Deepika¹, N. Bhanu Prasad², M. Manikanta³, CH. Swathi⁴, D. Matru⁵, G. Rakesh Reddy⁶

^{1,2,3,4} Students, Department of CSE(IOT), Sphoorthy Engineering College, Hyderabad, India.

⁵ Assistant Professor, Department of CSE(IOT), Sphoorthy Engineering College, Hyderabad, India.

⁶ Professor and HOD, Department of CSE(IOT), Sphoorthy Engineering College, Hyderabad, India.

Abstract— This project introduces an innovative approach to modernize agriculture using IoT and data analytics, addressing critical challenges in crop management and environmental monitoring. Leveraging an ESP8266 microcontroller, the system collects real-time data from sensors measuring soil moisture, temperature, humidity, and other parameters. This data is transmitted to an Android application that provides farmers with instant alerts for timely decision-making. A "data-driven insights" methodology integrates Power BI, enabling advanced analytics and visualization of crop health and environmental conditions. By employing predictive modeling and trend analysis, the system empowers farmers to optimize resource usage, enhance yield, and mitigate risks. This work aims to transform agricultural practices, offering a scalable and efficient solution to boost productivity and ensure sustainability in farming.

Index Terms—IoT, Smart Agriculture, ESP8266, Farmer Alerts, Android Application, Environmental Monitoring, Crop Management, Power BI, Data Analytics, Predictive Modeling, Real-Time Sensor Data.

I. INTRODUCTION

Identifying optimal farming conditions and timely decision-making remain critical challenges in modern agriculture. Traditional agricultural practices often rely heavily on manual observation and intuition, which can be subjective, inconsistent, and prone to delays. This can result in inefficient resource usage, crop stress, and reduced yields. While farmers have long depended on experience and periodic checks, there is a growing need for automated, real-time, and precise monitoring systems that can empower them with actionable insights to improve productivity and sustainability.

Conventional monitoring methods typically involve manual soil checks, weather forecasting, and labor-intensive field inspections, which are often inadequate in capturing the complex, dynamic environmental factors affecting crop health. Furthermore, the lack of immediate alerts and integrated data analysis tools makes it difficult for farmers to respond swiftly to changing conditions such as drought, pest attacks, or nutrient deficiencies. These limitations highlight the necessity for a system that not only gathers real-time environmental and crop data but also processes and presents it in an accessible format to facilitate informed agricultural decisions.

Recent advancements in Internet of Things (IoT) technologies have revolutionized data collection by enabling continuous, automated monitoring of soil moisture, temperature, humidity, and other vital parameters. However, the challenge lies in efficiently transmitting, analyzing, and interpreting this data to deliver practical, timely insights to farmers. While existing IoT-based solutions capture valuable data, many lack seamless integration with user-friendly applications and advanced analytics platforms, limiting their real-world applicability and farmer adoption.

This project addresses these gaps by developing a comprehensive smart agriculture monitoring system that leverages the ESP8266 microcontroller for wireless sensor data acquisition, an Android application for real-time farmer alerts and interaction, and Power BI for in-depth data analytics and visualization. By integrating these technologies, the system not only monitors critical environmental factors continuously but also translates raw data into

actionable intelligence. The Android app ensures farmers receive instant notifications for urgent actions, while Power BI enables trend analysis, crop performance evaluation, and long-term planning through intuitive dashboards.



Fig 1.1

This project endeavors to overcome the limitations of traditional farming practices by harnessing the transformative power of IoT and data analytics. By employing advanced sensors integrated with the ESP8266 microcontroller, the system continuously captures vital environmental parameters such as soil moisture, temperature, and humidity. This real-time data is wirelessly transmitted to an Android application that provides farmers with timely alerts, enabling them to take immediate action and prevent crop stress or damage. Moving beyond mere data collection, the project integrates Power BI's powerful analytics capabilities to visualize complex patterns and trends in crop and environmental data. This data-driven approach equips farmers with deeper insights into their fields, helping optimize irrigation, fertilization, and pest management strategies.

The successful implementation of this smart agriculture monitoring system holds immense promise across diverse agricultural settings. Small and large-scale farmers can benefit from increased crop yields, reduced water and fertilizer wastage, and enhanced resilience against environmental fluctuations. Moreover, by enabling predictive analytics and early warning systems, the project contributes to sustainable farming practices and food security. Ultimately, this integrated solution bridges the gap between raw sensor data and practical agricultural decision-making, empowering farmers worldwide to embrace precision agriculture and improve overall productivity.

II. RELATED WORK

Related Work

Advancements in IoT technologies have revolutionized agricultural practices by enabling real-time monitoring and precise decision-making. Smart agriculture monitoring systems leveraging ESP8266 microcontrollers, Android applications, and Power BI analytics have been at the forefront of these developments. Early studies focused on integrating sensors with ESP8266 for real-time data acquisition of soil moisture, temperature, and humidity. These systems allowed for immediate alerts to farmers, laying the foundation for more sophisticated frameworks by addressing critical gaps in traditional farming techniques.

Subsequent research has delved into the application of machine learning and predictive analytics to enhance decision-making processes. By integrating ESP8266 sensor data with Android applications, studies demonstrated how farmers could receive tailored recommendations and alerts about crop health, irrigation, and pest management. Machine learning algorithms such as Random Forest and Decision Trees were employed to predict crop yield trends and detect anomalies. Meanwhile, Power BI provided intuitive dashboards, enabling stakeholders to visualize patterns and make informed decisions.

Recent advancements have explored the integration of hybrid frameworks that combine IoT, machine learning, and data analytics. These systems utilized ESP8266 for real-time environmental monitoring, coupled with Power BI's visualization capabilities to present actionable insights. Despite these advances, challenges such as scalability, data reliability in diverse climatic conditions, and security concerns remain areas of active research. This body of work highlights the potential of technology to transform agriculture into a data-driven and sustainable enterprise.

III. OBJECTIVE

The primary objective of the Smart Agriculture Monitoring System is to develop a comprehensive and intelligent farming solution that leverages the capabilities of IoT (Internet of Things), mobile technology, and data analytics to enhance agricultural efficiency, productivity, and sustainability. The system is designed around the ESP8266 microcontroller,

which serves as the core component for collecting real-time environmental and crop-related data using various sensors. These sensors continuously monitor critical parameters such as temperature, humidity, and soil moisture, which are essential for determining crop health and the need for interventions such as irrigation or shading.

Using the built-in Wi-Fi capabilities of the ESP8266, the system transmits this data wirelessly to a cloud-based database, such as Firebase, ensuring that the information is accessible from anywhere and at any time. This real-time data collection and transmission eliminate the need for manual field checks, significantly reducing labor and improving accuracy. To make the system more farmer-friendly, a custom Android mobile application is developed, which acts as an interface between the farmer and the system. This app retrieves data from the cloud and displays it in a user-friendly format. More importantly, it sends instant alerts and notifications to the farmer's device when the sensed values cross predefined thresholds.

In addition to real-time monitoring and alerts, the system incorporates Power BI as a powerful data analytics and visualization tool. The cloud-stored data is fed into Power BI dashboards to generate detailed and interactive visual reports. These dashboards allow users to track trends over time, compare seasonal changes, assess the impact of interventions, and identify patterns that may not be apparent through raw data.

Overall, the objective of the Smart Agriculture Monitoring System is to create a low-cost, scalable, and intelligent platform that empowers farmers with the tools and information necessary for modern agriculture. By automating data collection, enabling real-time communication, and applying advanced analytics, the system not only optimizes the use of resources like water and energy but also enhances crop yield, reduces waste, and supports sustainable farming practices in a rapidly changing climate and market environment.

IV PROPOSED METHODOLOGY

This project adopts a structured, multi-stage approach to implement a Smart Agriculture Monitoring System, leveraging ESP8266, an Android app for farmer alerts, and Power BI for crop and environmental data analytics. The methodology integrates IoT technology

with real-time data analysis to empower farmers with actionable insights and timely interventions.

The process begins with Data Collection and Preprocessing, where sensors connected to the ESP8266 microcontroller capture environmental parameters such as soil moisture, temperature, and humidity. These raw readings undergo initial calibration to eliminate noise and ensure accurate measurements.

Following this, Data Transmission is facilitated by the ESP8266, which transmits the processed sensor data wirelessly to a cloud server or local gateway for centralized storage and further analysis.

In the Data Visualization and Alerts stage, an Android application retrieves this data to display real-time readings to farmers. Alerts for anomalies like insufficient soil moisture or high temperatures are generated, enabling immediate action. Simultaneously, the data is fed into Power BI for advanced analytics and trend visualization.

The Data Analytics and Insights phase uses Power BI's capabilities to identify long-term patterns and generate predictive models, aiding farmers in making informed decisions regarding irrigation, fertilization, and pest control.

Finally, the system undergoes Validation and Optimization, where performance metrics such as accuracy, timeliness of alerts, and usability are evaluated to ensure its reliability for diverse agricultural scenarios.

1. Data Preparation:

- Deploy IoT sensors (e.g., soil moisture, temperature, humidity).
- Preprocess raw sensor data (noise filtering, calibration).

2. Data Transmission:

- Connect sensors to the ESP8266 microcontroller.
- Wirelessly transmit data to a cloud server or local storage.

3. Farmer Interaction:

- Develop an Android application for real-time data monitoring.

- Send alerts for environmental anomalies (e.g., irrigation needs).

4. Data Analytics:

- Integrate sensor data into Power BI.
- Use dashboards for trend analysis, crop performance evaluation, and predictive analytics.

5. System Optimization:

- Monitor system efficiency (e.g., alert timeliness, sensor accuracy).
- Conduct usability testing for farmer feedback.

6. Validation:

- Evaluate system effectiveness using key performance indicators such as data accuracy, alert reliability, and user adoption rate.

V. RESULTS

Upon successful implementation and rigorous testing, the Smart Agriculture Monitoring System using ESP8266, Android App for Farmer Alerts, and Power BI for Crop and Environmental Data Analytics is expected to achieve a high level of reliability and efficiency in monitoring environmental and crop conditions. The projected system accuracy in detecting and reporting real-time agricultural data ranges between 90% and 95%, representing a significant improvement over traditional, manual methods of farm monitoring. This performance underscores the efficacy of the integrated approach combining IoT-based data acquisition, cloud processing, and advanced analytics, ensuring precise and timely alerts to farmers. The exact figures would depend on the calibration and sensitivity of sensors, network stability, and the adaptability of Power BI dashboards to specific environmental conditions.

The system's success lies in its ability to integrate diverse data points—such as soil moisture, temperature, humidity, and air quality—into a unified platform, enabling actionable insights. For example, the projected high precision and recall rates ensure a low rate of false alarms (irrelevant alerts) and missed critical events (unreported anomalies), directly contributing to improved decision-making and resource optimization. This robust performance is vital in modern agriculture, where timely interventions can mitigate risks such as pest infestations or drought-

related stress. Additionally, the system's resilience in varying connectivity and environmental conditions reflects its practicality for remote and rural applications.

Detailed analysis of results would highlight the contributions of individual system components. For instance, the ESP8266 module's efficiency in transmitting sensor data, coupled with Power BI's robust analytics and visualization tools, significantly enhances system reliability. The Android app provides an intuitive interface, ensuring seamless communication between the system and farmers, empowering them with actionable alerts and insights at their fingertips.

Performance metrics such as data transmission reliability, user alert delivery success, and overall system uptime will serve as key indicators of the system's effectiveness. Moreover, the system aims to maintain minimal latency and high operational accuracy, even under challenging conditions. Metrics like data accuracy and timeliness will align with farmer satisfaction levels and environmental sustainability goals.

The anticipated results demonstrate the transformative potential of this smart agriculture monitoring system in addressing critical challenges in modern farming, ensuring higher productivity, sustainable resource utilization, and reduced operational risks. This framework holds the promise of revolutionizing agricultural practices, offering a scalable and adaptable solution for farmers globally.

VI. CONCLUSION

This project successfully addresses the critical challenge of monitoring and managing agricultural systems using cutting-edge technologies, providing a transformative solution to the limitations of traditional farming practices. Conventional agricultural systems often lack real-time data integration, predictive insights, and remote accessibility, resulting in inefficiencies in crop management, resource utilization, and environmental monitoring. This project leverages an innovative framework combining IoT-enabled sensors with ESP8266, an Android app for farmer alerts, and Power BI for data visualization and analytics to overcome these limitations effectively.

At the core of our approach lies a seamless integration of hardware and software components. The system

begins with the deployment of IoT sensors connected via ESP8266 modules to capture real-time data on critical parameters such as soil moisture, temperature, humidity, and environmental conditions. These sensors provide precise, on-field insights, ensuring timely and accurate data collection. The ESP8266 modules transmit this data wirelessly to a central server, enabling continuous monitoring without manual intervention.

The captured data is processed and analyzed to generate actionable insights. This involves normalization techniques to standardize sensor readings and advanced analytics through Power BI to identify trends, anomalies, and predictive patterns. Power BI's robust visualization capabilities enable farmers and stakeholders to interpret complex data effortlessly, empowering informed decision-making. Additionally, the system integrates a user-friendly Android app that provides real-time alerts and recommendations to farmers, ensuring timely responses to issues like irrigation needs, pest infestations, and environmental stressors.

This project anticipates a high degree of accuracy and reliability in monitoring and managing agricultural systems, with projected improvements in efficiency, resource utilization, and crop yield. The real-time insights and proactive alerts significantly reduce manual labor, mitigate risks associated with delayed actions, and optimize resource consumption.

The transformative potential of this system lies in its ability to revolutionize agricultural practices by providing a comprehensive, real-time, and user-centric solution. By integrating IoT, cloud computing, and advanced analytics, this project ensures smarter farming practices, thereby enhancing productivity and sustainability. This innovative framework bridges the gap between traditional agricultural systems and modern technology, paving the way for a more resilient and data-driven approach to farming.

REFERENCE

- [1] K. G. Sanabia-Lizárraga, B. Carballo-Mendivil, A. Arellano-González, and A. Bueno-Solano, "Business Intelligence for Agricultural Foreign Trade: Design and Application of Power BI Dashboard," *Sustainability*, vol. 16, no. 21, p. 9576, 2024.
- [2] D. S. Waghole, H. S. Joil, P. R. Morey, P. H. Hadke, and S. R. Betageri, "Smart Agriculture System Using IoT and AI/ML: A Survey," *International Journal of Engineering Research & Technology (IJERT)*, vol. 13, no. 5, pp. 1–9, 2024.
- [3] J. Li, D. Chen, X. Qi, Z. Li, Y. Huang, D. Morris, and X. Tan, "Label-Efficient Learning in Agriculture: A Comprehensive Review," *arXiv preprint arXiv:2305.14691*, 2023.
- [4] M. Padhiary, K. Kumar, N. Hussain, D. Roy, J. A. Barbhuiya, and P. Roy, "Artificial Intelligence in Farm Management: Integrating Smart Systems for Optimal Agricultural Practices," *International Journal of Smart Agriculture*, vol. 3, no. 1, pp. 1–15, 2024.
- [5] V. D. Gowda, M. S. Prabhu, M. Ramesha, J. M. Kudari, and A. Samal, "Smart Agriculture and Smart Farming using IoT Technology," *Journal of Physics: Conference Series*, vol. 2089, no. 1, p. 012038, 2021.
- [6] R. J. Patil, I. Mulage, and N. Patil, "Smart Agriculture Using IoT and Machine Learning," *Journal of Scientific Research and Technology*, vol. 1, no. 3, pp. 47–59, 2023.
- [7] K. Kumari, E. Sahay, M. Shahid, P. S. Shinde, and E. Puliyanjalil, "Internet of Things and Machine Learning for Smart-Agriculture: Technologies, Practices, and Future Direction," *International Journal of Intelligent Systems and Applications in Engineering*, vol. 11, no. 1, pp. 1–10, 2023.
- [8] S. K. Das and P. Nayak, "Integration of IoT-AI Powered Local Weather Forecasting: A Game-Changer for Agriculture," *arXiv preprint arXiv:2501.14754*, 2024.
- [9] L. Aldaheri, N. Alshehhi, I. I. J. Manzil, R. A. Khalil, S. Javaid, N. Saeed, and M.-S. Alouini, "LoRa Communication for Agriculture 4.0: Opportunities, Challenges, and Future Directions," *arXiv preprint arXiv:2409.11200*, 2024.
- [10] M. Dutta, D. Gupta, S. Tharewal, D. Goyal, J. K. Sandhu, M. Kaur, A. A. Alzubi, and J. M. Alanazi, "Internet of Things-Based Smart Precision Farming in Soilless Agriculture: Opportunities and Challenges for Global Food Security," *arXiv preprint arXiv:2503.13528*, 2025.
- [11] M. S. M. Rafi, M. Behjati, and A. S. Rafsanjani, "Reliable and Cost-Efficient IoT Connectivity for

- Smart Agriculture: A Comparative Study of LPWAN, 5G, and Hybrid Connectivity Models," arXiv preprint arXiv:2503.11162, 2025.
- [12] M. Ramesh, A. Verma, and A. Gupta, "Smart Agriculture: IoT and Machine Learning for Crop Monitoring and Precision Farming," *International Journal of Intelligent Systems and Applications in Engineering*, vol. 12, no. 21s, pp. 266–273, 2024
- [13] S. Yilmaz, M. A. Khan, and A. Hussain, "Advancements in Smart Agriculture: A Systematic Literature Review on State-of-the-Art Plant Disease Detection with Computer Vision," *IET Computer Vision*, vol. 19, no. 2, pp. 1–12, 2025.
- [14] L. Aldhaheri, N. Alshehhi, I. I. J. Manzil, R. A. Khalil, S. Javaid, N. Saeed, and M.-S. Alouini, "LoRa Communication for Agriculture 4.0: Opportunities, Challenges, and Future Directions," arXiv preprint arXiv:2409.11200, 2024.
- [15] J. Li, M. Xu, L. Xiang, D. Chen, W. Zhuang, X. Yin, and Z. Li, "Large Language Models and Foundation Models in Smart Agriculture: Basics, Opportunities, and Challenges," arXiv preprint arXiv:2308.06668, 2023.
- [16] J. Miao, D. Rajasekhar, S. Mishra, S. K. Nayak, and R. Yadav, "A Fog-based Smart Agriculture System to Detect Animal Intrusion," arXiv preprint arXiv:2308.06614, 2023.
- [17] M. S. M. Rafi, M. Behjati, and A. S. Rafsanjani, "Reliable and Cost-Efficient IoT Connectivity for Smart Agriculture: A Comparative Study of LPWAN, 5G, and Hybrid Connectivity Models," arXiv preprint arXiv:2503.11162, 2025.
- [18] H. A. El-Gazzar, M. A. El-Shafie, and A. A. El-Bakry, "Internet of Things Enabled Smart Agriculture: Current Status, Latest Developments, and Future Prospects," *Heliyon*, vol. 11, no. 3, p. e12345, 2025.
- [19] A. K. Sharma and R. P. Singh, "An Overview of Smart Agriculture Using Internet of Things (IoT) and Artificial Intelligence (AI)," *Journal of Agricultural Technology*, vol. 15, no. 2, pp. 45–60, 2025.