

The Effect of Sleep Quality on Aesthetic Sensitivity and Emotional Empathy: A Behavioral Study

Ankita Sarkar

Student, Department of Psychology, Sister Nivedita University, Kolkata

Abstract—Sleep is an essential physiological process known to influence emotion regulation, cognitive performance, and psychological well-being. While prior studies have examined its role in memory and attention, fewer have investigated how sleep quality affects higher-order psychological functions such as empathy and aesthetic sensitivity. This study aims to explore the relationship between self-reported sleep quality, emotional empathy, and the ability to perceive beauty in visual stimuli. Participants completed a brief sleep questionnaire (adapted from the Pittsburgh Sleep Quality Index), the Toronto Empathy Questionnaire, and rated a set of diverse images based on perceived beauty and emotional impact. Results will be analyzed to determine whether individuals with better sleep quality score higher on empathy and aesthetic appreciation. The study provides insight into the broader psychological effects of sleep and suggests potential implications for understanding how restorative sleep supports complex emotional and perceptual processes.

Index Terms—Aesthetic sensitivity, Behavioral study, Emotional empathy, Perception, Sleep quality, Visual judgment

I. INTRODUCTION

Sleep is not only essential for physical restoration but also plays a crucial role in mental and emotional functioning. Adequate sleep has been consistently associated with improved mood, enhanced emotional regulation, and cognitive clarity (Walker, 2009). On the other hand, sleep deprivation is known to impair attention, memory, and decision-making, while also heightening emotional reactivity (Killgore, 2010).

Although extensive literature has documented the impact of sleep on basic cognitive processes, relatively little is known about how sleep affects higher-order psychological abilities such as empathy and aesthetic sensitivity. Empathy—the capacity to understand and respond to the emotional states of others—is a complex socio-emotional function involving multiple

brain regions, including the anterior insula and medial prefrontal cortex (Decety & Jackson, 2004). Aesthetic sensitivity refers to an individual's ability to perceive and emotionally respond to beauty in various forms, which also engages emotional and reward systems of the brain (Chatterjee & Vartanian, 2016).

Recent studies suggest that good sleep quality supports emotional empathy and that poor sleep may dull an individual's sensitivity to social and affective cues (Gordon et al., 2017). Moreover, aesthetic experiences—such as viewing art or listening to music—often require emotional availability and cognitive presence, both of which may be compromised by sleep disturbances.

This study addresses a unique intersection of these domains by exploring whether self-reported sleep quality is associated with emotional empathy and the ability to appreciate visual aesthetic stimuli. Using standardized tools and image-based rating tasks, this research aims to contribute to a growing body of work examining how sleep influences emotional and perceptual functioning beyond the commonly studied memory and attention domains.

Objective:

To examine how individuals with varying levels of sleep quality differ in their emotional empathy and sensitivity to visual aesthetics. The study aims to identify whether better sleep quality is associated with greater emotional responsiveness and enhanced appreciation of beauty in visual stimuli.

Hypothesis:

1. Individuals with higher sleep quality will score significantly higher on measures of emotional empathy compared to individuals with lower sleep quality.
2. Individuals with higher sleep quality will rate visual stimuli as more aesthetically pleasing and

emotionally impactful than those with lower sleep quality.

There will be no significant difference in emotional empathy or aesthetic sensitivity between individuals with high and low sleep quality.

II. METHOD

Research Design

The study employed a survey-based correlational design to examine the relationship between sleep quality, emotional empathy, and aesthetic sensitivity. After obtaining informed consent and explaining the purpose of the study, participants completed self-report questionnaires and a visual rating task administered through an online or offline format.

Sample

The sample consisted of approximately 100 participants from diverse backgrounds, aged 18 years and above, recruited through academic and social networks. Individuals with a known history of severe sleep disorders or neurological conditions were excluded to minimize potential confounding effects.

Tools

Procedure

Participants who provided informed consent were first given a brief socio-demographic questionnaire collecting information such as age, gender, and occupation status. Following this, they completed three sections in a fixed order: the Sleep Quality Questionnaire (PSQI short form), the Toronto Empathy Questionnaire, and the Aesthetic Sensitivity Task, which included rating six images based on beauty and emotional impact.

The entire survey was administered digitally via an online form and in print, depending on participant availability and convenience. Participation was voluntary, and anonymity was maintained throughout the process. Clear instructions were provided before each section to ensure clarity and honest responses. After data collection, responses were reviewed for completeness and screened for inconsistencies. Descriptive statistics, Pearson's correlation, and independent samples t-tests were conducted using SPSS to explore the relationships between sleep quality, empathy, and aesthetic sensitivity.

III. RESULTS AND DISCUSSION

Table 1: Mean and SD of Sleep Quality, Emotional Empathy, and Aesthetic Sensitivity Scores

Variables	Mean	SD
Sleep Quality Score	6.1	2.3
Emotional Empathy Score	21.7	5.2
Aesthetic Sensitivity	38.5	7.6

As shown in Table 1, the average sleep quality score was 6.1 (SD = 2.3), suggesting that participants, on average, reported moderate sleep disturbances. The mean emotional empathy score was 21.7 (SD = 5.2), while the average aesthetic sensitivity score (based on

combined beauty and emotional impact ratings across images) was 38.5 (SD = 7.6). These descriptive statistics provide a baseline understanding of participants' psychological responsiveness and perceptual sensitivity.

Table 2: Pearson Correlation Between Sleep Quality, Empathy, and Aesthetic Sensitivity

Variables	r	p - value
Sleep Quality — Emotional Empathy	-0.41	<0.001
Sleep Quality — Aesthetic Sensitivity	-0.36	<0.01

Table 2 shows a significant negative correlation between sleep quality score and emotional empathy ($r = -0.41, p < 0.001$), as well as between sleep quality and aesthetic sensitivity ($r = -0.36, p < 0.01$). Since higher PSQI scores indicate poorer sleep quality, these results suggest that better sleep is associated with

higher levels of both emotional empathy and aesthetic responsiveness. These findings support prior evidence linking restorative sleep with enhanced emotional and cognitive performance (Walker, 2009; Gordon et al., 2017).

Table 3: Comparison of Empathy and Aesthetic Scores by Sleep Quality Group

Sleep Quality Group	Empathy (Mean \pm SD)	Aesthetic Sensitivity (Mean \pm SD)
High Sleep Quality	24.5 \pm 4.3	42.1 \pm 6.5
Low Sleep Quality	18.8 \pm 5.1	34.7 \pm 7.2

Table 3 displays the average empathy and aesthetic sensitivity scores based on sleep quality grouping. Participants with high sleep quality scored notably higher on both emotional empathy ($M = 24.5$) and aesthetic sensitivity ($M = 42.1$), compared to those with low sleep quality. This indicates that sufficient and restorative sleep may support deeper emotional attunement and increased appreciation for visual beauty. These results align with neuropsychological models that emphasize the role of sleep in emotional regulation and social functioning (Killgore, 2010; Chatterjee & Vartanian, 2016).

IV. DISCUSSION

The results demonstrate a significant relationship between sleep quality and both emotional empathy and aesthetic sensitivity. The negative correlations indicate that as sleep quality worsens, individuals tend to exhibit lower levels of empathy and reduced sensitivity to aesthetic stimuli. This may be explained by the role of restorative sleep in supporting emotional regulation, affective resonance, and perceptual processing. Poor sleep can disrupt neural circuits involved in emotional attunement and reward perception, thereby reducing a person's ability to empathize or appreciate beauty (Walker, 2009; Killgore, 2010).

Additionally, the group comparison highlights that individuals with higher sleep quality consistently reported greater empathy and stronger aesthetic responses. This reinforces the importance of sleep not just for cognitive functioning, but also for complex emotional and social processing. These findings support previous work suggesting that sleep enhances

social cognition and positive emotional functioning (Gordon et al., 2017; Chatterjee & Vartanian, 2016). The study contributes to existing literature by exploring a relatively under-researched connection between sleep and aesthetic-emotional responsiveness. It emphasizes the broader psychological functions that are shaped by sleep—beyond memory and attention—and brings attention to how even subtle changes in sleep quality may influence interpersonal and perceptual capacities.

Implications

This study highlights the need to consider sleep quality as a relevant factor when examining emotional and aesthetic experiences. The findings suggest that individuals with better sleep not only function better cognitively but also connect more deeply with others and with aesthetic elements in their environment.

For psychologists and mental health professionals, evaluating sleep patterns may offer insights into clients' emotional responsiveness and perceptual sensitivity. Interventions aimed at improving sleep hygiene—such as setting consistent sleep schedules or limiting screen exposure before bedtime—could have downstream benefits on empathy and emotional well-being.

Educational institutions and workplaces may also benefit from promoting healthy sleep habits to enhance social interaction, emotional regulation, and even creativity. More broadly, this study supports growing calls to treat sleep not merely as a biological need, but as a foundation for holistic mental and emotional functioning.

V. CONCLUSION

This study reveals a significant association between sleep quality, emotional empathy, and aesthetic sensitivity. Individuals with higher sleep quality exhibited greater emotional responsiveness and a heightened appreciation for visual aesthetics, suggesting that adequate sleep may play a crucial role in supporting complex emotional and perceptual functions. These findings contribute to a growing body of literature on the psychological impacts of sleep and highlight the importance of prioritizing sleep as a foundational element of emotional well-being and cognitive-emotional integration. Future research may further explore these relationships using experimental or neurophysiological methods to deepen our understanding of the sleep-emotion-perception connection.

Author Biography

Ankita Sarkar is a postgraduate scholar pursuing a Master of Science in Applied Psychology with a specialization in Clinical Psychology. Alongside her academic pursuits, she is deeply interested in human behavior, emotional health, and the interplay between culture and mental well-being. She is passionate about bridging scientific knowledge with real-world impact and aspires to contribute meaningfully to both clinical practice and community mental health awareness.

REFERENCES

- [1] Chatterjee, A., & Vartanian, O. (2016). Neuroaesthetics. *Trends in Cognitive Sciences*, 20(7), 419–428. <https://doi.org/10.1016/j.tics.2016.03.003>
- [2] Decety, J., & Jackson, P. L. (2004). The functional architecture of human empathy. *Behavioral and Cognitive Neuroscience Reviews*, 3(2), 71–100. <https://doi.org/10.1177/1534582304267187>
- [3] Gordon, A. M., Mendes, W. B., & Prather, A. A. (2017). The social side of sleep: Elucidating the links between sleep and social processes. *Current Directions in Psychological Science*, 26(5), 470–475. <https://doi.org/10.1177/0963721417712269>
- [4] Killgore, W. D. S. (2010). Effects of sleep deprivation on cognition. *Progress in Brain Research*, 185, 105–129. <https://doi.org/10.1016/B978-0-444-53702-7.00007-5>
- [5] Loewen, P. J., Lyle, G., & Ashworth, L. (2012). Sleeping with one eye open: Sleep and affective empathy. *Biological Psychology*, 89(1), 134–139. <https://doi.org/10.1016/j.biopsycho.2011.09.008>
- [6] Palagini, L., & Riemann, D. (2019). The importance of sleep for emotional and social brain functioning. *Nature and Science of Sleep*, 11, 107–110. <https://doi.org/10.2147/NSS.S198318>
- [7] Perlman, L. M., & McCann, B. S. (1998). Empathy and affect: Predicting aesthetic preference from emotional responsiveness. *Empirical Studies of the Arts*, 16(2), 99–111. <https://doi.org/10.2190/BEA8-6EXY-B1FH-WB8L>
- [8] Walker, M. P. (2009). The role of sleep in cognition and emotion. *Annals of the New York Academy of Sciences*, 1156, 168–197. <https://doi.org/10.1111/j.1749-6632.2009.04416.x>

Appendix

Consent Form

Name: Ankita Sarkar

Contact No: +91 9903656582

Email Id: ankitasarkar2512@gmail.com

Consent Form for Participation in Research Study

Dear Participant,

You are invited to participate in a research study conducted by Ankita Sarkar as part of her academic curriculum in M.Sc. Applied Psychology at Sister Nivedita University. The aim of this study is to examine the relationship between sleep quality, emotional empathy, and aesthetic sensitivity in individuals.

Participation in this study is entirely voluntary. You may decline to participate or withdraw at any point without any negative consequences. All the information you provide will remain strictly confidential and used solely for academic purposes. Your name and personal identity will not appear in any report or publication resulting from this research. All identifying information will be securely discarded after data analysis.

If you agree to participate, please read the statement below and sign this form as confirmation of your consent.

Consent Declaration:

I, _____, aged _____, residing at _____, hereby give my informed consent to participate in the research study titled “The Effect of Sleep Quality on Aesthetic Sensitivity and Emotional Empathy: A Behavioral Study,” conducted by Ankita Sarkar. I understand the purpose and nature of the study and agree that my anonymized data may be used for academic research and publication. I also understand that my participation is voluntary and that I may withdraw at any point.

Signature of Participant: _____

Date: _____

Signature of Researcher (Ankita Sarkar): _____

Date: _____

Socio-Demographic Information Sheet

(Please fill in all applicable details. Your information will be kept confidential and used only for research purposes.)

- Name (initials only): _____
-
- Age: _____
-
- Sex: ☐ Male ☐ Female ☐ Other
- Occupation / Student: _____
- Educational Background: _____
- Residence: ☐ Urban ☐ Rural
- Average Sleep Duration (hours): _____
- Do you experience difficulty sleeping (e.g., falling or staying asleep)? ☐ Yes ☐ No
- How often do you feel well-rested after waking? ☐ Always ☐ Often ☐ Sometimes ☐ Rarely ☐ Never
- Do you engage in artistic or creative activities? ☐ Yes ☐ No
- Do you consider yourself emotionally sensitive or empathetic? ☐ Yes ☐ No
- If yes, please describe briefly (optional): _____
- Have you ever been diagnosed with any physical or psychological condition? ☐ Yes ☐ No. If yes, please specify: _____

Acknowledgement

This research paper is based on the study titled “*The Effect of Sleep Quality on Aesthetic Sensitivity and Emotional Empathy: A Behavioral Study*,” conducted as part of my academic training in psychology. The study is inspired by existing literature on sleep, emotion, and perception, and reflects my interest in how everyday behavioral factors influence human functioning. I sincerely thank all participants for their time and honest responses, without which this study would not have been possible. I also extend heartfelt gratitude to my mentors, classmates, and family for their unwavering support, encouragement, and guidance throughout this research journey.