The Role of Pharmaceutical Care in Improving Patient Health

Kale Uday Vijay[1], Ashwini Tagad[2]
[1]Swastyadarpan Pratishthan's, Shantiniketan College of Pharmacy, A/P Dhotre (B.K.), Tal. Parner, Ahmednagar, Maharastra -414304
[2]Guide, Swastyadarpan Pratishthan's, Shantiniketan College of Pharmacy, A/P Dhotre (B.K.), Tal. Parner, Ahmednagar, Maharastra -414304

Abstract: Pharmaceutical care represents a transformative shift in pharmacy practice, emphasizing patient-centered, evidence-based approaches that enhance the safety, effectiveness, and quality of drug therapy. This review explores the evolving role of pharmacists in improving patient health outcomes through the responsible provision of pharmaceutical care in both inpatient and outpatient settings. Studies consistently demonstrate that pharmacist-led interventions significantly improve medication adherence, disease control, and patient satisfaction, while reducing medication errors, hospital readmissions, and overall healthcare costs.

In inpatient settings, pharmacists contribute to medication reconciliation, adverse drug reaction monitoring, and multidisciplinary clinical decision-making, leading to improved patient safety and therapy optimization. In outpatient settings, pharmacist-provided services such as patient counseling, medication therapy management, and educational programs enhance chronic disease outcomes, particularly in diabetes, hypertension, and hyperlipidemia. Evidence-based pharmaceutical care (EBPC) integrates clinical expertise with scientific research and patient preferences to ensure rational drug use and measurable therapeutic success.

The findings underscore that pharmaceutical care is not merely a professional responsibility but a crucial determinant of healthcare quality. As healthcare systems evolve, expanding pharmacist involvement through policy support, digital innovation, and continuous education will be vital in advancing patient-centered, outcome-oriented care globally.

Keywords: Pharmaceutical care; Evidence-based pharmacy; Patient outcomes; Medication adherence; Inpatient care; Outpatient care; Healthcare quality; Pharmacist intervention; Evidence-based practice

I.INTRODUCTION

Expert judgment or personal experience by themselves are insufficient to support health care decisions. The most reliable source of scientific data for determining and addressing a patient's health requirements is high-quality research(1). A recent poll of pharmacists found that 84% believed research findings were significant to day-to-day practice and 90% had good views toward evidence-based practice. These findings demonstrate the pharmacists' understanding of their role as evidence-based practitioners and their ambition to become more involved in 0 clinical evidence(6). By integrating research findings into daily practice, pharmacists can tailor therapies to meet individual patient needs, prevent medication errors, and contribute to better health outcomes(7). To create the necessary evidence-based pharmaceutical care, pharmacists must embrace and actively engage in clinical research, outcome studies, and continuous professional development(8).

Globally, the rise in chronic diseases, poly pharmacy among aging populations, and the increasing complexity of drug regimens have intensified the demand for structured pharmaceutical care services. Pharmacists now play pivotal roles in disease management programs, medication therapy management (MTM), and public health initiatives, including vaccination drives and patient education. Their involvement has been shown to reduce hospital admissions, improve disease control parameters such as HbA1c and blood pressure, and enhance medication adherence and quality of life.

In this context, pharmaceutical care represents a bridge between scientific evidence and clinical practice, ensuring that drug therapy is safe, effective, and aligned with patient-specific needs(9). Being current and grounded in evidence is a crucial component of providing pharmaceutical care services that truly work(10). Therefore, this review aims to highlight the evolving concept of pharmaceutical care, its evidence-based application, and its critical role in improving patient health outcomes in both inpatient and outpatient settings(11).

Background:

Concerns about patient safety and the standard of healthcare in America, particularly with regard to medication therapy, have given pharmacists hitherto unheard-of chances to elevate their status and importance(12). Pharmacists long recognized the need to increase the safety and efficacy of drug therapy when they defined clinical pharmacy and pharmaceutical care(13).

Over the years, growing concerns about patient safety, medication errors, and therapeutic outcomes have reshaped the global health care landscape(14). Pharmacists, as medication experts, have been recognized as vital contributors to improving the safety, efficacy, and cost-effectiveness of drug therapy. Historically, the focus of pharmacy practice was limited to compounding and dispensing medications; however, the evolution of clinical pharmacy in the mid-20th century introduced a more patient-centered approach(15).

In the United States, the Institute of Medicine and the Agency for Healthcare Research and Quality (AHRQ) have emphasized the crucial role of pharmacists in preventing adverse drug events and promoting evidence-based medication use(16). Similar developments have been observed globally, where pharmacists are increasingly integrated into multidisciplinary health care teams. This paradigm shift has allowed pharmacists to participate in medication management, therapeutic monitoring, and direct patient counseling thereby improving treatment outcomes and patient satisfaction(17).

Pharmaceutical care emerged as a response to the growing complexity of pharmacotherapy and the need for individualized care(18). It redefined the pharmacist's role from simply providing medicines to taking shared responsibility for patient outcomes. This professional transition has opened unprecedented opportunities for pharmacists to elevate their status as healthcare providers and to ensure that pharmacotherapy contributes directly to the improvement of public health(19).

Overview:

Pharmacy practice today is an ever-evolving and dynamic field, continuously adapting to advancements in medical science, technology, and patient care demands(20). As healthcare systems worldwide shift towards outcome-based care, pharmacists are assuming broader responsibilities that extend beyond medication dispensing to preventive care, chronic disease management, and patient education(21).

Modern pharmacists are now recognized as key members of the healthcare team, collaborating closely with physicians, nurses, and other professionals to ensure rational and safe drug use(22). Their duties include monitoring adverse drug reactions, reconciling medications during transitions of care, developing evidence-based guidelines, and leading antimicrobial stewardship programs(23).

The expansion of pharmacists' roles aligns with the global healthcare objective of achieving universal access to safe, effective, and affordable medicines(24). Through pharmaceutical care, pharmacists contribute not only to optimizing pharmacotherapy but also to improving health literacy, treatment adherence, and overall patient well-being. The integration of evidence-based practice into pharmaceutical care ensures that interventions are scientifically sound, cost-effective, and tailored to meet patients' unique therapeutic goals(25).

This review, therefore, provides a comprehensive analysis of how pharmaceutical care enhances patient outcomes across diverse healthcare settings and underscores the importance of evidence-based approaches in shaping the future of pharmacy practice(26).The field of pharmacy is incredibly dynamic, and as new subspecialties are introduced and the range of services offered expands over time, the function of the pharmacist continues to improve(27). Pharmacists will have greater responsibility and be more dedicated to advancing their practice and knowledge as they transition from dispensing medications to providing patient-centered, outcome-oriented care.

Being current and grounded in evidence is a crucial component of providing pharmaceutical care services that work. This article's main goal is to draw attention to the idea of "evidence based pharmaceutical care" as a professional approach to raising the standard of pharmaceutical treatment(28).

II.WHAT IS “PHARMACEUTICAL CARE”?

"The responsible provision of drug therapy for the purpose of achieving definite outcomes that improve a patient's quality of life" is how Hepler & Strand define pharmaceutical care (Hepler and Strand, 1990)(29). The foundation of pharmaceutical care is a relationship between the patient and the medical professionals who take on the duty of caring for the patient. Both the patient and the healthcare professional actively participate in decisions regarding medication therapy as part of pharmaceutical care(30). Three main tasks are involved in pharmaceutical care: detecting possible and existing drug-related issues; addressing current drug-related issues; and averting drug-related issues. "The responsible provision of drug therapy for the purpose of achieving definite outcomes that improve a patient's quality of life" is the common philosophy and goal of various trends, including clinical pharmacy services, cognitive services, medication management, and medication review(31).

Dispensing medications, giving drug information, counseling patients, monitoring drugs, preparing parenteral nutrition, monitoring adverse drug reactions, reconciling medications, developing drug protocols and guidelines, conducting medical rounds with the healthcare team, and taking admission drug histories are all examples of pharmaceutical care activities. The quality of the services will increase if these actions are carried out using an evidence-based methodology(32).

Flow Chart No 1: What is “pharmaceutical care”?



Examples of pharmaceutical care activities:-
Dispensing medications, giving drug information, counseling patients, monitoring drugs, preparing parenteral nutrition, monitoring adverse drug reactions, reconciling medications, developing drug protocols and guidelines, conducting medical rounds with the healthcare team, and taking admission drug histories.

Chart No 2 : Quaity Pharmaceutical Care

Pharmaceutical care provided inpatient :-

There is a wealth of research demonstrating the value of pharmacists in inpatient care. The Agency for Healthcare Research and Quality's 2013 Technology Assessment study, "Making Healthcare Safer II: an Updated Critical Analysis of the Evidence for Patient Safety Practices," described a thorough systematic analysis of inpatient pharmacy services(33).

According to the study, the body of research (as presented in the evidence tables) demonstrates that pharmacist-provided treatment improves patient safety and results. Pharmacists considerably reduced ED visits and hospitalizations within 30 days of release, according to the report's later section on medication reconciliation(34).

A database analysis of 1016 hospitals revealed that hospital pharmacist services were very cost-effective(35). Six services—drug use evaluation, drug information, adverse drug reaction monitoring, drug protocol/guideline building, medical rounding with the health care team, and performing admission drug histories collectively resulted in a considerable reduction in expenses. The overall cost of care dropped as clinical pharmacist employment rose(36).

Pharmaceutical care provided outpatient:-

In addition to lowering adverse medication events, a thorough systematic analysis of 298 studies assessing the effects of pharmacist-provided direct patient care in ambulatory settings in 2010 indicated significant advantages in reaching hemoglobin A1c, LDL cholesterol, and blood pressure targets. Improved medication adherence, better quality of life, and increased patient awareness of drugs are the outcomes of pharmacist-provided services, which lead to these intermediate health outcome improvements(37).

The use of pharmacist medication management, educational interventions, feedback to providers, and patient reminders had a significant impact on systolic and diastolic blood pressure, total and LDL cholesterol, and body mass index compared to standard of care, according to a 2012 systematic review of 15 randomized controlled trials involving 9111 diabetic outpatients.

In a systematic analysis, lipid control markers significantly improved in individuals with hyperlipidemia treated by pharmacists (38). In July 2013, conducted a meta-analysis of 20 research to evaluate the influence of pharmacists, particularly on geriatric care. Significant improvements in hospitalizations, medication adherence, combined therapeutic outcomes (blood pressure, INRs, etc.), and combined safety end points were the results of pharmacist-provided care(39).

Evidence-based pharmaceutical care (EBPC):-

According to a 2009 definition, "evidence-based pharmaceutical care" is "the responsible provision of evidence-based medication-related care for the purpose of achieving definite outcomes that improve patients' quality of life." The word was first used in 2008. In order to give patients efficient pharmaceutical services, EBPC advances the use of the most recent and greatest pharmacy research. The implementation of EBPC, like other health care disciplines, primarily consists of four sequential steps: first, formulate a clear question based on a clinical problem; second, look for pertinent evidence in the literature; third, evaluate the validity of recent research critically; and fourth, apply the results to clinical decision-making.

EBPC follows a structured approach that includes four main steps:



Chart No 3: structured approach

This model empowers pharmacists to practice with greater clinical confidence, ensuring that interventions are supported by reliable data. In doing so, EBPC promotes consistency, accountability, and patient-centered care(40).

The implementation of EBPC also strengthens the credibility of the pharmacy profession, aligning it with global healthcare trends focused on evidence, transparency, and measurable outcomes(41). Pharmacists practicing EBPC contribute significantly to reducing healthcare costs, improving therapeutic precision, and fostering interdisciplinary collaboration(42).

III.IMPACT ON HEALTHCARE OUTCOMES

The cumulative evidence strongly supports the assertion that pharmaceutical care directly improves patient health outcomes. Pharmacist-led interventions reduce medication errors, hospital readmissions, and preventable adverse drug events. Patients receiving pharmaceutical care report better adherence, improved disease control, and enhanced satisfaction with their treatment(43).

Moreover, from a health economics perspective, pharmaceutical care has demonstrated substantial cost savings by reducing unnecessary drug use, avoiding complications, and minimizing hospital stays. These outcomes underscore the importance of integrating pharmacists more fully into primary and tertiary care settings as key contributors to patient health management(44).

IV.CONCLUSION AND FUTURE PERSPECTIVES

Pharmaceutical care has emerged as a cornerstone of modern healthcare, transforming the pharmacist's role from a dispenser of medicines to a proactive, evidence-based healthcare provider. Across both inpatient and outpatient settings, pharmacist-led interventions have consistently improved therapeutic outcomes, enhanced medication adherence, and reduced the incidence of adverse drug events. The integration of evidence-based practice into pharmaceutical care ensures that every clinical decision is guided by the best available research, optimizing the safety, efficacy, and quality of pharmacotherapy.

The review highlights that when pharmacists actively participate in patient care, measurable improvements occur in chronic disease control, patient satisfaction, and healthcare efficiency. Moreover, the economic benefits associated with pharmacist involvement—through reduced hospitalizations and improved medication management—underscore the value of pharmaceutical care in strengthening healthcare systems worldwide.

Looking ahead, the future of pharmaceutical care depends on continuous professional education, stronger interprofessional collaboration, and the use of digital health technologies such as telepharmacy, artificial intelligence, and clinical decision-support systems. Expanding pharmacists' clinical authority and integrating evidence-based pharmaceutical care into national health policies will be essential for achieving sustainable and patient-centered healthcare.

Ultimately, the widespread implementation of pharmaceutical care, supported by ongoing research and innovation, will not only enhance patient outcomes but also reinforce the pharmacist's indispensable role in global health improvement.

REFERENCE

[1] Mustafa RA, Wiercioch W, Ventresca M, Brozek J, Schünemann HJ, Bell H, Bettmann M, Bossuyt P, Browman G, Bühler D, Chou R. Decision making about healthcare-related tests and diagnostic test strategies. Paper 5: a qualitative study with experts suggests that test accuracy data alone is rarely sufficient for decision making. Journal of Clinical Epidemiology. 2017 Dec 1;92:47-57.

[2] Wondrasek A, Fryza A, Aziz MA, Leong C, Kowalec K, Maruf AA. Knowledge, perceptions, and attitudes toward pharmacogenomics among pharmacists and pharmacy students: a systematic review. Health Science Reports. 2024 Jan;7(1):e1844.

[3] Xin ZH, Xiong LI. Development of Holistic integrative pharmacy Based on Clinical Pharmacy. Journal of Holistic Integrative Pharmacy. 2020 Sep 1;1(1):13-21.

[4] Mohiuddin AK. The excellence of pharmacy service: Past, present and future. International Journal of Clinical and Developmental Anatomy. 2019;5(2):15-36.

[5] Ahmed R, TAMIM TR. Enhancing medication safety: the role of community and hospital pharmacists in modern healthcare systems. Radinka Journal of Health Science. 2025 Feb 28;2(3):328-55.

[6] Dilles T, Heczkova J, Tziaferi S, Helgesen AK, Grøndahl VA, Van Rompaey B, Sino CG, Jordan S. Nurses and pharmaceutical care: interprofessional, evidence-based working to improve patient care and outcomes. International journal of environmental research and public health. 2021 Jun 2;18(11):5973.

[7] Soyege OS, Nwokedi CN, Tomoh BO, Mustapha AY, Mbata AO, Balogun OD, Forkuo AY. Comprehensive review of healthcare innovations in enhancing patient outcomes through advanced pharmacy practices. International Journal of Scientific Research in Science, Engineering and Technology. 2024 Nov;11(6):425-37.

[8] Al-Quteimat OM, Amer AM. Evidence-based pharmaceutical care: The next chapter in pharmacy practice. Saudi Pharmaceutical Journal. 2016 Jul 1;24(4):447-51.

[9] Hastutik W. Bridging Clinical Gaps: How Pharmaceutical Sciences Are Transforming Medical Practices. Journal of Community Health Provision. 2025 Apr 25;5(1):50-60.

[10] Sekimoto M, Imanaka Y, Kitano N, Ishizaki T, Takahashi O. Why are physicians not persuaded by scientific evidence? A grounded theory interview study. BMC Health Services Research. 2006 Dec 1;6(1):92.

[11] Kaboli PJ, Hoth AB, McClimon BJ, Schnipper JL. Clinical pharmacists and inpatient medical care: a systematic review. Archives of internal medicine. 2006 May 8;166(9):955-64.

[12] Sommerville H. Pharmacist participation in the private nursing home team: A study of the implementation of pharmaceutical services, based on the USA consultant pharmacist model. University of London, University College London (United Kingdom); 2002.

[13] Hepler CD. Clinical pharmacy, pharmaceutical care, and the quality of drug therapy. Pharmacotherapy: The Journal of Human Pharmacology and Drug Therapy. 2004 Nov;24(11):1491-8.

[14] Adeyemi C, Adegoke BO, Odugbose T. The impact of healthcare information technology on reducing medication errors: A review of recent advances. Int J Front Med Surg Res [online]. 2024;5(2):020-9.

[15] Urick BY, Meggs EV. Towards a greater professional standing: evolution of pharmacy practice and education, 1920–2020. Pharmacy. 2019 Jul 20;7(3):98.

[16] Harris Y, Hu DJ, Lee C, Mistry M, York A, Johnson TK. Advancing medication safety: establishing a national action plan for adverse drug event prevention. The Joint Commission Journal on Quality and Patient Safety. 2015 Aug 1;41(8):351-60.

[17] Alghamdi TA, Zahrani HY, Aljalis MI, Nawab NA, Alghamdi TA, Al-Suraie RA, Al-Battah HM, Hakimi AM, Alshedoukhi AF, Al Fadie Al Masoud NA. The Evolving Role of Pharmacists in Patient care: Trends and Innovations. Journal of International Crisis & Risk Communication Research (JICRCR). 2024 Jul 8;7.

[18] Berenguer BB, La Casa CB, de La Matta MJ, Martin-Calero MJ. Pharmaceutical care: past, present and future. Current pharmaceutical design. 2004 Dec 1;10(31):3931-46.

[19] American College of Clinical Pharmacy, Hume AL, Kirwin J, Bieber HL, Couchenour RL, Hall DL, Kennedy AK, LaPointe NM, DO Burkhardt C, Schilli K, Seaton T. Improving care transitions: current practice and future opportunities for pharmacists. Pharmacotherapy: The Journal of Human Pharmacology and Drug Therapy. 2012 Nov;32(11):e326-37.

[20] Felemban EJ, Almasoudi MM, Alzaidi NA, Haij HE, Alsuqati HA, Alkhammash AS, Zahrallayali MA, Alhazmi MA. The Evolving Role of Pharmacy Professionals in Modern Healthcare Systems. Journal of International Crisis and Risk Communication Research. 2024;7(S8):3048.

[21] Umeano A. Pharmacy-led clinical management models enhancing chronic disease care coordination within nursing practice across diverse healthcare delivery settings.

[22] Almalki AY, Alghamdi AM, Asiri AA, Alqarni AM, Almoshat YA, Almohaia DM, Albarqi LH. Collaborative Roles of Pharmacy, Nursing, and Laboratory Services in Modern Healthcare: A Comprehensive Review. Journal of International Crisis and Risk Communication Research. 2024;7(S11):1135.

[23] Patel N, Davis SL, MacDonald NC, Medler CJ, Kenney RM, Zervos MJ, Mercuro NJ. Transitions of care: an untapped opportunity for antimicrobial stewardship. Journal of the American College of Clinical Pharmacy. 2022 Jun;5(6):632-43.

[24] Udoh A, Ernawati DK, Akpan M, Galbraith K, Bates I. Pharmacies and primary care: a global development framework. Bulletin of the World Health Organization. 2020 Jun 2;98(11):809.

[25] Shashiashvili N. Evidence-Based Pharmacy: A Scientific Approach to Safe and Effective Medication. Georgian Scientists. 2025 Apr 4;7(2):27-38.

[26] ALHAMDI MA. Pharmacy Practice and Clinical Skills: Enhancing Patient-Centered Care.

[27] Papadopoulos V, Goldman D, Wang C, Keller M, Chen S. Looking ahead to 2030: survey of evolving needs in pharmacy education. Pharmacy. 2021 Mar 17;9(1):59.

[28] Sun J, Chen GM, Huang J. Effect of evidence-based pharmacy care on satisfaction and cognition in patients with non-valvular atrial fibrillation taking rivaroxaban. Patient preference and adherence. 2021 Jul 25:1661-70.

[29] Hepler CD, Strand LM. Opportunities and responsibilities in pharmaceutical care. American journal of hospital pharmacy. 1990 Mar 1;47(3):533-43.

[30] McGivney MS, Meyer SM, Duncan–Hewitt W, Hall DL, Goode JV, Smith RB. Medication therapy management: its relationship to patient counseling, disease management, and pharmaceutical care. Journal of the American Pharmacists Association. 2007 Sep 1;47(5):620-8.

[31] Martín-Calero MJ, Machuca M, Murillo MD, Cansino J, Gastelurrutia MA, Faus MJ. Structural process and implementation programs of pharmaceutical care in different countries. Current pharmaceutical design. 2004 Dec 1;10(31):3969-85.

[32] Grol R. Between evidence-based practice and total quality management: the implementation of cost-effective care. International Journal for Quality in Health Care. 2000 Aug 1;12(4):297-304.

[33] White CM. Pharmacists need recognition as providers to enhance patient care. Annals of Pharmacotherapy. 2014 Feb;48(2):268-73.

[34] McNab D, Bowie P, Ross A, MacWalter G, Ryan M, Morrison J. Systematic review and meta-analysis of the effectiveness of pharmacist-led medication reconciliation in the community after hospital discharge. BMJ quality & safety. 2018 Apr 1;27(4):308-20.

[35] Gammie T, Vogler S, Babar ZU. Economic evaluation of hospital and community pharmacy services. Annals of Pharmacotherapy. 2017 Jan;51(1):54-65.

[36] Bond CA, Raehl CL, Franke T. Clinical pharmacy services, pharmacy staffing, and the total cost of care in United States hospitals. Pharmacotherapy: The Journal of Human Pharmacology and Drug Therapy. 2000 Jun;20(6):609-21.

[37] Nguyen TA, Gilmartin-Thomas J, Tan EC, Kalisch-Ellett L, Eshetie T, Gillam M, Reeve E. The impact of pharmacist interventions on quality use of medicines, quality of life, and health outcomes in people with dementia and/or cognitive impairment: a systematic review. Journal of Alzheimer’s Disease. 2019 Sep 3;71(1):83-96.

[38] Machado M, Nassor N, Bajcar JM, Guzzo GC, Einarson TR. Sensitivity of patient outcomes to pharmacist interventions. Part III: systematic review and meta-analysis in hyperlipidemia management. Annals of Pharmacotherapy. 2008 Sep;42(9):1195-207.

[39] El Hajj MS, Jaam MJ, Awaisu A. Effect of pharmacist care on medication adherence and cardiovascular outcomes among patients post-acute coronary syndrome: a systematic review. Research in Social and Administrative Pharmacy. 2018 Jun 1;14(6):507-20.

[40] Engle RL, Mohr DC, Holmes SK, Seibert MN, Afable M, Leyson J, Meterko M. Evidence-based practice and patient-centered care: doing both well. Health care management review. 2021 Jul 1;46(3):174-84.

[41] Tabish SA. Evidence-Based Medicine and Health Care. InHealth Care Management: Principles and Practice 2024 Oct 13 (pp. 187-197). Singapore: Springer Nature Singapore.

[42] Karthi R, Mary JJ, Tamilmozhi TD, Arthi R, Malathi AS, Karthi R. Advances in Clinical Practices: A Cross-Disciplinary Review of Nursing, Pharmacy, and Medical Science Contributions. Cureus. 2025 Jun 20;17(6).

[43] Farris KB, Kassam R, Cox CE, Cave A. Pharmaceutical care research and education project: patient outcomes. Journal of the American Pharmaceutical Association (1996). 2001 May 1;41(3):411-20.

[44] Chowdhury N. Pharmacists as integral members of multidisciplinary teams: Improving Hospital Care. Journal of Pharmacist and Hospital Pharmacy. 2024;1(1):04-6.