© November 2025 | IJIRT | Volume 12 Issue 6 | ISSN: 2349-6002

Smart solar PV System with concentrated tracking and predictive MPPT Optimization

Monika S. Panmale[1], Pooja T. Kolhe[2], Shriram V. Pawar[3], Priyanka A. More[4], Prof. Pooja S. Gosavi[5]
[1,2,3,4]*BE Student, Department of Electrical Engineering*
[5]*Assistant Professor, Department of Electrical Engineering*
SND College of Engineering and Research Center, Yeola, Nashik, India.

***Abstract*—Photovoltaic (PV) systems play a vital role in converting solar energy into electricity but often experience performance decline due to changing environmental conditions. To counter this, Maximum Power Point Tracking (MPPT) algorithms are employed to optimize PV system performance and ensure maximum power extraction under varying conditions. This review provides an extensive classification and analysis of MPPT strategies, grouping them into three main categories: classical, adaptive, and hybrid techniques. Classical methods such as Perturb and Observe (P&O) and Incremental Conductance (Inc Cond) are commonly used because of their simplicity and cost-effectiveness, though they struggle to maintain accuracy during rapid environmental fluctuations. Adaptive approaches, including Fuzzy Logic Controllers and Artificial Neural Networks, improve precision and adaptability but demand higher computational power. Hybrid techniques combine the benefits of both classical and adaptive methods to achieve a balance between stability and dynamic response. Additionally, the paper discusses the influence of factors such as temperature variations, changes in irradiance, and partial shading on PV system efficiency and MPPT performance. The critical assessment highlights the advantages and drawbacks of existing algorithms while identifying future opportunities for enhancing reliability and energy conversion efficiency.**

***Index Terms*—Solar Panel, Maximum Power Point Tracking (MPPT), Photovoltaic (PV) system, Renewable Energy, Artificial Neural Network, Fuzzy Logic Controllers.**

I. INTRODUCTION

The global shift toward renewable energy has placed solar photovoltaic (PV) technology at the forefront of sustainable power generation. However, conventional PV systems often suffer from suboptimal energy harvesting due to static panel orientation and reactive power tracking methods. To address these limitations, this project introduces a Smart Solar PV System that combines concentrated solar tracking with predictive Maximum Power Point Tracking (MPPT) optimization. The system utilizes a dual-axis tracking mechanism to continuously align the solar panels with the sun's position, significantly increasing solar irradiance capture. Unlike traditional MPPT algorithms that respond to real-time fluctuations, the proposed predictive MPPT strategy anticipates changes in environmental conditions—such as irradiance, temperature, and shading— using historical data and machine learning models. This proactive approach ensures that the PV system operates consistently at or near its maximum power point, even under dynamic weather scenarios. By integrating intelligent control, IoT-based monitoring, and adaptive optimization, the smart PV system not only boosts energy efficiency but also enhances reliability and scalability. This innovation holds promise for transforming solar energy deployment in both urban and remote settings, contributing to the broader goals of energy independence and environmental sustainability. To overcome these problems, this project focuses on designing a Smart Solar PV System that integrates two important improvements: 1. Concentrated Solar Tracking – The system uses sensors to continuously measure sunlight intensity and adjusts the panel's position in real-time, ensuring that it always faces the sun directly. Lenses or mirrors are used to focus sunlight onto the panel, further improving the energy collected. 2. Predictive MPPT Optimization – By using historical data from sensors, the system predicts the optimal voltage and current needed to extract the most power from the solar panel. This approach allows for faster and more efficient adjustments, reducing energy loss during sudden changes in sunlight or temperature.

II. IMPORTANCE OF SOLAR PHOTOVOLTAIC SYSTEMS

Solar energy is a major and feasible power source in distributed energy systems. Therefore, the solar PV systems industry has become essential to guarantee optimal performance, dependable functionality, and efficient integration of electrical applications. Although PV energy production systems are naturally designed to be modular, their efficiency is greatly influenced by factors such as temperature, radiation, light shadowing, and pollution. Under these circumstances, the generation of PV energy may be sluggish and function at a reduced efficiency, often reaching only 60 to 70 percent of its maximum capacity. To address these inefficiencies and improve the performance of PV system, it is essential to utilize MPPT approaches. These strategies adapt the operational settings of the PV modules in real-time to optimize their performance at the MPP, where the multiplication of voltage and current is maximum.

Over the past few years, a multitude of MPPT techniques have been devised to accurately track the global maximum power. These tactics are essentially classified according to their pattern, intricacy, and efficiency. The range of systems includes basic structures such as hard-wired ALUs and voltage boosters, as well as more intricate systems incorporating electrical utility proportioning, online tuning of estimator-based sys- terms, and robotic tuning of climatic methods by employing these MPPT techniques, PV systems can continually run at their highest efficiency by harnessing projected kinetic power. The effectiveness of the MPPT procedures is determined by the operating range, which is a significant factor and is based on statistical analysis results. Assessing the effectiveness of the most recent strategies and goals in PV technologies establishes benchmarks for choosing the suitable MPPT methodology.



Fig. 1. Illustration of a solar photovoltaic system with hybrid inverter and battery storage.



Fig. 2. I-V and P-V curves of a solar PV cell.

III. NEED FOR MPPT IN SOLAR PHOTOVOLTAIC SYSTEMS

Efficiency improvement in solar photovoltaic systems Solar PV systems continue to struggle in converting sunlight into electrical energy efficiently. Accurate operation of a PV system depends on a capability of functioning at the Maximum Power Point, the point of maximum power of the current and the voltage. That level of efficiency relies heavily on MPPT techniques. MPPT algorithms efficiently mitigate the effects of external variables such as the sun irradiance and temperature by dynamically shifting the operating point of PV panels to the MPP. Generally speaking, PV systems can operate with energy losses that most often occur without MPPT. The study concludes that by using MPPT, PV system efficiency can be improved by 10–30% based on a particular algorithm and environmental conditions. This is a vital improvement to enhance the competitiveness of solar energy over traditional energy sources and reduce solar power generation cost in total.

IV. ADAPTATION TO VARYING ENVIRONMENTAL CONDITIONS IN PV SYSTEMS

Solar irradiance and temperature are important factors of PV systems that significantly affect its performance and these environmental variables are very dynamic, highly variable through time, changing very quickly, changing with weather patterns, changing on different times of day, changing with seasons, etc. MPPT techniques are indispensable to guarantee optimal performance under such varying conditions [35]. MPPT algorithms continuously monitor the voltage and current output of PV panels and adjust the PV panel's operating point to track a changing MPP due to changes in irradiance or temperature. High efficiency and the maximization of energy yield requirs this real time adaptation. For instance, during the cloudy conditions in which irradiance levels fluctuate rapidly, providing the MPPT fundamentally allows the system to quickly respond to such changes to extract the maximum available power. MPPT also is highly adapted to such reliability and effectiveness.

V. METHODS AND COMPARISON OF MPPT TECHNIQUES FOR SOLAR PHOTOVOLTAIC SYSTEMS

The operation of the solar PV system at the MPP, which is the key to its highest efficiency, can only be ensured with the MPPT. Thus, various MPPT techniques have been developed over the years, with some ad vantages and some drawbacks. These methods can be divided broadly into conventional, intelligent and hybrid methods.

Conventional methods

Conventional MPPT methods are widely used due to their simplicity and ease of implementation. The two most common conventional methods are P&O and IncCond.

1.Perturb and observe

This method involves perturbing the operating voltage of the PV panel and observing the change in power. If the power increases, the perturbation continues in the same direction; if it decreases, the direction is reversed. This process is repeated until the MPP is reached. P&O is simple and easy to implement but can suffer from oscillations around the MPP and may fail under rapidly changing environmental conditions. The P&O algorithm adjusts the voltage V to maximize the power by using: P: $P(t+1) > P(t) \Rightarrow V(t+1) = V(t)+\Delta V$

2. Incremental conductance

This technique calculates the derivative of power with respect to voltage and uses the fact that the derivative is zero at the MPP. By comparing the incremental conductance (dI dV) to the instantaneous conductance (I/V), the algorithm can determine whether to increase or decrease the voltage to reach the MPP. IncCond is more accurate than P&O but requires more complex calculations. The condition for MPP in IncCond is in Eq. (3) (Fig. 7): dI dV = I V

Intelligent methods

Intelligent MPPT methods incorporate AI techniques such as fuzzy logic, neural networks, and genetic algorithms to enhance the performance of MPPT under diverse and dynamic conditions.

1.Fuzzy logic control (FLC)

FLC uses fuzzy logic to handle the imprecision and uncertainties in the input data, such as changes in irradiance and temperature. The process entails transforming input variables into fuzzy values, applying a predefined set of rules, and then converting the fuzzy output into a crisp value to fine-tune the operating point. FLC can adjust to different conditions and offers superior performance compared to traditional methods. However, designing the fuzzy rules and membership functions for FLC demands expertise.

2. Artificial neural networks (ANNs)

ANNs can acquire knowledge and adjust their behaviour in response to new circumstances through the process of training on past data. The MPP can be forecasted using input data like irradiance and temperature. ANNs provide exceptional precision and rapid reaction rates but necessitate significant computer resources and lengthy training data.

3. Genetic algorithms (GAs)

Genetic Algorithms are based on natural selection and genetic principles in order to find the most suitable MPP. It begins with an initial population of potential solutions which are iteratively improved from one generation to the next towards the optimal solution. Since GAs are very robust and efficient for solving complex optimization problems, they require large computational resources.

Hybrid methods

The hybrid MPPT methods attempt to improve the system efficiency as well as adaptability of PV by combining the best of conventional and intelligent techniques. All of these methods try to combine the simplicity and reliability of traditional algorithms with the precision and flexibility associated with intelligent ones. This methods in MPPT are broadly used but often lacks precise definition.

1. Hybrid P&O and FLC

The use of hybrid MPPT methods is to improve both efficiency and adaptability of PV systems by blending the strength of common and wise methods. Such methods aim at combining the simplicity and reliability of traditional algorithms with the precision and flexibility implied by intelligent methodologies Strategies.

2. Hybrid ANN and GA

In this work, the hybrid ANN and GA has been utilized to forecast the MPP of the photovoltaic system using the historical data. Moreover, Gas are used to optimize the parameters of the ANN. This hybrid method shows particularly good precision and robustness under different conditions.

3.Hybrid PSO and IncCond

For the fastest and least precise tracking of MPP, this method com bines Particle Swarm Optimization (PSO) with the Incremental Conductance (IncCond) algorithm. IncCond is used for local refining of search so that the search moves about the global optimum with step size 1, while PSO does the work of the global search.

VI. COMPARISON OF MPPT TECHNIQUES BASED ON PERFORMANCE, COMPLEXITY AND COST

The performance, complexity, and cost effectiveness of different MPPT techniques, comparison between different MPPT techniques is necessary. Efficient, fast convergence speed, and the capacity to be fit to environment instability are key performance metrics.

• Conventional Methods: In order to compare a number MPPT techniques, their performance, complexity and cost effectiveness must be assessed. Typically, key performance metrics we consider are efficiency, convergence speed and adaptation to changing environmental conditions.

• Intelligent Methods: FLC, ANNs and GAs have larger accuracy and better ability, but greater complexity and cost in computing, thus lead to higher implementation cost.

• Hybrid Methods: The goal is to have a good performance and low complexity by combining the strengths of conventional and intelligent methods. Most often they combine greater efficiency and adaptability with acceptable levels of complexity and cost.

Hybrid MPPT methods are particularly preferable in scenarios where purely intelligent techniques may suffer from high computational burden, training data dependency, or slower convergence under rapidly changing conditions. By combining classical algorithms with AI-based approaches, hybrid methods can provide faster initial response while maintaining adaptability to complex operating environments. This balance makes them well-suited for real-time PV applications that demand both robustness and efficiency.

Advantages and disadvantages of different MPPT techniques

The review of MPPT techniques for solar PV systems classifies the various approaches into three primary categories: Conventional, Intelligent, and Hybrid methods. Each category exhibits specific advantages and drawbacks in terms of efficiency, implementation complexity, and cost.

VII. ANALYSIS OF ENVIRONMENTAL IMPACT

Environmental variability plays a critical role in the real-world performance of MPPT algorithms. The effectiveness of each method under different stress conditions such as partial shading, rapid irradiance fluctuation, Impact of environmental factors on photovoltaic system performance degradation and temperature-induced nonlinearities must be evaluated to ensure reliable deployment.

1. Partial shading

Under partial shading conditions, classical MPPT algorithms like P&O and Incremental Conductance (IncCond) are prone to track local maxima, resulting in significant power loss. In contrast, global optimization techniques such as PSO, GA, and hybrid fuzzy-PSO methods have been shown in literature to successfully identify the global peak, thereby improving energy yield in shaded environments.

2.Rapid irradiance fluctuation

During fast-changing solar irradiance, especially in cloudy or transient conditions, intelligent controllers such as ANN and reinforcement learning models outperform traditional techniques. These methods offer quicker dynamic response and smoother power tracking by learning system behaviour and adapting in real-time.

3.Temperature-induced non-linearities

Temperature variations lead to nonlinear shifts in PV output char act eristics. Adaptive techniques like fuzzy logic controllers and MPC based MPPT adjust their rule bases or prediction models, accordingly, maintaining optimal performance. Their robustness under thermal nonlinearity makes them suitable for outdoor and high-temperature applications.

VIII. FUTURE TRENDS AND CHALLENGES IN MPPT TECHNIQUES

Solar PV technology advances, upcoming developments in MPPT methods are expected to prioritize enhancing flexibility and efficiency, while simultaneously decreasing intricacy and expenses. As IoT and smart grid technologies are combined, MPPT systems will use advanced data analytics and machine learning more often. This will allow them to foresee and adapt to environmental changes with greater effectiveness. This will enhance the operational efficiency of PV systems, especially in demanding situations such as partial shadowing or quickly fluctuating weather conditions.

The application of advanced control and power device technologies is reshaping PV and EV energy systems. Sliding Mode Control (SMC), when implemented with GaN-based converters, provides superior dynamic response for MPPT by leveraging the high switching frequency and reduced losses of GaNHEMTs, thereby achieving faster tracking speed, improved robustness, and minimized steady-state oscillations under partial shading or rapid irradiance changes. In parallel, the integration of solar PV with EV charging systems necessitates efficient MPPT algorithms ranging from conventional P&O to adaptive and hybrid schemes such as incremental conductance or fuzzy–SMC hybrids—to handle fluctuating solar inputs and variable EV charging demands. By combining GaN-enabled high-efficiency hard ware with intelligent MPPT strategies, these systems can ensure reliable maximum power extraction, reduced grid dependency, and enhanced sustainability of EV charging infrastructures. An important obstacle in the future development of MPPT is the necessity to achieve a balance between accuracy, speed, and computing demands. As systems advance in complexity, it will be essential to maintain their cost-effectiveness and accessibility across many applications. A further obstacle involves enhancing the resilience of MPPT algorithms to effectively manage the fluctuations in actual environmental circumstances, such as severe weather occurrences and maintenance-related problems like dust buildup and panel deterioration.

IX. CONCLUSION

In today's world, where the demand for clean, renewable, and sustainable energy is constantly increasing, solar energy plays a vital role in meeting global energy needs. However, conventional solar photovoltaic (PV) systems face challenges such as inefficient energy capture, slow response to changing weather conditions, and lack of automation, which limit their effectiveness. The Smart Solar PV System with Concentrated Tracking and Predictive MPPT Optimization has been designed to overcome these challenges and offer a more efficient, adaptive, and user-friendly solution. By integrating dual-axis tracking with lenses or mirrors to concentrate sunlight, the system ensures that the solar panel receives maximum sunlight throughout the day, thereby improving energy harvesting. The predictive MPPT algorithm uses historical data to anticipate environmental changes and adjust the system's operating point in advance. This results in improved power output, reduced energy wastage, and enhanced stability even under fluctuating sunlight and temperature conditions. The system's ability to log data, monitor performance in real-time, and offer remote access through cloud platforms makes it suitable for both residential and industrial applications. It supports automation, reduces maintenance needs, and lowers operational costs while providing an environmentally friendly alternative to conventional energy sources. Despite certain challenges such as higher initial cost, complexity, and dependency on accurate sensor data, the long-term benefits outweigh these drawbacks. With proper design, maintenance, and user awareness, the system offers a scalable and practical energy solution that can contribute to sustainable development goals, reduce carbon emissions, and improve the quality of life in both urban and rural communities. In conclusion, the Smart Solar PV System is a significant advancement in solar energy technology. It combines efficiency, intelligence, and sustainability to create a reliable, cost-effective, and adaptive energy solution. By encouraging the adoption of smart renewable energy technologies, this project helps pave the way toward a greener future, where solar power becomes a cornerstone of global energy strategies.

REFERENCES

[1] Boucif, O. H., et al. (2025) "Artificial Intelligence of Things for Solar Energy Monitoring and Control" Explore the review on MDPI

[2] Salman, D., et al. (2025) "Evaluation of MPPT Algorithms for Solar PV Systems with Machine Learning and Metaheuristic Techniques"

[3] Access the study on IIETA A.I.M. Isa, S.N. Abdul kareem, and N.M. Isa, "Artificial neural network based MPPT control for PV grid connected systems ,"IEEE Access, vol.8, pp. 80087-80095, Apr.2020.

[4] M.T.N. Ismail and K. N. Khalifa, "Advanced ANN-based MPPT controller for grid-integrated solar PV systems" IEEE Access, vol.11, pp.45530-45539, Apr.2023.

[5] K. Isha queand Z. Salam, "A review of maximum power point tracking techniques of PV system for uniform in isolation and partial shading condition Renew Sustain. Energy Rev., vol.19, pp.475 488, Mar.2019.

[6] J.H.Park, C.K. Lee, and S. J. Park, "A new MPPT control scheme based on the Lyapunov method for photovoltaic power systems," IEEE Trans. Ind. Electron., vol.65, no.4, pp.3336-3348, Apr.2018.

[7] B. K. Mishra, S. Kumar, and N. Bansal, "A hybrid MPPT technique for improved energy yield in solar PV systems," IEEE Access, vol. 11, pp. 56708-56716, Aug. 2023.

[8] M. Sharma and S.A. Khaparde, "Artificial neural network-based MPPT control for improving the performance of solar PV systems IEEE Trans. Power Electron., vol.37, no.3, pp.2745-2756, Mar.2022.

[9] K. Y. Yap, C. R. Sarimuthu , and M.-Y. Lim, "Artificial Intelligence Based MPPT Techniques for Solar Power System: A review," Journal of Modern Power Systems and Clean Energy, vol. 8, no.6, pp. 1043–1059, 2020.

[10] C. Mai, L. Zhang, X. Chao, X. Hu, X. Wei, J. Li, A novel MPPT technology based on dung beetle optimization algorithm for PV systems under complex partial shade conditions, Sci. Rep. 14 (1) (2024), https://doi.org/10.1038/S41598-024-57268- 8. Dec.

[11] J. Ríos, J.M. Enrique, A.J. Barrag´an, J.M.A. M´arquez, Comparative analysis of robustness and tracking efficiency of maximum power point

in photovoltaic generators, using estimation of the maximum power point resistance by irradiance measurement processing, Sensors 20 (24) (2020) 1–13, https://doi. org/10.3390/S20247247. Dec.

[12] A. Kumar Behura, A. Kumar, D. Kumar Rajak, C.I. Pruncu, L. Lamberti, Towards better performances for a novel rooftop solar PV system, Sol. Energy 216 (2021) 518–529, https://doi.org/10.1016/J.SOLENER.2021.01.045. Mar.

[13] M.S.M. Nasir, M.Z.A. Ab-Kadir, M.A.M. Radzi, M. Izadi, N.I. Ahmad, N.H. Zaini, Lightning performance analysis of a rooftop grid-connected solar photovoltaic without external lightning protection system, PLoS ONE 14 (7) (2019), https:// doi.org/10.1371/JOURNAL.PONE.0219326. Jul.

[14] L. El Oussoul, A. Elhamdaouy, A. Ait Madi, A new MPPT control strategy based on a weighting mechanism: enhancing efficiency in solar energy harvesting, Results Eng. 26 (2025) 104725, https://doi.org/10.1016/J.RINENG.2025.104725. Jun.

[15] G. S¸ahin, M. Hakkı Alma, Study of the static characteristic I-V and the electrical parameters corresponding to the shunt resistance rsh and series resistance rs per unit area of a solar cell with grain size, Chin. J. Phys. 62 (2019) 395–404, https:// doi.org/10.1016/J.CJPH.2019.09.034. Dec.

[16] M.A. Ghasemi, H. Mohammadian Forushani, M. Parniani, Partial shading detection and smooth maximum power point tracking of PV arrays under PSC, IEEE Trans. Power Electron. 31 (9) (2016) 6281–6292, https://doi.org/10.1109/ TPEL.2015.2504515. Sep.

[17] M.E. Za'ter, S.Y. Miguel, M.G. Batarseh, online gradient descent for flexible power point tracking under a highly fluctuating weather and load, Mar. https://arxiv.org/pdf/2203.00197, 2022