© November 2025 | IJIRT | Volume 12 Issue 6 | ISSN: 2349-6002

Review on: Herbal Candy

Yashraj J Kalbhor[1], Dr.Amita B. Dongare[2], Prof.Tejas Ombhase[3], Prof.Vaishali S. Jagtap[4]
[1,2,3,4]*Eknath Sitaram Divekar Collage of Pharmacy, Varvand, Daund, Maharashtra, India.412215*

***Abstract*—Throat infections are becoming more common every day because of the bacterial infections, gastrointestinal disorders, rising pollution, allergies, injuries, etc. The purpose of this study was to develop and assess herbal candies with medicinal properties. Candy is classified as a sugar product. sweets. The applications of herbal candies are the main topic of this review. prospects for the future. Mishri and nabaat, two hard candies, were well popular in India and Persia. Beginning in the early ninth century, sugar First, confections were made. Candy is regarded as the immediate sources of energy because they are abundant in calories and taste and palatableness. They are simple to prepare, pack, and moved and kept in storage. A blend of herbal extracts, such as clove, ginger, honey, and additional expectorant-containing botanicals Herbal candies have anti-inflammatory and anti-inflammatory properties. A few Compared to conventional candies; herbal candies might be lower in calories. making them a healthier choice for people who are watching how many calories they consume. Because they contain herbs, herbal candies frequently have a pleasing and distinctive flavor profile. making them a delightfully cool treat. The physiochemical properties of the candies were assessed. parameter as well as antimicrobial qualities. Sensors assessed the antibacterial qualities. assessment, microbial analysis evaluation, shelf-life analysis, ash value, pH determination, and analysis of plant extract using phytochemistry.**

***Index Terms*—Herbal Candy, Soothing, Anti-inflammatory, Anti-bacterial.**

I. INTRODUCTION

Herbal candy is a type of confection made especially to soothe sore throats. Unlike regular sweets, herbal candy is created using natural components derived from medicinal plants and herbs, which are well-known for their relaxing and restorative properties. These candies are frequently used to treat coughs, sore throats, and other respiratory conditions. They are meant to provide temporary relief by easing sore throats and improving overall comfort. [1] Herbal candies contain a variety of botanical substances with expectorant and anti-inflammatory properties, such as clove, ginger, honey, and other herbal extracts. These herbs are believed to help lessen the symptoms of a cough by clearing congestion, opening up the airways, and lowering inflammation.

Figure 1: herbal candy

In addition to their potential health benefits, herbal candies are well-liked for their tasty flavor and ease of usage. [2] The category of sugar confections includes candies. Sucrose, which makes up 99.7% of the total weight of sugar, is the primary sweetening ingredient used in the candy manufacturing. Honey, a natural sweetener, is used to make several candies. Compared to sugar, honey has a higher calorie content. Five grams of honey have 68 calories whereas five grams of sugar have 49. [3]
Candies are mainly classified into two types:
1.Crystalline candies.
2.Non-crystalline candies.
Hard candy is sometimes known as rock candy. It is an entirely sugar-based product. It is mostly made using a mixture of sugar and water. Hard candies are made using the principle of crystallization as their basis. The crystallization process is described by Le Chatelier's principle, which states that "a system which is shifted away from equilibrium acts to restore the equilibrium by reacting in opposition to the shift." Hard candies are the result of Maillard browning. A natural browning

process known as "Maillard browning" is brought on by the reaction of the amino group of an amino acid with the carbonyl group of free sugar. Hard candies differ from all other types in that they have the least amount of moisture in their final result. [4] Hard candies known as mishri and nabaat were well-liked in Persia and India. In the initial part of the ninth century, sugar sweets were first produced.[5]

Because of their high calorie content, flavor, and palatability, candies are regarded as immediate energy sources. They are simple to prepare, pack, move, and store. [6]

II. ADVANTAGES

1) Because of their excellent flavor, taste, and sophisticated appearance with eye-catching colors, herbal candies are more popular with consumers. 2) Sweetened and flavored candies aid in covering up the unpleasant and bitter taste of the active ingredients in medications. 3) Patients who have difficulty swallowing respond favorably to it. [23, 29]

Various herbal candy products available in market

Brand name	Active ingredient	Mfg company
Vicks®	Menthol	Procter and Gamble Helen of Troy Limited
Dabur	Honey	Makson pharmaceutical pvt. Limited.
Himalaya Koflet®	Ginger	Himalaya USA.
Strepsils®	Amylmetacresol	Reckitt Benckiser Nottingham.

Table 1: various herbal candy products available in market

Herbal plants used in formulation of herbal candy

1)Mahua

Botanical Name: Madhuca Longifolia

Family: Spoteaceae

Description: Mahua flowers are sweet because of the sugars they contain. It contains vitamin C, an antioxidant's active component. It has vitamin A in it as well. Mahua flowers are rich in several minerals, such as calcium and phosphorus, and low in fat and protein. Wound healing, antibacterial, antioxidant, anti-inflammatory, analgesic, antipyretic, and anti-ulcer qualities are among the therapeutic activities of madhuca flowers. [7, 25, 26]

Madhuca longifolia is an Indian tropical tree found largely in the central, southern, north Indian plains and forests, Bangladesh, Nepal, Myanmar and Sri Lanka. It is commonly known as madhūka, mahura, madkam, mahuwa, Butter Tree, mahura, mahwa, mohulo, Iluppai, Mee or Ippa-chettu.[1] It is a fast-growing tree that grows to approximately 20 meters in height, possesses evergreen or semi-evergreen foliage, and belongs to the family Sapotaceae.[2] It is adaptable to arid environments, being a prominent tree in tropical mixed deciduous forests in India in the states of Maharashtra, Odisha, Chhattisgarh, Jharkhand, Uttar Pradesh, Bihar, Andhra Pradesh, Madhya Pradesh, Kerala, Gujarat, West Bengal and Tamil Nadu.[3]

Uses

It is cultivated in warm and humid regions for its oleaginous seeds (producing between 20 and 200 kg of seeds annually per tree, depending on maturity), flowers and wood. The fat (solid at ambient temperature) is used for the care of the skin, to manufacture soap or detergents, and as a vegetable butter. It can also be used as a fuel oil. The seed cakes obtained after extraction of oil constitute very good fertilizer. The flowers are used to produce an alcoholic drink in tropical India. This drink is also known to affect animals.[4] Several parts of the tree, including the bark, are used for their medicinal properties. It is considered holy by many tribal communities because of its usefulness.

Other names

- Other botanical names: Bassia longifolia L., B. latifolia Roxb., Madhuca indica J. F. Gmel., M. latifolia (Roxb.) J.F.Macbr., Illipe latifolia (Roxb.) F.Muell., Illipe malabrorum
- Varietie
- M. longifolia var. latifolia (Roxb.) A.Chev. (=B. latifolia (Roxb))
- M. longifolia var. longifolia
- Vernacular names:
- Santali:matkom
- Bengali:mohua(মহুয়া)
- Oriya:"Mahula"(ମହୁଲ)
- English: honey tree, butter tree
- French: illipe, arbre à beurre, bassie, madhuca
- India: moha, mohua, madhuca, kuligam, madurgam, mavagam, nattiluppai, tittinam,

mahwa, mahura, mowa, moa, mowrah, mahuda (Gujarati-મહુડા)

- Marathi: "Mahu" and "muvda" in Pawari local tribal lang (Nandurbar, Maharashtra) / "Moha"
- Rajasthan: "dolma" in mevadi and marwari
- Sri Lanka: මී mee in Sinhala
- Tamil: iluppai (இலுப்பை),
- Telugu: vippa (విప్ప),
- Myanmar: မယ်ဇယ်
- Nepal: Chiuri (चिउरी)
- Synonymous names for this tree in some of the Indian states are mahura and mohwa in Hindi-speaking belt, mahwa, mahula, Mahula in Oriya and maul in Bengal, mahwa and mohwro in Maharashtra, mahuda in Gujarat, ippa puvvu (Telugu: ఇప్ప) in Andhra Pradesh, ippe or hippe in Karnataka (Kannada), illupei or இலுப்பை in Tamil, poonam and ilupa in Kerala (Malayalam) and mahula, moha and modgi in Orissa (Oriya).[3]

Figure 2: Mahua

2) Peepal
Botanical Name: Ficus religiosa.
Family: Moraceae.
Discription: Compounds with anti-inflammatory qualities found in Ficus religiosa may aid in lowering respiratory tract irritation. This may help soothe sore throat tissues and lessen discomfort associated with coughing.

Ficus religiosa is a large dry season-deciduous or semi-evergreen tree up to 30 metres (98 ft) tall and with a trunk diameter of up to 3 metres (9.8 ft). The leaves are cordate in shape with a distinctive extended drip tip; they are 10–17 centimetres (3.9–6.7 in) long and 8–12 centimetres (3.1–4.7 in) broad, with a 6–10 centimetres (2.4–3.9 in) petiole. The fruits are small figs 1–1.5 centimetres (0.39–0.59 in) in diameter, green ripening to purple.[citation needed]

The Jaya Sri Maha Bodhi tree in the city of Anuradhapura in Sri Lanka is estimated to be more than 2,250 years old.[

Uses

Ficus religiosa is used in traditional medicine for about fifty types of disorders including asthma, diabetes, diarrhea, epilepsy, gastric problems, inflammatory disorders, infectious and sexual disorders.[16]

The trunk of this tree is used by farmers as a soil leveller. After seed harvesting, the rectangular trunk is connected to tractors and levels the soil

cultivation

Ficus religiosa is grown by specialty tree plant nurseries for use as an ornamental tree, in gardens and parks in tropical and subtropical climates. Peepul trees are native to Indian subcontinent and thrive in hot, humid weather. They prefer full sunlight and can grow in all soil types, though loam is the best. When planting, use soil with a pH of 7 or below. While it is possible for the plant to grow indoors in a pot, it grows best outside. Young peepul needs proper nourishment. It requires full sunlight and proper watering. Sacred fig occurs naturally in submontane forest regions.[citation needed] As with many Ficus trees, these are well suited for Bonsai training.

In the Middle East, it is preferably planted as an avenue or road verge tree. In the Philippines and in Nicaragua the species is cultivated in parks and along roadsides and pavements, while in Paraguay it occurs in forests at lower elevations.[15]

In Thailand โพ or "Pho" trees grow everywhere, but in the wats (temples) they are revered, and usually are several hundred years old, with trunks up to 20 feet (6.1 meters) wide. As with all sacred trees in Thailand, they have a saffron cloth wrapped around the base. A yearly ritual involving the bo trees at wats is the purchasing of "mai kam sii" ไม้คำ้ศริ, which are "supports" that look like crutches and are placed under the spreading branches as if holding them up. The purchase money helps fund the wat, a central part of Thai life.

Figure 3:Peepal

3) Ginger

Botanical Name: Zingibar officinale.

Family: Zingiberaceae

Discription: Zingiberaceae, canton, also called cooking stem. widely grown in Tropical Asia. Numerous ailments, including nausea, vomiting, coughing, spasms, general pain, indigestion, colic, chills in the abdomen, colds, influenza, peripheral circulation issues, rheumatism, menstrual cramps, sprains, and spasmodic pain, are treated with its root as a herbal treatment. The rhizome is used to flavor meals and drinks. [28]

Uses

In Indian cuisine, ginger is a key ingredient, especially in thicker gravies, as well as in many other dishes, both vegetarian and meat-based. Ginger has a role in traditional Ayurvedic medicine. It is an ingredient in traditional Indian drinks, both cold and hot, including spiced masala chai. Fresh ginger is one of the main spices used for making pulse and lentil curries and other vegetable preparations. Fresh ginger together with peeled garlic cloves is crushed or ground to form ginger garlic masala. Fresh, as well as dried, ginger is used to spice tea and coffee, especially in winter. In south India, "sambharam" is a summer yogurt drink made with ginger as a key ingredient, along with green chillies, salt and curry leaves. Ginger powder is used in food preparations intended primarily for pregnant or nursing women, the most popular one being katlu, which is a mixture of gum resin, ghee, nuts, and sugar. Ginger is also consumed in candied and pickled form. In Japan, ginger is pickled to make beni shōga and gari or grated and used raw on tofu or noodles. It is made into a candy called shoga no sato zuke. In the traditional Korean kimchi, ginger is either finely minced or just juiced to avoid the fibrous texture and added to the ingredients of the spicy paste just before the fermenting process.

Ginger Farming

The size of the ginger rhizome is essential to the production of ginger. The larger the rhizome piece, the faster ginger will be produced and therefore the faster it will be sold onto the market.[39] Prior to planting the seed rhizomes, farmers are required to treat the seeds to prevent pests, and rhizome rot and other seed-borne diseases.[39] Various ways Indian farmers do seed treatment include dipping the seeds in cow dung emulsion, smoking the seeds before storage, and hot water treatment.[39]

Once the seeds are properly treated, the farmland in which they are to be planted must be thoroughly dug or ploughed by the farmer to break up the soil.[39] After the soil is sufficiently ploughed (at least 3–5 times), water channels are made 60–80 feet (18–24 m) apart to irrigate the crop.[39]

The next step is planting the rhizome seed. In India, planting the irrigated ginger crop is usually done in the months between March and June as those months account for the beginning of the monsoon, or rainy season.[39] Once the planting stage is done, farmers go on to mulch the crop to conserve moisture and check weed growth, as well as check surface run-off to conserve soil.[40] Mulching is done by applying mulch (green leaves for example) to the plant beds directly after planting and again 45 and 90 days into growth.[39]

After mulching comes hilling, which is the stirring and breaking up of soil to check weed growth, break the firmness of the soil from rain, and conserve soil moisture.[39] Farmers must ensure that their ginger crops are receiving supplemental irrigation if rainfall is low in their region. In India, farmers must irrigate their ginger crops every two weeks at the least between September and November (when the monsoon is over) to ensure maximum yield and high quality product.[39]

The final farming stage for ginger is the harvesting stage. When the rhizome is planted for products such as vegetable, soda, and candy, harvesting should be done between four and five months of planting, whereas when the rhizome is planted for products such as dried ginger or ginger oil, harvesting must be done eight to ten months after planting.[39]

Dry ginger is one of the most popular forms of ginger in commerce.[41] Ginger rhizomes for dry ginger are harvested at full maturity (8–10 months).[41] After soaking them in water, the outer skin is scraped off with a bamboo splinter or wooden knife by hand as it is too delicate a process to be done by machinery.[41] The whole dried rhizomes are ground in the consuming centres.[33] Fresh ginger does not need further processing after harvest, and it is harvested much younger.[33]

Figure 4:Ginger

4) Guduchi
Botanical Name: Tinospora cordifolia.
Family: Menispermaceae.
Discription :- A climbing shrub called guduchi grows atop other trees. Guduchi stems are said to be very beneficial due to its high nutritional value and alkaloids. Guduchi's tridosha-balancing ability aids in lowering extreme thirst, pain, and scorching feelings. Guduchi lessens the symptoms of asthma. [19, 20, 21] It is a large, deciduous, extensively-spreading, climbing vine with several elongated twining branches. Leaves are simple, alternate, and exstipulate with long petioles up to 15 cm (6 in) long which are roundish and pulvinate, both at the base and apex with the basal one longer and twisted partially and half way around. It gets its name heart-leaved moonseed by its heart-shaped leaves and its reddish fruit. Lamina are broadly ovate or ovate cordate, 10–20 cm (4–8 in) long or 8–15 cm (3–6 in) broad, seven nerved and deeply cordate at base, membranous, pubescent above, whitish tomentose with a prominent reticulum beneath.

Flowers are unisexual, small on separate plants and appearing when the plant is leafless, greenish-yellow on axillary and terminal racemes. Male flowers are clustered, but female flowers are usually solitary. It has six sepals in two series of three each. The outer ones are smaller than the inner. It has six petals which are smaller than sepals, obovate, and membranous. Fruits aggregate in clusters of one to three. They are ovoid smooth drupelets on thick stalks with sub terminal style scars, scarlet or orange colored.

Figure 5:Guduchi

III. GENERAL METHOD FOR PREPARATION OF CANDY

1. Put the water and sugar in a deep pot. Add the butter and salt after bringing to a boil The wooden spoon was used to stir the mixture.
2. Add each powder one at a time with a spatula, stirring constantly.
3. A flavoring agent and preservative were added to the mixture.
4. The mixture was poured right into the candy mold, which had been coated with vegetable oil to keep it from clinging to the mold wall. It was then put in cooling racks to cool.
5. After cooling, properly kept at the proper temperature. [13, 14, 15]

IV. MECHANISM OF ACTION OF HERBAL CANDY

1. Soothing and Moisturizing:
- Herbal candies can act as a soothing balm for the throat and airways.
- The act of sucking on the candy can help to hydrate the throat, which can be beneficial when dealing with dryness and irritation.
- Some herbs, like honey or chamomile, have natural moisturizing properties that can help to soothe inflammation and irritation.

2. Targeting Respiratory Symptoms:
- Certain herbs are known for their expectorant and anti-inflammatory properties, which can help to reduce cough symptoms and relieve congestion.

- For example, ginger and cinnamon are known for their ability to reduce inflammation and ease congestion, while herbs like yerba santa contain chemicals that are thought to loosen mucus in the chest.
- Some herbs, like ginger, may have antioxidant and antimicrobial properties, which can help to fight against infections and reduce the severity of coughs and colds.

3. Immunomodulatory Effects:

- Herbal candies can also have immunomodulatory effects, meaning they can help to stimulate the body's immune system to better fight off infections.
- Some herbs, like Shankhpushpi, Brahmi, Chirata, Nagarmotha, and Spirulina, are known for their ability to boost the immune system.
- By stimulating the immune system, these herbs can help the body fight off infections and reduce the severity of respiratory illnesses.

4. Delivery System for Bioactive Compounds:

- Herbal candies can serve as an efficient delivery system for various bioactive compounds, such as vitamins, minerals, and antioxidants.
- These compounds can contribute to overall health and wellness, and they can also help to target specific health problems, such as coughs, sore throats, and digestive issues.
- The candy matrix allows for the slow release of these compounds, ensuring that they are absorbed into the body gradually and effectively.

5. Synergistic Effects of Multiple Herbs:

- Herbal candies often contain multiple herbs, which can lead to synergistic effects, where the combined action of different herbs is greater than the sum of their individual effects.
- For example, a combination of herbs with anti-inflammatory, expectorant, and immunomodulatory properties can provide a more comprehensive approach to treating respiratory illnesses.

In summary, herbal candies offer a convenient and palatable way to experience the potential therapeutic benefits of herbs. Their mechanism of action involves soothing the throat, targeting respiratory symptoms, boosting the immune system, and delivering bioactive compounds.

V. MECHANISM OF ACTION: HERBAL THROAT CANDY

Herbal throat candies work by using natural ingredients to soothe and relieve a sore throat and cough.
They often contain ingredients like menthol, eucalyptus, or tulsi, which have cooling, numbing, and soothing effects, helping to temporarily suppress coughs and reduce throat irritation.
Additionally, sucking on the candies can increase saliva production, which helps coat and lubricate the throat, making it easier to swallow and easing discomfort.



Figure 6:MOA Herbal Throat Candy

VI. CONCLUSION

Herbal drugs are in tremendous demand right now. herbal plant. Herbal candies are made to treat sore throats. Herbal plants are well-known for having numerous pharmacological qualities. pharmacological properties, primarily analgesic, antibacterial, and anti-inflammatory. The current review offers comprehensive details on herbal candies and their therapeutic applications.

REFERENCES

[1] Jaime P C and Monteiro C A. Fruit and vegetable intake by Brazilian adult S. Cadernos de Saúde Pública, 2005; 21(1): S19-S24.
[2] Kaisoon O, Siriamornpun S, Weerapreeyakul N and Meeso N. Phenolic compounds and antioxidant activities of edible flowers from Thailand. Journal of Functional Foods, 2011;

[3] (2): 88-99. 3. Koppico J T, Suzuki A, and Hongu N. Is honey the same as sugar? University of Arizona College of Agricultural and Life Sciences. Cooperative Extension, 2008.

[4] Srikanth P, Rao M, Kumar S A review on hard candy formulation key ingredient and solution for candy processing problems. Am. J. Pharm. Tech Res., 2015; 5(2).

[5] Gholamhosseinpour A, Varidi M J, Elachi M, Shahidi F. Evaluation of traditional production pocess of rock candy and optimization of sucrose crystallization (Part-2). American-Eurasian J. Agric. & Environ. Sci., 2008; 4(2): 150-155.

[6] Figiel A and Agnieszka T. C. The effect of candy moisture content on texture. Blackwell Publishing Journal of Food service, 2006; 189-195.

[7] Jha D., and Mazumber, P.M. Biological, Chemical and Pharmacological Aspects of Madhuca longifolia. Asian Pac J Trop Med, 2018; 11: 9-14.

[8] Kumar A, Mishra MK, Afeefa, Chandrashekar KS, Pai G, Pai V. Development and Evaluation of Polyherbal Lozenges for Cold and Flu. Indian J of Pharmaceutical Education and Research. 2019; 53(2S): s159-s163.

[9] S. Shamika, V. Jyoti, K. Suhana, "Preparation of Hard Cough Candy by Using Dry Mahua Flowers", Journal of Emerging Technologies and Innovative Research (JETIR), July, 2020; 7: (7).

[10] C.K. Kokate, A.P. Purohit, S.B. Gokhale, "Pharmacognosy", 53th edition, Nirali Prakashan, Jan, 2017.

[11] Hearnden V, Sankar V, Hull K. New developments and opportunities in oral mucosal drug delivery for local and systemic disease. Adv Drug Delivery Rev., 2012; 64: 16-28.

[12] 14. Lam JK, Xu Y, Worsley A. Oral transmucosal drug delivery for pediatric use. Adv Drug Delivery Rev., 2014; 73: 50-62.

[13] Reena hood, Formulation development of a herbal candy for altitude of health problems, Journal of pharmacognosy and phytochemistry, 2015.

[14] Preeti Shulka, Development of herbal candy using ginger essential oil, Postharvest technology, 2018.

[15] Pandey L, Devlopement of herbal candy, Ph d thesis G.B pant univ of ag. and technology, 2006.

[16] Lipi Das, Eshani Bhaumik, Utpal Raychaudhri and Runu Chakraborty, Journal of Food Science and Technology; Department of Food Technology and Biochemical engineering, Jadavpur University, Kolkata, 2011; 49(2): 173-183.

[17] Helen West, RD, Evidence based Health benefits of Lemons, Healthline.com, Nutrition, 2019.

[18] Puratchikody A, Devi CN, Nagalakshmi G. Wound healing activity of Cyperus rotundus Linn. Indian J Pharm Sci, 2006.

[19] Vijay Kumar, A Review of Swertia chirayita (Gentianaceae) as a Traditional Medicinal Plant, Journal of Frontires in pharmacology, 2016.

[20] Joe Leech, health benefit of spirulina, 2018.

[21] Dillon JC, Phuc AP, Dubacq JP. Nutritional value of the alga Spirulina. World Review of Nutrition and Dietetics, 1995.

[22] Pandey L, Devlopement of herbal candy, Ph d thesis G.B pant univ of ag.and technology, 2006.

[23] Practical Pharmacognosy by Dr. K. R. Khandelwal, Dr. Vrunda sethi Nirali prakashan, 27th edition.

[24] Hasson SS, et al., Immunomodulatory Potential of Combining Some Traditional Medicinal Plants In Vivo Annals of Microbiology and Immunology Article 1014, 2019; 2(1): 1-8.

[25] Preeti Sharma and et-al Immunomodulators: Role of medicinal plants in immune system National Journal of Physiology, Pharmacy and Pharmacology, 2017; 7(6): 552-556.

[26] Reference book of, Pharmacognosy and phytochemistry by, Kokate, C.K A and Purohit, A.P.

[27] Reference book of, Text book of Pharmacognosy by, Mohammed Ali.

[28] Durrani, Development and quality evaluation of honey based soft candies, Journal of food science technology, 2011.

[29] Preeti Shulka, Development of herbal candy using ginger essential oil, Postharvest technology, 2018.

[30] Akib, N. I., Baane, W. and Fristiohady, A., Formulation of herbal hard candy contains red ginger (Zingiber officinale var. rubrum) extract. JF FIK UINAM, 2017; 4(1): 1–8.

[31] An, K., Zhao, D., Wang, Z., Wu, J., Xu, Y. and Xiao, G., Comparison of different drying methods on Chinese ginger (Zingiber officinale Roscoe): changes in volatiles, chemical profile, antioxidant properties, and microstructure. Food Chem., 2016; 197: 1292–1300.

[32] Hasanuzzaman, M., Kamruzzaman, M., Islam, M. M., Khanom, S. A. A., Rahman, M. M., Lisa, L. A. and Paul, D. K., A study on tomato candy prepared by dehydration technique using different sugar solutions. Food Nutr. Sci., 2014; 5(13): 1261.

[33] Kamtekar, S., Keer, V. and Patil, V., Estimation of phenolic content, flavonoid content, antioxidant and alpha amylase inhibitory activity of marketed polyherbal formulation. J. Appl. Pharm. Sci., 2014; 4(9): 61.

[34] Maheswari R, Jain V, Ansari R, Mahajan SC, Joshi G, A Review on lozenges, BBB, 2013; 1-9.

[35] Pothu R and Yamsani MR, Lozenges formulation and evaluation, A Review, IJAPR, 2014; 1: 290-294.

[36] Khandelwal KR, Practical Pharmacognosy, edition 1, Delhi, Nirali Prakashan, 2001; 149-156.

[37] Ranganna S. Handbook of analysis and quality control for fruit and vegetable products. IInd Ed. Tata McGraw Hill Pub. Co. Ltd., New Delhi, 1997; 81-82.

[38] Rani U, Bhatia BS. Studies pear candy processing. Indian Food Packer, 1985; 29: 40.

[39] Srivastava RP, Kumar S. Fruit and vegetable preservation principles and practices. II ed. International Book Distributing Co., Lucknow, 1994.