Anti-Sleep Alarm for Vehicle Drivers

Choudhari Shaista[1], Biradar Kalpana[2], Prof. (Dr.) S.R. Halhalli[3]
Department Of Electronics Engineering M.S. Bidve Engineering College, Latur-413531

***Abstract*—These days, it's really tough to stay awake all the time because people's lives are so packed with things to do. Falling asleep while driving can lead to serious accidents, injuries, or even someone losing their life. This problem happens more than most people realize, which is why it's so important to do something about it. To help with this, we developed a special alarm system for drivers [1]. We came up with Driver anti-sleep device. This system alerts the driver when they begin to feel drowsy while driving, which helps avoid accidents and can save lives. This system is particularly useful for those who drive long distances or during late night hours [2]. He proposed anti-sleeping alarm system uses real-time data analysis to detect signs of drowsiness, like drooping eyelids, irregular steering movements, and changes in facial expressions. When these signs reach a certain level, the system activates a multi-modal alarm that includes sounds, lights, and physical vibrations to wake the driver up and prompt them to take action right away [3]. The circuit is constructed using an Arduino Nano, a switch, a Piezo buzzer, a small vibration motor, and an eye blink sensor. When the driver feels drowsy or falls asleep, the eye blink sensor detects this and activates the buzzer, producing a brief beep sound. Once the driver regains consciousness and returns to a normal state, the eye blink sensor detects this change and deactivates the buzzer [4].**

I. INTRODUCTION

The anti-sleep alarm system is made to recognize early signs of tiredness and give drivers immediate alerts. It uses various sensors, such as an accelerometer, buzzer, and relay circuits, to monitor the driver's behaviour. When the system senses that the driver is becoming drowsy, it activates an alarm. This project aims to create a reliable and effective anti-sleep feature to help lower the risk of accidents caused by fatigue and improve overall driving safety [5]. Using an Arduino Uno and its libraries in the Arduino IDE, along with either an infrared sensor or an eye-blink sensor, we can create a system that detects when someone's eyes close. If the timing of eye closure changes, the buzzer will begin to sound, alerting the driver. The main purpose of this project is to help avoid accidents caused by tired driving [6]. The system is made to reduce this risk. Our system uses an infrared sensor that sends out a light signal when the driver's eyes are open. This light doesn't bounce back, but when the eyes are closed, it reflects off the skin. If the driver doesn't open their eyes after a certain time, the vehicle's lights will turn on and the car will stop automatically. This helps stop accidents from happening [1]. You can also improve driver safety and security by using eye detection in a regular car. The system watches the driver's eye movements to see if they're getting tired. If the driver keeps blinking a lot, an alarm sounds to warn them, the car slows down, and the parking lights turn on. This helps prevent accidents and makes both the driver and the car safer [2]. Drowsy driving remains a major issue on roads worldwide, and it creates a significant risk for both drivers and passengers. The impacts of driver fatigue are well recognized, as they cause slower response times and lower concentration, which greatly raise the likelihood of accidents. To address this critical concern, this study aims to create an Anti-Sleeping system [3].

1.1 LITRATURE SURVEY

Auto-driver drowsiness can be detected with the help of artificial intelligence and visual data. The system is designed to detect, track, and analyse the faces and eyes of drivers, creating a real vehicle image that is different from the driver's actual face. This helps in testing the algorithms effectively. It operates in real time and works well under different lighting conditions. The number of accidents has increased for several reasons, one of which is the use of a video-based approach [1]. In this system, the researcher developed a device that monitors the driver's face as the car begins to move. This helps track and record eye blinks in real time. A speed control system is also used to monitor the car's speed and send an alert to the

driver if the speed starts to decrease. This alert is sent using a camera already installed in front of the driver. The system has two main parts: one for predicting the rate of eye blinks and another for controlling the night vision camera. The study clearly shows how detecting tiredness can help prevent accidents. When the control system sends input [6].

1.2. BLOCK DIAGRAM



II. HARDWARE COMPONENTS

2.1 Arduino Nano

The Nano is a small, fully featured, and user-friendly board that uses the ATmega328P microcontroller. It was developed in 2008 and provides similar connectivity and functionality as the Arduino Uno, but in a more compact form. The Arduino Nano includes 30 male I/O pins arranged in a DIP-30 configuration, and it can be programmed using the Arduino Software IDE, which is compatible with all Arduino boards. It can be used both while connected to the internet and without an internet connection. The board can be powered through a mini-USB type-B cable or by connecting a 9V battery [3].



2.2 IR Sensor

An infrared sensor is a device that doesn't need to send out its own light but instead captures light that's already present in the air. It can sense the heat given off by objects and tell when something is moving. Most things around us give off a type of energy called thermal radiation, which is part of the infrared spectrum. This kind of energy can't be seen with the naked eye. But an infrared sensor can pick it up. The sensor uses a part called a photodiode, which reacts to the same kind of infrared light that comes from an IR LED. When the infrared light hits the photodiode, it creates a signal or response [3].

2.3 Eye Glasses / Spectacles:

The eye blink system has an IR sensor attached to the device, which the user can wear like normal glasses, as shown in the picture below. The Eye Blink Sensor is a basic sensor that detects eye blinks and eye movements. It uses a simple infrared sensor to check if the person's eye is closed, and the data gathered can be used in any logic or process required for the specific application.

2.4. PIEZO BUZZER:

The piezo buzzer produces sound through the reverse piezoelectric effect. When electricity is sent through a piezoelectric material, it causes the material to bend or stretch. These buzzers are used to signal or warn people based on the input they receive. They are commonly found in alarm systems and car parts. The buzzer creates a loud sound regardless of how much voltage is applied. Inside the buzzer, there are piezo crystals sandwiched between two metal plates. When electricity is applied, the crystals push one metal plate and pull the other. This movement creates vibrations,

which form a sound wave. Most buzzers generate sounds in the range of 2 to 4 kHz. The Red connector is connected to Input and the Black connector is connected to Ground!

2.5 Arduino USB Connector:

The Arduino USB connector is a cable that allows the Arduino board to communicate with a computer. It serves two main purposes: it enables you to upload code to the microcontroller and also provides power to the device. These cables come in various types, such as Type-A to Type-B or Type-C, depending on the specific Arduino board you're using. Taking good care of the cable helps ensure that data transfers smoothly and prevents any connection issues that could interfere with your project's performance.

2.6. Jump Wires

ump wires, also known as DuPont wires, are flexible electrical connectors that allow you to link parts of a circuit without using solder. These wires come in various connector types, such as male-to-male, female-to-female, and male-to-female, which makes them easy to use with breadboards and other electronic components. They are great for quickly setting up and testing circuits, which saves time and ensures strong electrical connections. They are available in multiple colours to help distinguish between different parts of a circuit.

Functions of the Components

IR Sensor: It is an electronic device used to detect some objects near-by surroundings. It detects the movement of an object. In this project we used IR Sensor as an input to detect the moment of eye-blink.

Arduino Uno Smd: The Arduino Uno SMD is a microcontroller board based on the ATmega328. It has 20 digital input/output pins (of which 6 can be used as PWM

outputs and 6 can be used as analogy inputs), a 16 MHz resonator, a USB connection, a power jack, an in-circuit system programming (ICSP) header, and a reset button.

Buzzer: A piezo Buzzer is used to get output of the executed program and any errors occurs in process an immediate buzzer is generated.

III. METHODOLOGY

1.System Architecture:

Hardware Components: Gather all the physical parts needed, such as the infrared (IR) sensor, Arduino Uno microcontroller, buzzer, and a motor that acts like a virtual tire.

Circuit Design: Create a circuit on a breadboard to connect all the components properly. Sensor Integration:

IR Sensor Placement: Place the IR sensor in a way that it can accurately track the driver's eye movements.

Data Collection: Set up the Arduino Uno to receive and record real-time information from the IR sensor, especially changes in the eye's state.

2.Algorithm Development:

Data Processing: Write a program that analyses the incoming data and looks for patterns that show the driver is closing their eyes for too long.

Threshold Setting: Decide on a time limit, like 3 seconds, to determine when drowsiness is detected based on the data.

3.System Response:

Buzzer Activation: Make sure the system triggers the buzzer right away when drowsiness is detected, giving the driver an alert sound.

Motor Intervention: Write code to stop the motor from spinning, which represents a virtual tire, as a way to prevent a possible accident.

4.Software Integration:

Arduino IDE Programming: Use the Arduino IDE to write and send the program to the Arduino Uno so it works well with the hardware.
Real-Time Monitoring: Set up a way to watch how the algorithm works and how the system responds in real time.
5.Testing and Calibration:
Simulation: Test the system in a controlled environment to check if it works as intended.
Calibration: Adjust the settings and thresholds through repeated testing to make the system perform better.

3.1. PROJECT WORKING AND RESULT
Working Principle
The proximity sensor keeps an eye on the driver's eyes to check if they are open or closed.
1.It sends out infrared light toward the eyes and measures how much of that light bounces back. If the eyes remain closed for a long time, it could mean the driver is getting sleepy.
2.Another type of sensor, such as a piezoelectric sensor or an accelerometer, can be placed on the driver's seat or near their head. This sensor detects head movements or changes in position, which can be signs that the driver is becoming drowsy.
3.The Arduino Uno is used to process the data from the sensors.
4.It receives signals from both the proximity sensor and the other sensors. If it detects that the eyes are closed or if there are movements indicating the driver is tired, the Arduino will trigger an alarm.
5.When the Arduino detects that the driver is asleep, it activates an alarm, such as a buzzer or a piezo speaker, to wake them up.
6.The alarm might be a loud sound, bright light, or both, depending on the system's design. The warning continues until the driver shows they are awake and attentive.
7.The system can be powered using a 9V battery.
This basic setup can be expanded and modified to include extra functions such as collecting data or linking with other vehicle safety systems. Remember that how effective this system is may vary, so it's crucial to ensure it doesn't distract the driver or create new safety problems. When constructing and installing alarms, always prioritize safety to help prevent driver fatigue while on the road.

RESULT



Anti-sleep alarms have been effective in improving safety and reducing accidents caused by fatigue, especially in jobs such as driving and working in factories. These alarms alert people when they begin to feel drowsy, helping them stay alert and avoid dangerous situations. Studies and real-world applications show that these alarms help people respond more quickly and stay focused during long or demanding tasks. While they are helpful right away, the best long-term results happen when they are used together with proper sleep habits and sufficient rest for overall safety and well-being.

IV. FUTURE SCOPE & CONCLUSION

4.1 FUTURE SCOPE:
Anti Sleep Alarm System: Reducing Road Accidents
Although the prototype worked really well and gave good results, real-world situations will be much harder and more challenging.
This system is designed to help reduce and prevent road accidents that occur when drivers fall asleep.
It can be installed in every high-end vehicle to keep accidents from happening. The system can tell when someone is sleepy and only sounds an alarm when it's actually needed, like when the driver is asleep. Because it's small and easy to carry, it can be used in many different situations. Even if there are some limits on performance, cost, or changes, the new and exciting design of this important invention is ready to make driving safer across all kinds of industries**.**
4.2 CONCLUSION
An anti-drowsy alarm system provides a useful method to improve road safety by helping drivers stay alert and lower the chances of accidents. This technology can act as a tool to encourage careful and responsible driving by identifying signs of fatigue. It is important to think about the ethical aspects of using such systems, like possible privacy issues and how

they might affect how drivers behave. The system should be introduced in a way that values sustainability in all its forms—environmental, social, and economic—to ensure it is practical in the long run and used responsibly. This could mean creating solutions that use energy efficiently and making sure the system supports both personal safety and general road safety. A sustainable and ethical approach can help create a balanced solution that takes care of driver well-being, road safety, and economic practicality. When adding these systems, it is important to consider these values to achieve real and lasting improvements. Overall, while this system can help reduce accidents and encourage safer driving, its introduction needs to be thoughtful and well-planned. Finding a good balance between using technology, thinking about ethics, and being sustainable will lead to a more responsible and effective way to keep road users safe and improve driving habits.

V. APPLICATION

1.This device can be used in high-end car manufacturing to help prevent accidents.
2. It's not just for drivers; it's also very important for other uses like ATM security, guarding, and military base security.

REFRENCE

[1] Authors: Dr. P. Chandra Sekhar, K. Srilaxmi Reddy, K. Sri Vidya Reddy, G. Sanjana Bhargavi, D. Manasa DOI Link: https://doi.org/10.22214/ijraset.2023.56505 Certificate: View Certificate

[2] Review on to Design and Develop an Anti-Sleep Alarm for Drivers Ankit W Kolarkar, Nisha R Sontakke, Gaurav A Kukadkar, Yogilesh K Gujar, Prof. Achal Kamble, Prof. Nutan Dhande, Prof. Abhishek K Singh Student, Department of Computer Engineering, Agnihotri College of Engineering (nagthana), Wardha, India International Research Journal of Engineering and Technology (IRJET) e-ISSN: 2395-0056 Volume: 11 Issue: 04 | Apr 2024 www.irjet.net p-ISSN: 2395-0072

[3] ANTI SLEEPING ALARM SYSTEM Shaishavi Parikh, Shubham Yadav, Vinayak Kapoor, Aditya Rajbhar Ayush Nanaware International Research Journal of Engineering and Technology (IRJET) e-ISSN: 2395-0056 Volume: 11 Issue: 04 | Apr 2024 www.irjet.net p-ISSN: 2395-0072,

[4] ANTI SLEEP ALARM FOR DRIVERS 1 P. Sandeep Chary,2 S. Pranay,3N. Sai Kishore,4M. Ravi Kumar 123Student,4 Professor Department of Electronics and Communication Engineering ACE Engineering College, Medchal-501301 Journal of Engineering Sciences Vol 14 Issue 06,2023

[5] SMART ANTI SLEEP ALARM FOR DRIVERS B. KALAIVANI1, B. VAIDEHI2, K. MUNEESWARI3, B. MURUGALAKSHMI4 1, 2 Assistant Professor, Dept. of Computer Science, Sri Ramasamy Naidu Memorial College (Affiliation of Madurai Kamaraj University), Sattur-626 203, Tamil Nadu, India 3, 4 UG Student, Dept. of Computer Science, Sri S. Ramasamy Naidu Memorial College (Affiliation of Madurai Kamaraj University), Sattur-626 203, Tamil Nadu, IndiaInternational Research Journal of Engineering and Technology (IRJET) e-ISSN: 2395-0056 Volume: 12 Issue: 04 | Apr 2025 www.irjet.net p-ISSN: 2395-0072

[6] International Journal for Multidisciplinary Research (IJFMR) E-ISSN: 2582-2160 ● Website: www.ijfmr.com ● Email: editor@ijfmr.com Anti-Sleep Alarm for Drowsiness of Driver Prof. Mukund Kulkarni1 , Manish Dhane2 , Advay Dhule3 , Prathmesh Dhongade4 , Prajakta Dhole5 1,2,3,4,5Department of Multidisciplinary Engineering (DOME), Vishwakarma Institute of Technology, Pune, 411037, Maharashtra, India