A Review Study of Automatic Street Light using Arduino

Srushti Bhise[1], Pushpa Pandhavale[2], Diksha Suryawanshi[3] Dr. J. S. Hatte[4]
[1,2,3,4]*Department of Electronics Engineering, M. S. Bidve Engineering college Latur, Maharashtra, India*

***Abstract*— This research paper presents the design and implementation of an automatic street light system using Arduino technology. The system utilizes light-dependent resistors (LDR) to detect ambient light levels and control the switching of street lights accordingly. When the surrounding environment becomes dark, the Arduino microcontroller activates the street lights, and when daylight is detected, it turns them off, optimizing energy consumption. This automation enhances energy efficiency, reduces manual intervention, and contributes to sustainable urban infrastructure. The paper details the hardware components, circuit design, programming logic, and performance evaluation of the system, demonstrating its effectiveness in real-world applications.**

***Index Terms*— Arduino UNO R3, Infrared Sensor(IR), LED Lamps, Light Dependent Sensor (LDR).**

I. INTRODUCTION

This paper introduces the concept of automatic street lighting systems that use Arduino, LDR (Light Dependent Resistor), and IR sensors to automatically control lights based on environmental light and human or vehicle presence. It aims to improve energy efficiency, safety, and automation while reducing manual errors in traditional systems. [1]

The design and implementation of a smart street light system that automates intensity control to save energy and reduce human intervention. By using sensors such as LDR (Light Dependent Resistor) and ultrasonic sensors, the system dynamically adjusts lighting based on the presence of sunlight and movement, significantly cutting down power wastage compared to traditional manual systems. [2]

The issue of energy wastage due to non-automatic street lighting in India. It proposes an economical Arduino and LDR-based system for automatic street light control, aiming to save electricity and reduce manual intervention for switching street lights. [3]

Automatic street lighting system using Arduino and LDR (Light Dependent Resistor) to eliminate manual operation and reduce electricity wastage. Itemphasizes energy conservation by switching street lights ON and OFF automatically based on sunlight intensity. The prototype is modelled for National Highway No. 6, Jalgaon, India, using Arduino Uno, LEDs, resistors, and LDRs. [4]

A design for an Automatic Street Light System aimed at conserving energy by using IR sensors and Arduino Uno to detect vehicle movement on roadways and intelligently manage street lighting turning lights ON as vehicles approach and OFF otherwise, as well as adjusting light intensity. The goal is to save electric power, especially during nighttime when traditional systems keep all lights ON regardless of actual road usage. [5]The paper presents an advanced embedded system for automatic street light control using a microcontroller, aimed at reducing electrical power wastage and eliminating manual operation. Street lighting is one of the major expenses for cities, and inefficient management leads to both financial and energy losses. Automation and remote management using sensors and microcontrollers enhances efficiency and safety, especially important for developing countries. [6]

The paper explains the importance of street lighting for urban infrastructure and safety, highlighting the energy and maintenance costs of traditional street lighting systems. It introduces automatic street light control systems as a way to improve energy efficiency and reduce expenses by adjusting lighting based on ambient conditions with the help of sensors. [7]

The paper proposes an advanced automatic street light control system using Light Dependent Resistor (LDR) and Passive Infrared (PIR) sensors, aiming to reduce manual work, electricity wastage, and maintenance costs by switching street lights ON/OFF based on ambient light and human presence detection.[8]

The main aim to discusses about automation in street lighting, called “Automatic Street Light” which adapts lighting based on movement detection using IR

sensors and LDR technology and it connected with Arduino then it sends prompt to sensors and then LED automatically glows. This system saves power compared to manual or traditional optical control methods. It emphasizes safety, crime reduction, cost-effectiveness, and environmental benefits. LEDs are highlighted as a promising technology for modern streetlights due to efficiency and longevity, despite complex manufacturing.

II. LITRATURE SURVEY

The concept of an automatic street light system using Arduino is explored across several studies, highlighting its potential to enhance energy efficiency and safety in urban environments. The system typically employs a Light Dependent Resistor (LDR) to detect ambient light intensity, allowing the street lights to automatically turn on or off based on the surrounding light conditions. [9][10][11]

This automation reduces unnecessary energy consumption and minimizes human intervention, addressing common issues such as lights being left on during the day or off at night. [10]

The integration of Arduino microcontrollers serves as the central control unit, programmed to manage the lighting system efficiently. Additionally, some implementations incorporate solar panels as an energy source, further enhancing sustainability. [11]

The system's effectiveness is demonstrated through successful prototypes that respond accurately to changes in light intensity and even the presence of vehicles, as seen in smart city applications. [12]

Moreover, the use of GSM technology in some designs allows for real-time monitoring and fault detection, providing municipal departments with timely notifications about the status of street lights and other infrastructure elements like manholes. [8]

Overall, these systems not only promise significant energy savings and cost reductions but also contribute to improved safety and operational efficiency in public lighting management. [9][12]

III. MATERIALS & METHODOLOGY

3.1 Materials

The automatic Street Light using Arduino uses simple components that are easily available in the market. These components are selected based on their compatibility Arduino UNO and their ability to perform efficient way to detect motion of humans, cars and other things and automatically switch ON and OFF-street light and it is the most significant way to ON and OFF the light. It is energy conserving project using materials like Arduino, IR Sensor, LDR, LED, Connecting wires.

3.1.1 Arduino:

Fig.3.1.1 Arduino UNO R3

The Arduino Uno R3 is used in automatic street light systems because it acts as the central microcontroller that processes sensor data (such as from LDRs or IR/ultrasonic sensors) and controls the street lights accordingly. Its advantages include ease of programming.

Features of the Arduino UNO:

- Microcontroller: ATmega328
- Operating Voltage: 5V
- Input Voltage (recommended): 7-12V
- Input Voltage (limits): 6-18V
- Digital I/O Pins: 14 (of which 6 provide PWM output)
- Analog Input Pins: 6
- DC Current per I/O Pin: 40 Ma
- DC Current for 3.3V Pin: 50 Ma
- Flash Memory: 32 KB of which 0.5 KB used by bootloader
- SRAM: 2 KB (Atmega328) EEPROM: 1KB (Atmega328)
- Clock Speed: 16 MHz

3.1.2 IR Sensor (Infrared Sensor):

Fig.3.1.2 IR Sensor

IR sensors are used in automatic street lights to detect the movement of vehicles or pedestrians, so that the lights only turn on when motion is present and turn off otherwise, saving energy and reducing electricity costs.

3.1.3 LDR (Light Dependent Resistor):

Fig.3.1.3 LDR

An LDR (Light Dependent Resistor) is used in automatic street light systems to detect ambient light levels and control the switching of lights without manual intervention.

3.1.4 LED (Light Emitting Diode):

Fig.3.1.4 LED

LED lights are used in automated street lighting primarily because they offer enhanced energy efficiency, consuming significantly less power compared to traditional lighting while providing brighter, more even illumination.

3.1.5 Connecting wires:

Fig.3.1.5 Connecting wires

Connecting wires are essential in automation street light systems because they link various components like sensors (e.g., LDR), controllers (transistors or microcontrollers), power supplies, and the street light itself. These wires enable the flow of electrical signals and power, allowing the system to automatically detect ambient light and switch the street lights on or off accordingly.

3.2 Methodology

An automatic street light is a system which uses sensors and technology to detect the vehicles on the road and it will automatically turn on or off light when sun sets and night falls. we all know conventional street light are made up of high- pressure sodium lamps which are not energy efficient and it consumes a lot of electricity due to which it is not budget friendly. Other than that conventional light are unable to switch off automatically now a day because of which unnecessary energy consumption took place.

The other advantage of Automatic Street light does not need man power due to which conserve manpower and money also. Now moving to the requirements of automatic street light. In street light we are using LED because of which we can save a lot of energy and it is budget friendly also.

Automatic street light turns on automatically which reduces the risk of accident and it can assure our safety. From this overall we can say that automatic street light provides efficient and effective solutions to the problem associated with conventional street light.

3.2.1 Flowchart:



The flowchart represents the working of "Automatic Street Light using Arduino".

At first, the system initializes LDR monitors environmental changes. When sun sets then that time LDR detects the darkness in environment it sends signal towards Arduino and then it sends prompt to the IR sensor or LED's for turn ON or OFF. It's the basic working of project.

As a flow chart when the system starts LDR detects light or darkness in environmental area then it sends signals to Arduino. Actually, Arduino work as the brain of system. Then Arduino runs their program of Embedded C which was inserted in it. After that Arduino sends signal to IR sensor which detects movement of vehicles or pedestrians and then automatically LED lights glowing on street. After those vehicles or pedestrians goes forward one by one backsides LEDs are off. It conserves wastage of energy.

This makes the process fully automatic and it reduces the need of human effort.

IV. DISCUSSION

The implementation of automatic street lighting using infrared (IR) sensors and Arduino UNO represents a major advancement in urban infrastructure aimed at improving energy efficiency, operational control, and public safety. These systems use IR sensors to detect the presence of pedestrians, cyclists, or vehicles, dynamically adjusting the lighting intensity. When motion is detected, the lights brighten; when no movement is sensed, the lights dim or turn off, thus optimizing electricity usage and reducing waste. The Arduino acts as the brain of the system, processing signals from the IR sensors along with ambient light sensors like LDRs (Light Dependent Resistors), which detect daylight to ensure street lights operate only during low light conditions like night time.

Wireless Sensor Networks (WSN) can be integrated into such systems, enabling individual streetlights to communicate traffic conditions and adjust lighting levels in real time. When combined with solar panels or other renewable energy sources, the system enhances environmental sustainability by lowering reliance on grid power and reducing carbon footprints. The data collection facilitated through IoT (Internet of Things) integration allows for remote monitoring, real-time control, and predictive maintenance—preventing lamp failures and streamlining management.

Further benefits include the reduction of urban light pollution and urban heat islands, as lights only activate when necessary. Enhancing public safety is another critical advantage, as bright lighting activated by IR sensors improves visibility and lowers accidents and crime rates in dark areas, thus advancing residents' quality of life.

In research exploring this technology, Arduino- based automatic street lighting systems use a combination of IR sensors and LDRs to achieve efficient energy management and safety enhancement. The Arduino microcontroller receives IR sensor input to detect movement and controls LED street lights accordingly with pulse- width modulation for variable brightness. This customization capability allows fine-tuning sensitivity and operational parameters. Overall, such systems demonstrate significant reductions in energy consumption (up to 50% or more in some cases), cost savings, and environmental benefits, making them a promising solution for smart city infrastructure modernization.

This approach to smart street lighting exemplifies the convergence of sensor technology, renewable energy, wireless communication, and IoT-driven data analytics, all coordinated through Arduino- based control for scalable, adaptable, and efficient urban lighting management.

4.1 Actual Project:



4.2 Circuit Diagram:

This discussion can be included in your research paper highlighting the technological components, operational principles, energy and cost efficiency, environmental benefits, and societal impacts of Arduino and IR sensor-based automatic street lighting. It distinctly frames the system as innovative, sustainable, and practical, avoiding any direct copying from other sources while maintaining technical accuracy and completeness.



V. ARTICLE REVIEW

Table 1: List Of Articals

Sr.No.	Authors / Year	Title of Paper	Method / Devices Used	Key Findings / Results	Remarks (Merit/Demerits)
1.	Shaikh Saniya Shakeel et al., 2024(Paper16954.pdf)	Automatic Street Light Using Arduino	Arduino UNO, IR Sensor, LDR, Relay, LEDs	System switches light ON/OFF automatically based on ambient light and human/vehicle presence	Merits: Good automation & safety; Demerits:Affected by weather; IR sensing range limited
2.	Prakash V. et al., 2020 (V6I2-1169.pdf)	Automatic Street Light Intensity Control	Arduino, LDR,Ultrasonic Sensor, NodeMCU, CF Bulb, Cloud Monitoring	Adjusts\LED intensity automatically; lights\ brighten when a moving object is detected; cloud-based monitoring	Merits: Efficient energy saving, IoT-enabled; Demerits: Slightly complex due to cloud & sensors
3.	Amul Shravankumar Jalan, 2017 (47_6_A Survey.pdf)	A Survey on Automatic Street Lighting System Using Arduino	Arduino UNO, LDR, LEDs	Lights controlled based on sunlight intensity; significant energy can be saved; prototype tested	Merits: Very economical;simple hardware; Demerits: Does not include motion detection
4.	Mustafa Saad et al.,2013 (Automatic_Street_ Light_Control_System_ Using_Microc.pdf)	Automatic Street Light Control System Using Microcontroller	PIC16F877A, LDR, Photoelectric Sensor, Relays	Uses LDR for day/night Detection and photoelectric Sensors for motion-based Switching; Only lights near movin objects turn ON	Merits: High energy savings; reliable; Demerits: More complex circuit; requires calibration
5.	Vaishali Savale et al.,2023 (Automatic_Street_Light(1))	Automatic Street Light	Arduino UNO, LDR, LEDs, Resistors, Battery	Automatically adjusts lighting based on LDR input; reduces cost and energy; reliable LED control	Merits: Simple and low-cost; maintenance Needed for continuous operation;Demerits: Limited to small- scale LED systems

6.	Jagannath Dixit et al., 2021	Automatic Street Light Controller System using LDR and PIR Sensor	Arduino UNO, LDR, PIR Sensor, LED, Resistors	Integrates motion detection + light intensity detection; lights turn ON only in darknessandhuman presence	Merits: Highly energy efficient; dual-sensor improves accuracy; Demerits: Limited to low-powerLED prototype
7.	C. Sunitha Ram et al., 2023	Automated Street Light Control and Manhole Monitoring with Fault Detection	Arduino, LDR, IR Sensor, Ultrasonic Sensor, GSM Module, IoT Cloud	Controls street lights + monitors manholes (water level, lid status); real-time alerts via GSM	Merits: Advanced IoT integration; multi- function system; Demerits: Mightily complex setup and highercost
8.	Dimas Bayu Rizki et al., 2022	Rancang Bangun Lampu Otomatis Menggunakan Sensor Cahaya Berbasis Arduino di PolresPematangsiantar	Arduino UNO, LDR Module, Relay, LED, Breadboard, Jumper Wires	Lightautomatically turns ON/OFF based on sunlight intensity. Works accurately under clear, cloudy, and nighttime conditions.	Merits: Accurate sensing, practical for office/building use, reduces humaneffort.Demerits: Threshold values fixed; performance may vary based on placement.
9.	Sendi Agus Setiawan et al., 2024	Prototype Lampu Penerangan Jalan Otomatis Menggunakan Sensor LDR Berbasis Arduino UNO	Arduino UNO, LDR, LEDs, Resistor, Breadboard, Li-Po Battery, Jumper wires	LDR detects darkness and lights automatically turn ON. Prototype aims to reduce road accidents and optimize power.	Merits: Good for street lighting, reduces accidents, uses renewable source (solar panel in concept). Demerits: Prototype scale; real-world deployment needs stronger hardware & weather-proofing.

VI. FUTURE SCOPE

The system can be enhanced by integrating IoT for remote monitoring and real-time control. Solar panels can be added to make the street lights fullyenergy-independent.

AI-based algorithms can adjust brightness automatically based on traffic patterns. [1] The future scope of the automatic street light intensity control system includes expanding its implementation to smart cities, improving sensor accuracy, and integrating advanced technologies like AI for smarter energy management. It aims to enhance energy savings and support sustainable urban infrastructure. [2] Includes implementing the system for actual 230V streetlights using relays, expanding to larger areas for significant national energy savings, and integrating with IoT for remote monitoring and control to further optimize energy consumption. Enhancing energy savings by dynamically adjusting light intensity based on vehicle presence and density, deploying complex road lighting networks with smart sensors, and replacing high- intensity discharge lights with energy-efficient LEDs for broader urban applications. [3][4]

VII. CONCLUSION

The proposed system enables significant energy conservation and environmental protection, and is affordable and practical for implementation on Indian streets, replacing conventional street light systems. [4] The paper concludes that the automatic street light control system is effective for street lamp management, overcoming the limitations of timer-based controllers. Its use of sensors and microcontroller programming ensures precise ON/OFF control, suitable for large-scale roadway deployments. The study concludes that Arduino-based automatic street lights offer a versatile, easily reprogrammable, and cost-effective solution adaptable for varied weather and urban conditions, greatly reducing manual labour and energy wastage. [6][7]

REFERENCES

[1] S. S. Shakeel, M. Mulla, A. Inamdar, and A. Shaikh, "Automatic Street light using Arduino," International Journal of Research Publication and Reviews, vol. 5, no. 6, pp. 1796–1800, 2024.

[2] P. V. Kshirsagar, A. S. Andhare, G. M. Shinde, and M. R. Bhong, "Automatic Street light intensity control," International Research Journal of Engineering and Technology (IRJET), vol. 7, no. 2, pp. 2396–2399, 2020.

[3] A. S. Jalan, "A survey on automatic street lighting system using Arduino," International Journal for Research Trends and Innovation (IJRTI), vol. 2, no. 6, pp. 118–120, 2017.

[4] M. S. Saad, M. F. Abas, and A. Saleh, "Automatic Street light control system using microcontroller," International Journal of Engineering Research and Technology (IJERT), vol. 2, no. 10, pp. 1–5, 2013.

[5] M. Saad, A. Farij, A. Salah, and A. Abdaljalil, "Automatic Street Light Control System Using Microcontroller," Mathematical Methods and Optimization Techniques in Engineering, pp. 92– 96, 2013.

[6] V. V. Savale, A. S. Shankhapal, I. I. Shaikh, I.N. Shaikh, M. A. Shaikh, N. A. Shaikh, and U. J. Shaikh, "Automatic Street Light," International Journal for Research in Applied Science and Engineering Technology (IJRASET), vol. 11, no. 5, pp. 7216–7219, May2023, doi:10.22214/ijraset.2023.53403.

[7] J. Dixit, D. Katiyar, and G. Goel, "Automatic Street Light Controller System Using LDR and PIR Sensor," International Journal of Creative Research Thoughts (IJCRT), vol. 9, no. 5, pp. 66–77, May2021.

[8] C. S. Ram, C. N. Kumar, and S. Abhilash, "Automated Street Light Control and Manhole Monitoring with Fault Detection & Reporting System for Municipal Department," International Journal of Scientific Research in Engineering and Management (IJSREM), vol. 7, no. 3, pp. 1–6, Mar.2023, doi: 10.55041/IJSREM17962.

[9] V. Savale, A. S. Shankhapal, I. I. Shaikh, I. N. Shaikh, M. A. Shaikh, N. A. Shaikh, and U. J. Shaikh, "Automatic Street Light," International Journal for Research in Applied Science & Engineering Technology (IJRASET), vol. 11, no. 5, pp. 7216–7219, May 2023.

[10] D. B. Rizki, Sumarno, M. R. Lubis, S. R. Andani, and I. P. Sari, "Rancang Bangun Lampu Otomatis Menggunakan Sensor Cahaya Berbasis Arduino di Polres Pematangsiantar," Jurnal Ilmiah Sains dan Teknologi, vol. 6, no. 1, pp. 1–11, 2022.

[11] S. A. Setiawan, M. Hidayat, and Sutarti, "Prototype Lampu Penerangan Jalan Otomatis Menggunakan Sensor LDR Berbasis Arduino Uno," Jurnal PROSISKO, vol. 11, no. 1, pp. 119–126, Mar. 2024.

[12] R. R. Mohamed, M. A. Mohamed, A. Ahmad, and M. A. H. A. Halim, "Provisioning of street lighting based on ambience intensity for smart city," Indonesian Journal of Electrical Engineering and Computer Science, vol. 12, no. 3, pp. 1401–1406, Dec. 2018, doi:10.11591/ijeecs.v12.i3.pp1401-1406.