

Formulation and Preparation of Antiseptic Herbal Balms

Umesh Kumar Yadav¹, Sabil Akhter², N.S Lodhi³, Swati Rathore⁴, R.B. Goswami⁵

^{1,2,3,4,5}Sagar Institute of Research Technology & Science – Pharmacy, Bhopal, Madhya Pradesh, India

Abstract—Herbal medicines have been used for centuries for the treatment of wounds, cuts, burns, skin infections, and several other skin-related problems. In recent years, interest in herbal products has increased significantly because people are becoming more aware of the side effects associated with synthetic chemical-based formulations. Herbal products are generally considered safer, more skin-friendly, and environmentally acceptable. Among various herbal topical preparations, antiseptic herbal balms are widely used because they provide antimicrobial, soothing, anti-inflammatory, and moisturizing effects.

Antiseptic herbal balms are semisolid formulations prepared using medicinal plant extracts, essential oils, waxes, oils, and pharmaceutical excipients. These balms are applied externally on the skin to reduce microbial growth, protect damaged tissues, and support wound healing. Medicinal plants such as neem, turmeric, aloe vera, tulsi, peppermint, eucalyptus, and clove are commonly used because they contain bioactive compounds possessing antibacterial, antifungal, antioxidant, and anti-inflammatory activities.

The effectiveness of a herbal balm depends on ingredient selection, extraction techniques, formulation methods, consistency, stability, spreadability, and storage conditions. Proper

formulation and evaluation are necessary to prepare safe and effective herbal products. This review paper discusses medicinal herbs, phytochemical constituents, pharmaceutical excipients, formulation principles, extraction methods, preparation techniques, evaluation tests, advantages, limitations, and future scope of antiseptic herbal balms.

I. INTRODUCTION

The skin is the largest organ of the human body and performs several important protective functions. It acts as a physical barrier that protects internal tissues from harmful microorganisms, environmental pollutants, chemicals, ultraviolet radiation, and physical injuries. Healthy skin prevents bacteria, fungi, and viruses from entering the body and helps

maintain normal body functions. However, when the skin becomes damaged because of cuts, burns, wounds, scratches, abrasions, or insect bites, microorganisms can easily enter the affected area and cause infection.

Skin infections are common health problems and may lead to redness, swelling, irritation, itching, pain, and delayed wound healing. In severe cases, untreated infections may spread to deeper tissues and create serious complications. Therefore, antiseptic preparations are widely used to prevent microbial contamination and support the natural healing process. Topical preparations such as creams, ointments, gels, lotions, and balms are commonly applied on the skin for therapeutic purposes. Among these formulations, herbal balms have gained significant popularity because they contain natural medicinal ingredients and generally produce fewer side effects. Antiseptic herbal balms are semisolid formulations prepared using medicinal herbs, essential oils, waxes, and pharmaceutical bases. These formulations help reduce microbial growth while also providing soothing and moisturizing effects on the skin. Traditional systems of medicine such as Ayurveda, Siddha, and Unani have used herbal preparations for centuries for the treatment of wounds and skin diseases. Ancient healers prepared herbal ointments and pastes by crushing medicinal plants and mixing them with oils, ghee, or natural waxes. Many medicinal plants used traditionally are still popular today because scientific studies have confirmed their therapeutic activities. Nowadays, consumers are becoming more aware of the side effects associated with excessive use of synthetic products. Some synthetic antiseptics may cause dryness, irritation, burning sensation, or allergic reactions. Due to these concerns, demand for herbal alternatives is increasing rapidly. Herbal products are considered safer, eco-friendly, and more compatible with the skin.

From a pharmaceutical perspective, preparation of a good herbal balm requires proper knowledge of medicinal plants, extraction techniques, excipients, formulation principles, stability studies, and quality control methods. The balm should possess smooth texture, pleasant odor, good consistency, proper spreadability, and effective antimicrobial activity.

II. HISTORICAL BACKGROUND OF HERBAL BALMS

The use of herbs for healing is not new. In fact, it is one of the oldest forms of medicine known to humankind. Civilizations such as the Egyptians, Greeks, Indians, and Chinese all used medicinal plants to treat wounds, skin disorders, and infections. In Indian traditional medicine, ingredients like neem, turmeric, tulsi, sandalwood, and aloe vera were widely used for skin care and wound healing. These plants were often ground into paste and combined with oils or natural fats to prepare ointments and protective applications. Such preparations were simple, but they were often effective enough to remain in use for generations.

Ancient Egyptian records also mention the use of beeswax and herbal oils in wound management. Greek physicians similarly prepared herbal ointments using olive oil and plant materials. These early examples show that the idea of using plants for skin protection has deep historical roots. Today, the same traditional knowledge is being studied with modern scientific tools. Researchers now examine which compounds are responsible for antimicrobial activity, which extraction methods work best, and which formulation conditions improve stability. In this way, modern herbal balm development connects traditional practice with pharmaceutical science.

III. SKIN INFECTION AND THE NEED FOR ANTISEPTIC BALMS

The skin acts as a barrier, but once that barrier is broken, microbes can easily enter and multiply. Skin infections may be caused by bacteria, fungi, or other microorganisms. Common organisms linked with skin problems include *Staphylococcus aureus*, *Escherichia coli*, *Pseudomonas aeruginosa*, and *Candida albicans*. When these organisms grow in damaged skin, they can cause redness, swelling, pain, itching, irritation,

delayed healing, and sometimes pus formation. Even small injuries such as minor burns, cracked skin, scratches, and insect bites may become infected if they are not treated properly.

Conventional antiseptic products are widely used, but they are not always suitable for every user. Some people experience dryness, stinging, allergy, or irritation after repeated application. This is one reason why herbal alternatives are gaining attention.

Antiseptic herbal balms are useful because they may reduce microbial growth while also keeping the skin moisturized and calm. The semisolid nature of the balm helps it stay on the skin surface, creating a protective layer. Many herbal ingredients also provide a cooling or soothing effect, which makes the product more comfortable to use during healing.

IV. MEDICINAL PLANTS USED IN ANTISEPTIC HERBAL BALMS

Several medicinal plants are commonly used in antiseptic balm formulations because they contain active constituents with useful biological activity.

Neem (*Azadirachta indica*) is one of the most important herbs in herbal skin care. It is known for antibacterial, antifungal, and anti-inflammatory properties. Compounds such as azadirachtin, nimbin, and nimbolide contribute to its therapeutic effect. Neem extract is often included in wound formulations because it helps control infection and supports skin recovery.

Turmeric (*Curcuma longa*) is another major herbal ingredient. Its key compound, curcumin, is known for antioxidant and anti-inflammatory activity. Turmeric has long been used for cuts, wounds, and swelling. One concern in formulation is that excessive turmeric may stain the skin or clothing, so the concentration must be chosen carefully.

Aloe vera (*Aloe barbadensis*) is highly valued for its soothing and moisturizing action. It gives a cooling sensation, helps reduce dryness, and supports the healing of burns and irritated skin. Because of its gentle nature, aloe vera is often used in products for sensitive skin.

Tulsi (*Ocimum sanctum*) is known in Ayurveda for its antimicrobial, antioxidant, and anti-inflammatory effects. It is often used in skin-related formulations for its cleansing and protective properties.

Tea tree oil (*Melaleuca alternifolia*) has strong

antimicrobial action and is particularly useful in products aimed at preventing bacterial and fungal growth. It is commonly used in acne care and skin-soothing products.

Eucalyptus oil (*Eucalyptus globulus*) contains cineole and gives a refreshing smell along with a mild antiseptic effect. It also produces a cooling feeling on application.

Peppermint oil (*Mentha piperita*) contains menthol, which creates a cooling and soothing effect. It may help reduce discomfort and improve fragrance.

Clove oil (*Syzygium aromaticum*) contains eugenol and is known for mild antiseptic and analgesic properties. It can add both therapeutic and sensory value to a balm.

V. PHYTOCHEMICAL CONSTITUENTS

Medicinal plants contain many chemical substances, often called phytochemicals that are responsible for their therapeutic action. The major groups include alkaloids, flavonoids, tannins, phenolic compounds, essential oils, and terpenoids. These compounds may act in different ways. Some weaken the structure of microbial cell membranes. Some reduce inflammation. Others neutralize free radicals and protect tissues from oxidative stress. A few help stimulate tissue repair and regeneration. In many cases, a combination of phytochemicals works better than a single isolated compound. This is one reason herbal formulations often use several plant ingredients together instead of relying on only one herb. The combined action may improve overall effectiveness and provide broader therapeutic support.

VI. PHARMACEUTICAL EXCIPIENTS USED IN HERBAL BALMS

A herbal balm is not made from plant extracts alone. It also requires excipients, which are supporting materials that give the balm its final shape, texture, and stability.

Beeswax is often used to increase firmness and help the balm hold its semisolid form. It also creates a protective barrier on the skin.

Petroleum jelly acts as a base and helps prevent moisture loss. It improves spreadability and gives the product a smooth feel.

Coconut oil works as an emollient. It softens the skin,

improves application, and helps distribute the active ingredients evenly.

Lanolin enhances smoothness and improves the overall texture of the balm.

Vitamin E is included mainly as an antioxidant. It helps reduce oxidation of oils and can improve product stability.

These excipients are essential because they affect not only the appearance of the balm, but also its comfort, shelf life, and usability.

VII. FORMULATION PRINCIPLES OF HERBAL BALMS

Making an effective herbal balm requires more than simply mixing ingredients. Each component must be selected carefully so that the final product is stable, skin-friendly, and easy to use. The first important point is ingredient compatibility. All materials should remain chemically stable when combined. If one ingredient reacts with another, the product may lose effectiveness or become unstable. The second point is consistency. A balm should not be too hard, because then it becomes difficult to apply. At the same time, it should not be too soft, because that can make the product messy and reduce its shelf stability.

Spreadability is another major factor. A good balm should spread smoothly on the skin without excessive rubbing. This improves patient comfort and encourages proper use.

Stability is especially important because many essential oils and plant extracts are sensitive to heat, light, and oxygen. If the preparation is overheated or stored badly, the active compounds may degrade.

Finally, the balm must be compatible with the skin. It should not cause burning, redness, itching, or allergic response. A good herbal balm should feel gentle while still delivering useful therapeutic activity.

VIII. EXTRACTION METHODS FOR HERBAL INGREDIENTS

Before herbs can be added to a balm, their active compounds often need to be extracted. Different methods are used depending on the type of plant material and the nature of the compounds.

Maceration is one of the simplest techniques. In this method, the dried plant material is soaked in a solvent for several days. During this time, the active

substances move from the herb into the liquid. The extract is then filtered. This method is easy, low-cost, and suitable for compounds that may be damaged by heat. However, it is slow.

Soxhlet extraction is more efficient and is often used when better extraction is needed. In this process, the plant powder is placed in an extraction chamber and a solvent is repeatedly heated and condensed. This allows continuous extraction of the active compounds. The main limitation is that heat-sensitive constituents may degrade.

Steam distillation is commonly used for essential oils. Steam passes through the plant material and carries the volatile oil components with it. The vapors are then cooled, condensed, and separated. This method is useful for aromatic oils such as eucalyptus and peppermint.

The choice of extraction method influences the quality of the final balm, because it affects the concentration and stability of the active compounds.

IX. SAMPLE FORMULATION OF AN ANTISEPTIC HERBAL BALM

A typical antiseptic herbal balm may include beeswax as the stiffening agent, petroleum jelly as the base, and coconut oil as the emollient. Herbal ingredients such as neem extract, turmeric extract, and aloe vera gel may be added for antimicrobial, anti-inflammatory, and moisturizing action. Small amounts of eucalyptus oil, peppermint oil, and clove oil can be added to improve fragrance, cooling effect, and therapeutic value. Vitamin E is often added in a small amount to protect the oils from oxidation. The actual quantity of each ingredient depends on the purpose of the balm, the desired texture, and the strength of the active ingredients. The formulator must ensure that the final product is balanced in terms of hardness, spreadability, and stability.

X. PREPARATION METHOD

The preparation of a herbal balm usually begins with cleaning all equipment and containers so that contamination is avoided. After that, all ingredients are weighed accurately. The balm base is prepared by melting beeswax and petroleum jelly together using a water bath. Direct heating is usually avoided because excessive heat may damage sensitive ingredients.

Once the base is melted, coconut oil is added slowly while stirring continuously. After the base is ready, the herbal extracts such as neem, turmeric, and aloe vera are mixed in carefully. The preparation is allowed to cool slightly before essential oils are added, because volatile components can evaporate at high temperature. Eucalyptus, peppermint, and clove oils are then incorporated. The mixture is stirred until uniform, so that all ingredients are evenly distributed. The semiliquid balm is then transferred into sterile containers and left to cool completely so that it solidifies into a smooth semisolid product.

XI. EVALUATION OF HERBAL BALMS

After preparation, the balm must be tested to check whether it is suitable for use. The first step is visual examination. The balm is checked for color, odor, texture, and uniformity. A good balm should have a pleasant appearance and should not show signs of separation.

Spreadability is also important. The product should spread easily on the skin without excessive pressure. This is a practical measure of user comfort.

The consistency of the balm should remain stable during storage. If the product becomes too soft, too hard, or oily, it may not be acceptable.

The pH should also be checked to ensure skin compatibility. A formulation that is too acidic or too alkaline may irritate the skin.

Skin irritation testing is necessary to confirm that the balm does not cause redness, burning, itching, or discomfort.

Finally, antimicrobial testing is carried out to see whether the product is effective against selected microorganisms. This helps confirm the real therapeutic value of the formulation.

XII. STABILITY STUDIES

Stability testing is carried out to determine whether the balm remains acceptable over time. During this process, the product is observed for changes in color, odor, texture, and physical structure. Phase separation is also an important sign of instability.

If the balm remains smooth, uniform, and odor-stable over the test period, it is considered more reliable for storage and use. Packaging has a strong influence on this outcome. Proper containers can protect the balm

from heat, light, moisture, and air, all of which may reduce quality.

XIII. ADVANTAGES OF HERBAL BALMS

Herbal balms offer several advantages. They are made from natural ingredients, which makes them attractive to people looking for alternatives to purely synthetic skincare products. They may also produce fewer side effects and are often more comfortable for regular skin application.

Their pleasant aroma is another benefit, especially when essential oils are used. Many users also prefer herbal products because they feel more gentle and environmentally friendly. In recent years, consumer interest in plant-based healthcare has increased significantly, and herbal balms fit this trend well.

XIV. LIMITATIONS AND CHALLENGES

Even though herbal balms have many benefits, they also face certain difficulties. One major problem is standardization. Plant materials can vary depending on soil, climate, harvesting time, and storage conditions. This means the same herbal formula may not always produce identical results.

Another challenge is stability. Natural ingredients may lose activity over time, especially if exposed to heat or light. Some products may also be vulnerable to contamination if prepared or stored improperly.

Shelf life is another concern. Compared with some synthetic products, herbal balms may have a shorter usable period unless they are formulated and packaged carefully. Maintaining consistency between batches is also a practical challenge.

XV. PACKAGING AND STORAGE

Herbal balms are commonly packed in glass jars, plastic containers, or metal tins. The selected container should protect the product from air, moisture, and contamination.

Storage should be in a cool place, away from direct sunlight. Airtight packaging is preferred because it helps preserve fragrance, texture, and stability. Good packaging is not only a matter of appearance; it also affects product performance and shelf life.

XVI. FUTURE SCOPE

The future of herbal balms looks promising. Pharmaceutical research is increasingly focusing on advanced herbal delivery systems such as nanoherbal formulations and liposomal approaches. These methods may improve absorption, stability, and targeted action.

Researchers are also working on better extraction techniques and more effective ways to preserve volatile compounds. As scientific tools improve, herbal balms may become more standardized, more stable, and more effective.

The strongest future direction lies in combining traditional knowledge with modern pharmaceutical technology. This combination may allow herbal products to remain natural while also meeting modern quality requirements.

XVII. CONCLUSION

Antiseptic herbal balms are valuable topical formulations used for protecting and healing damaged skin. They combine medicinal herbs, essential oils, waxes, and pharmaceutical excipients to provide antimicrobial, anti-inflammatory, soothing, and moisturizing effects.

The quality of such a product depends on many factors, including proper selection of herbs, correct extraction methods, suitable formulation techniques, careful evaluation, and good storage conditions. Although challenges such as standardization, contamination, and limited shelf life still exist, ongoing research is improving the quality and acceptance of herbal topical products.

Overall, antiseptic herbal balms represent a meaningful blend of traditional healing wisdom and modern pharmaceutical science. They remain an important area of study for researchers interested in safer, more natural, and effective skin care preparations.

REFERENCES

- [1] Lachman L, Lieberman HA, Kanig JL. The Theory and Practice of Industrial Pharmacy. 3rd ed. Bombay: Varghese Publishing House; 1987.
- [2] Aulton ME. Aulton's Pharmaceutics: The Design

- and Manufacture of Medicines. 4th ed. London: Churchill Livingstone; 2013.
- [3] Remington JP. Remington: The Science and Practice of Pharmacy. 21st ed. Philadelphia: Lippincott Williams and Wilkins; 2005.
- [4] Trease GE, Evans WC. Pharmacognosy. 15th ed. London: Saunders Publishers; 2002.
- [5] Kokate CK, Purohit AP, Gokhale SB. Pharmacognosy. 42nd ed. Pune: Nirali Prakashan; 2008.
- [6] Khandelwal KR. Practical Pharmacognosy. 19th ed. Pune: Nirali Prakashan; 2008.
- [7] Harborne JB. Phytochemical Methods: A Guide to Modern Techniques of Plant Analysis. 3rd ed. London: Chapman and Hall; 1998.
- [8] Mukherjee PK. Quality Control of Herbal Drugs. 2nd ed. New Delhi: Business Horizons; 2007.
- [9] Agrawal SS, Paridhavi M. Herbal Drug Technology. Hyderabad: Universities Press; 2007.
- [10] Sharma PP. Cosmetics: Formulation, Manufacturing and Quality Control. 4th ed. New Delhi: Vandana Publications; 2010.
- [11] Jain NK. A Textbook of Pharmaceutics. New Delhi: Vallabh Prakashan; 2012.
- [12] World Health Organization. WHO Guidelines on Good Manufacturing Practices for Herbal Medicines. Geneva: WHO; 2007.
- [13] Barel AO, Paye M, Maibach HI. Handbook of Cosmetic Science and Technology. 3rd ed. New York: Informa Healthcare; 2009.
- [14] Kapoor VP. Herbal Cosmetics for Skin and Hair Care. New Delhi: CBS Publishers; 2005.
- [15] Bruneton J. Pharmacognosy, Phytochemistry, Medicinal Plants. 2nd ed. Paris: Lavoisier Publishing; 1999.
- [16] Singh H, Kapoor VK. Medicinal and Aromatic Plants. New Delhi: CBS Publishers; 2006.
- [17] Anonymous. The Ayurvedic Pharmacopoeia of India. New Delhi: Ministry of Health and Family Welfare; 2001.
- [18] Indian Pharmacopoeia Commission. Indian Pharmacopoeia. Ghaziabad: IPC; 2018.
- [19] Chatterjee CC. Human Physiology. 11th ed. New Delhi: CBS Publishers; 2016.
- [20] Allen LV, Popovich NG, Ansel HC. Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems. 9th ed. Philadelphia: Wolters Kluwer; 2011.
- [21] Gennaro AR. Remington Pharmaceutical Sciences. 18th ed. Pennsylvania: Mack Publishing Company; 1990.
- [22] Kumar V, Abbas AK, Aster JC. Robbins Basic Pathology. 9th ed. Philadelphia: Elsevier; 2013.
- [23] Bentley R. Textbook of Pharmaceutics. 8th ed. New Delhi: CBS Publishers; 2002.
- [24] British Pharmacopoeia Commission. British Pharmacopoeia. London: The Stationery Office; 2019.
- [25] United States Pharmacopoeial Convention. United States Pharmacopoeia and National Formulary. Rockville: USP Convention; 2020.
- [26] Sharma RK, Dash B. Charaka Samhita. Varanasi: Chowkhamba Sanskrit Series Office; 2009.
- [27] Warriar PK, Nambiar VPK, Ramankutty C. Indian Medicinal Plants: A Compendium of 500 Species. Chennai: Orient Longman; 1996.
- [28] Evans WC. Trease and Evans Pharmacognosy. 16th ed. Edinburgh: Elsevier; 2009.
- [29] Parikh DM. Handbook of Pharmaceutical Granulation Technology. 2nd ed. New York: Marcel Dekker; 2005.
- [30] Indian Journal of Pharmaceutical Education and Research. Herbal Topical Formulations and Antiseptic Balm Studies. New Delhi: IPA; 2020.