

Smart Poultry Farming System

Akshay¹, Nithesh², Sanjay VP³, Pratham Shetty⁴, Ajay Prinston Pinto⁵

^{1,2,3,4}Department of AI & DS, SIT, Valachil, Mangalore – 574143, Karnataka, India

⁵Assistant Professor, Department of AI & DS, SIT, Valachil, Mangalore – 574143, Karnataka, India

doi.org/10.64643/IJIRTV12I12-206584-459

Abstract—Poultry farming represents a crucial agricultural activity yet its effective management becomes challenging because of various issues which include disease outbreaks and poor egg production and insufficient monitoring systems. The current procedures require employees to perform physical inspections that consume excessive time which prevents them from responding to emergencies. The research introduces a Smart Poultry Farming System which applies machine learning and deep learning technologies to enhance farm operations. The system utilizes CNN technology to identify diseases through poultry waste images and it uses image processing techniques to detect cracks in eggs. The system uses LSTM models to analyze historical farm information in order to forecast upcoming production levels and avian health conditions. The web-based dashboard provides clear data display while the notification system informs farmers about essential developments. The system allows farmers to monitor their operations from any location because they can access it using their smartphones. The approach enhances operational productivity while decreasing production losses and it enables farmers to adopt contemporary intelligent agricultural practices.

Index Terms—Poultry Farming, Smart Agriculture, Deep Learning, CNN, Image Processing, LSTM, Data Analytics

I. INTRODUCTION

Poultry farming represents one of the fastest-growing agricultural sectors which enables the industry to supply food for rising consumer needs. The industry delivers a dependable protein source through its production of eggs and meat while it generates income resources for numerous agricultural workers. The poultry industry requires multiple solutions to its operational difficulties because these problems reduce its output and financial success.

Poultry farms face their biggest obstacle which involves finding illnesses that affect their birds. The

identification of poultry diseases needs to occur promptly because infected birds can spread their illness throughout the flock and result in heavy financial losses. The process requires control of egg quality because damaged or cracked eggs decrease the total product worth. Farmers who use manual methods face obstacles because they need to track their complete operations through recordkeeping and activity monitoring.

Farmers still depend on old-fashioned methods which include visual examination and decision-making based on their acquired knowledge. The methods serve their purpose but they require extra time before they can help identify existing issues. The growth of farm operations makes it harder to perform manual supervision tasks.

Poultry farming practices gain enhancement through new developments which artificial intelligence and data analytics bring to the industry. The combination of deep learning and image processing and data visualization technologies enables the system to execute numerous automated processes while delivering immediate operational information.

The paper presents a Smart Poultry Farming System which combines various technologies to solve existing problems. The system uses disease detection and egg crack identification and trend analysis and remote monitoring to track its progress. This system allows farmers to attain enhanced operational performance while decreasing their waste and improving their decision-making ability.

II. LITERATURE SURVEY

The agricultural sector has undergone major transformations because artificial intelligence and machine learning technologies have become common in poultry farming operations. Researchers use deep learning techniques for their ability to detect and classify diseases. The studies conducted in [1], [2], [3],

[4], and [5] establish that Convolutional Neural Networks (CNN) and related deep learning methods can accurately detect poultry diseases through image analysis. The research presented in [6], [7], [8], [9], and [10] describes new methods which enhance diagnostic capabilities through the application of deep learning technologies and combined system solutions. Several studies have investigated how to create model implementations which operate at high efficiency while delivering real-time results. The research conducted in [11] shows how deep learning technology has become essential for contemporary applications while [12] explains Random Forest and other traditional machine learning methods. The research in [13] demonstrates how Long Short-Term Memory (LSTM) networks use time-series analysis to forecast upcoming trends. The authors of [14], [15], and [16] present key CNN architectures which include AlexNet and VGG and ResNet to demonstrate how these systems establish the basic structure used in agricultural image classification systems.

Agriculture research and smart farming research have experienced significant growth since their inception. The studies conducted in [17] and [18] demonstrate how machine learning technology enhances both agricultural productivity and farming decision-making processes. The research conducted in [19] and [20] presents smart poultry and livestock monitoring systems that employ IoT and machine learning technology to demonstrate how automated systems and continuous monitoring capabilities improve farm management operations.

The current research efforts discover image-based detection methods together with various unknown detection methods. The research found in [21] and [22] investigates CNN-based techniques which leverage transfer learning to conduct egg and poultry examination. The research presented in [23] introduces object detection methods which include YOLO to achieve better detection performance. The research presented in [24] develops computer vision systems which function as early warning systems while the research in [25] presents sound-based methods for disease detection through integration of multiple data sources.

The research in [26] [27] and [28] provides a comprehensive overview of machine learning developments and livestock monitoring systems. The

studies show that predictive modeling together with recurrent neural networks and precision livestock farming systems are essential components for successful implementation. The existing literature demonstrates that various individual solutions exist but researchers require a unified system which combines all three functions of detection and prediction and monitoring. The system proposes a solution to this issue by integrating various technologies into one unified platform.

III. PROPOSED SYSTEM

A) Disease Detection through Poultry Waste

The proposed system consists of multiple components which include different elements that work together to achieve specific objectives. The health of poultry birds can often be understood by analyzing their waste. The examination of the three body waste characteristics which include color and texture and consistency should be conducted because they provide information about potential health issues. The system captures poultry waste images which undergo processing through established image preprocessing methods. The CNN model which trained to classify images after preprocessing uses the trained model to distinguish between healthy and diseased categories. The system enables farmers to identify health problems at an early stage which allows them to execute preventive actions.

B) Egg Crack Detection

The success of poultry farming operations depends on the assessment of egg quality. Cracked eggs cannot be sold and may lead to losses. The system uses image processing techniques to detect cracks in eggs. The system performs egg image processing through edge detection and segmentation methods. A trained model then classifies the eggs as normal or cracked. The process guarantees that only high-quality eggs go through the selection process.

C) Trend Analysis

The system collects historical data about egg production, bird health, and farm conditions. The data analysis process uses LSTM time-series models as its primary tool for analysis. The system identifies patterns which enable it to forecast upcoming trends. Farmers use this information to enhance their resource

management because it helps them manage their entire farming operations.

D) Dashboard Visualization

The system creates an easy-to-use dashboard which shows all available information. The dashboard shows charts, graphs, and statistics related to farm performance. The design enables farmers to comprehend the data with simplicity while the system facilitates their decision-making process through understandability.

E) Notification System

The system includes an alert feature that notifies farmers about important events such as disease detection and abnormal conditions and scheduled activities. Notifications allow farmers to respond promptly which helps them stop problems from escalating into major issues.

F) Remote Monitoring

Farmers can access the system through both smartphone applications and web browser interfaces. This enables farmers to monitor their farms from any location which decreases the need for them to be present at the farm site.

IV. METHODOLOGY

The proposed system works through a sequence of well-defined stages, as illustrated in Fig.1. The system operates by first gathering data which includes images of poultry waste and eggs together with historical farm records. The collected images undergo preprocessing through OpenCV techniques which include image resizing and noise elimination to enhance their visual quality. The deep learning models which include Convolutional Neural Networks (CNN) operate after preprocessing to detect diseases and identify egg cracks. The system uses Long Short-Term Memory (LSTM) models to study past data and forecast upcoming patterns.

The processed data undergoes prediction and classification operations by the system. The results are displayed through a dashboard for easy understanding, and alerts are generated to notify the farmer in case of abnormal conditions. The steps which follow these procedures establish a system that delivers precise assessments and operates with optimal efficiency




Fig. 1: Flowchart of Working Process

V. SYSTEM ARCHITECTURE

The system operates with a layered architectural structure. The input layer collects data in the form of images and records. The processing layer uses machine learning models to perform data analysis. The storage layer keeps all data in a database. The output layer shows results through the dashboard and notifications. The system design achieves two benefits by enabling both system expansion and system maintenance.




Fig. 2: System Architecture of Smart Poultry Farming System

VI. IMPLEMENTATION DETAILS

The system implementation includes three components which are the frontend and backend and database that work together to deliver their intended functionality. The developers used web technologies to build the frontend which enables users to interact with the system while displaying real-time updates and visual information through charts and graphs that users can easily understand. The backend system uses Flask as its framework to execute data processing tasks and machine learning model integration and API communication functions. The database system maintains image files and prediction outcomes and historical farm records which help the system operate efficiently while maintaining optimal data management.

The system employs both machine learning and deep learning methods to execute its tasks of classifying images and making predictions and conducting analytical assessments. Convolutional Neural Networks (CNN) function as the core technology for poultry disease detection and egg crack identification which requires them to extract key image features that include patterns and textures. The system achieves training time reduction and accuracy enhancement through transfer learning which utilizes pre-trained models to create fine-tuned models for specific datasets.

Long Short-Term Memory (LSTM) networks enable the system to analyze historical data while forecasting future trends because they use memory cells and gating mechanisms to learn long-term dependencies in sequential data. The system employs Random Forest as its primary method for processing structured data which helps it make classification decisions through its ability to combine various decision trees for better accuracy while minimizing overfitting risk. The system processes various data types through algorithm integration which enables accurate results and dependable predictions while driving system performance improvements.

VII. DATASET DESCRIPTION

The dataset used in this project was collected from multiple publicly available sources on the Kaggle platform. The primary dataset includes poultry disease images obtained from the Chicken Disease Dataset

and Chicken Disease Image Classification datasets which contain labeled images of poultry fecal samples. The images in the dataset have been divided into various classes which include Coccidiosis Salmonella Newcastle Disease and Healthy birds. The dataset consists of thousands of images collected from real farm environments which provide practical data for disease detection.

The system used two datasets including disease datasets and an egg image dataset named Eggs Image Classification Damaged or Not which helped identify cracks and quality problems in eggs. The dataset contains labeled images of eggs which are categorized as damaged or normal and these images support the egg crack detection module of the system. The team used an enhanced structured version of the chicken disease dataset which includes training testing and validation sets to help develop models efficiently.

The team used preprocessing methods on the collected datasets before they started model training. The preprocessing steps require both image size adjustment to fixed dimensions and image normalization and noise elimination. The team used data augmentation techniques which included rotation and flipping and scaling to create more diverse dataset which helped enhance model performance. The datasets offer a dependable basis for training deep learning models which include CNN for image classification and LSTM for trend analysis in the proposed system.

VIII. PERFORMANCE ANALYSIS

The system performance evaluation uses metrics which include accuracy and precision and recall and F1 score. The system demonstrates strong performance for both disease detection and egg crack detection. The prediction models deliver dependable results which assist in analyzing future trends.

IX. APPLICATIONS

The proposed system can be used in poultry farms to improve daily operations and management. The system enables monitoring bird health which allows for early disease detection and egg inspection to identify damaged eggs. The system decreases manual work requirements while enabling farmers to make

swift decisions which results in higher productivity and decreased operational losses.

The system can also be used in smart agriculture setups where technology is used to manage farms efficiently. The system enables farmers to monitor their fields in real time while using data and visual outputs like charts and graphs to comprehend their agricultural environments. The system creates a structured system which helps farmers manage their agricultural operations.

The system enables food quality control testing which is essential for egg production. The system automatically detects cracks and defects in eggs which ensures that only high-quality products are chosen. The process helps organizations maintain their standards while decreasing the amount of waste produced.

The system enables farm data analysis which helps researchers track long-term trends in agricultural operations. The system enables users to track production and bird health trends which provides essential information for making decisions about farm development.

X. CONCLUSION

The Smart Poultry Farming System provides an effective solution for modern poultry management. The system uses machine learning together with data analytics to enhance operational efficiency while minimizing operational losses. The system enables farmers to monitor their farms through simple methods which help them make prompt decisions.

The system can become more effective through future enhancements, which will increase its value to users.

REFERENCES

- [1] Mbelwa, H., D. Machuve, and J. Mbelwa, "Deep convolutional neural network for chicken diseases detection," *International Journal of Advanced Computer Science and Applications*, vol. 12, no. 2, 2021.
- [2] Liu, Y., et al., "Poultry disease early detection methods using deep learning technology," *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 32, no. 3, pp. 1712–1723, 2023.
- [3] Tasdelen, A., et al., "Detection of high-risk diseases in poultry feces through transfer learning," *Journal of Engineering Science and Technology*, Art. no. 102002, 2025.
- [4] Joseph, S., et al., "Automating poultry disease detection using deep learning," *Journal of Smart Computing Systems*, vol. 4, no. 4, 2024.
- [5] Machuve, D., et al., "Poultry diseases diagnostics models using deep learning," *Frontiers in Artificial Intelligence*, vol. 5, Art. no. 733345, 2022.
- [6] Babatunde, A. O., et al., "Analysis of deep learning algorithm for predicting poultry diseases," Springer Nature, 2025.
- [7] Chidziwisano, G., et al., "Deep learning methods for poultry disease prediction," *Computers and Electronics in Agriculture*, 2025.
- [8] Mukumba, A., and M. Mutandavari, "Assessment of deep learning models for poultry disease detection and diagnostics," *International Journal of Innovative Science and Research Technology (IJISRT)*, 2024.
- [9] Dhungana, A., et al., "An integrated deep learning approach for poultry disease detection," *Agriculture*, MDPI, 2025.
- [10] Eskioglu, K., et al., "Transforming poultry health management with AI," *Turkish Journal of Agriculture*, 2025.
- [11] LeCun, Y., Y. Bengio, and G. Hinton, "Deep learning," *Nature*, vol. 521, no. 7553, pp. 436–444, 2015.
- [12] Breiman, L., "Random forests," *Machine Learning*, vol. 45, no. 1, pp. 5–32, 2001.
- [13] Hochreiter, S., and J. Schmidhuber, "Long short-term memory," *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, 1997.
- [14] Krizhevsky, A., I. Sutskever, and G. E. Hinton, "ImageNet classification with deep convolutional neural networks," in *Proc. Advances in Neural Information Processing Systems (NeurIPS)*, 2012, pp. 1097–1105.
- [15] Simonyan, K., and A. Zisserman, "Very deep convolutional networks for large-scale image recognition," in *Proc. Int. Conf. Learning Representations (ICLR)*, 2015.
- [16] He, K., X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in *Proc. IEEE Conf. Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 770–778.

- [17] Kamilaris, A., and F. X. Prenafeta-Boldú, “Deep learning in agriculture: A survey,” *Computers and Electronics in Agriculture*, vol. 147, pp. 70–90, 2018.
- [18] Liakos, K. G., et al., “Machine learning in agriculture: A review,” *Sensors*, vol. 18, no. 8, Art. no. 2674, 2018.
- [19] Astill, J., et al., “Smart poultry management: Smart sensors, big data, and the internet of things,” *Computers and Electronics in Agriculture*, vol. 170, Art. no. 105291, 2020.
- [20] Ahmed, S., et al., “IoT-based smart livestock monitoring using machine learning,” *Computers and Electronics in Agriculture*, vol. 196, Art. no. 106880, 2022.
- [21] Saifullah, S., et al., “Chicken egg fertility detection using CNN-transfer learning,” *arXiv preprint*, 2023.
- [22] Islam, A. K. M. S., et al., “Lightweight model for poultry disease detection from fecal images,” *arXiv preprint*, 2025.
- [23] Sabbella, A. S. R., et al., “YOLOv8-based poultry disease detection model,” *arXiv preprint*, 2025.
- [24] Aydin, A., “Early warning system for broiler chickens using computer vision,” *Computers and Electronics in Agriculture*, vol. 142, pp. 360–368, 2017.
- [25] Abidin, Z. U., et al., “Detection of poultry disease using sound and machine learning,” *Computers and Electronics in Agriculture*, vol. 168, Art. no. 105146, 2020.
- [26] Jordan, M. I., and T. M. Mitchell, “Machine learning: Trends, perspectives, and prospects,” *Science*, vol. 349, no. 6245, pp. 255–260, 2015.
- [27] Li, Z., et al., “Recurrent neural networks for poultry health monitoring,” *Computers and Electronics in Agriculture*, vol. 194, Art. no. 106741, 2022.
- [28] Berckmans, D., “General introduction to precision livestock farming,” *Revista Brasileira de Zootecnia*, vol. 46, no. 9, pp. 806–817, 2017.