

Retrieval-Augmented Generation (RAG) for Educational Chatbots Enhancing Accuracy, Personalization, and Student Learning Support

Amarnath Awasthi¹, Aditya Prajapati², Anshuman Singh³, Aditya Sachan⁴

¹ Assistant Professor, Axis Institute of Higher Education

^{2,3,4} Axis Institute of Higher Education

Abstract—Traditional large language models (LLMs) used in educational chatbots have a known tendency to produce factual errors, inaccuracies, and a lack of contextualization of information in relation to the learning subject matter. This restricts their usefulness as learning aids in a real classroom and self-study environment. Retrieval-Augmented Generation (RAG) aims to overcome these disadvantages by pairing with a retrieval system that accesses a large external, constantly refreshed knowledge base with a generative language model that generates the final response.

This paper aims to provide a detailed analysis on the educational chatbots based on RAG, including its architecture, retrieval and generation pipeline, a working methodology, and a proposed system design for educational applications like AI tutors, exam preparation, quiz generation, support for assignments, and answering specific questions on a course. We then explore the possibilities of adding a personalization layer to RAG based on students' profiles, which can be used to provide the depth, tone and level of response that each student needs, to facilitate adaptive and self-paced learning.

The paper compares RAG with conventional LLM-based chatbots and suggests a multi-dimensional framework for evaluating RAG, including evaluation of retrieval quality, faithfulness, and learning outcomes. The benefits of the approach, such as enhanced factual accuracy, availability of current information, lower hallucination risk and customizable aspects, are explored, alongside its drawbacks, such as inaccuracies in retrieval, data privacy, computational burden, and potential for residual hallucination. Finally, the paper outlines a proposed research framework and future research directions, including multimodal RAG, voice-driven AI tutors, adaptive tutoring agents, learning analytics integration, and autonomous AI teaching agents, highlighting the potential of RAG as a key technique for the future of smart education.


Index Terms—Retrieval-Augmented Generation (RAG), Educational Chatbots, AI-Based Tutoring, Personalized Learning, Large Language Models (LLMs), Vector Databases, Adaptive Learning, Natural Language Processing (NLP).

I. INTRODUCTION

1.1 Artificial Intelligence in Education

Artificial Intelligence (AI) has emerged as a gamechanger in the education industry, impacting the way students interact with information, developing skills, and getting feedback. Artificial Intelligence (AI) has revolutionized the education industry, influencing the access of students to information, practice exercises, and feedback. AI-powered tools such as intelligent tutoring systems, automated grading, and adaptive learning platforms are becoming more prevalent and are being integrated into the teaching and learning process. One such tool that has come to the forefront is conversational AI systems, or chatbots, which offer immediate, on-demand support for students without the limitations of classroom time or teacher presence.

Large Language Models (LLMs) like GPT, LLaMa, and others, which are based on transformer technology, have greatly enhanced the natural language understanding and generation abilities of educational chatbots. They can converse fluently and with context, clarify complex topics in simple terms, and respond to a variety of student questions. But, LLMs are limited in their capabilities, as they are trained with a static set of data and are prone to producing factually incorrect answers that sound plausible.



1.2 Educational Chatbots

Educational chatbots are conversation bots that are designed to facilitate teaching and learning activities. They can be used for many applications such as to answer questions related to the subject, to help students with a problem-solving process, to create practice quizzes, to support students with their assignments and to provide them with academic help at any time of the day. Educational chatbots

should place special emphasis on the accuracy of its knowledge, the pedagogical suitability of its response, and the appropriateness of its response to the specific course content or curricula, as in accurate or misleading responses can have a direct impact on a learner's learning outcomes.

1.3 Challenges in the use of traditional chatbots

There are usually two types of traditional chatbot architectures: rule-based and purely- generative LLM-based. Rule-based chatbots are limited in their ability to scale, handle open questions or unexpected queries, and are very rigid. Purely generative chatbots powered by LLMs provide significantly more flexibility and fluency, but present new challenges that are particularly significant in the educational setting:

Hallucination: LLM may be very confident in the correctness of the given answer in spite of it being

wrong or even fictitious, a problem that can be very risky when students use the chatbot as their main learning tool.

Outdated knowledge: A model's knowledge is set when it has been trained, which means that it cannot incorporate new research that may have been published since then as well as new syllabi or the latest release of course content.

Absence of course-specific knowledge: General-purpose LLMs lack knowledge about the specific textbooks, lecture notes, grading standards, etc. used in a given course, which can result in answers that correspond to a different course or may be incorrect for the student's current class.

One-size-fits-all approach: Traditional chatbots lack a personalized approach because they do not have a record of a student's proficiency level, their learning pace or history of mistakes.

Lack of answer opacity: Typical LLM answers typically do not cite or reference source, which leaves it hard for students and teachers to check correctness.

1.4 The Need for Retrieval-Augmented Generation

To address the limitations of LLMs, a hybrid method called Retrieval-Augmented Generation (RAG) has been proposed, which combines the generative

capacity of LLMs with informational knowledge of information retrieval systems. While gaining its parametric knowledge from the training itself, a RAG system can retrieve relevant and up-to-date passages from an external knowledge base like textbooks, lecture notes and institutional repositories, and provide this retrieved context to the language model at the time it generates answers. The key strengths of this design are that it minimizes hallucination by ensuring responses are based on verifiable sources of information, that the knowledge base can be updated without affecting the underlying model, that sources of information are cited for transparency, and that the possibility of personalizing the responses offers a natural basis upon which to build personalization capabilities. The rest of this paper will discuss in detail the research objectives, previous research, architecture, working process of the RAG-based chatbot, and educational applications.

II. RESEARCH OBJECTIVES

This research focuses on the following objectives:


- To understand the concept and architecture of Retrieval-Augmented Generation (RAG).
- To examine the use of RAG in educational chatbot systems.
- To analyse how external educational knowledge can improve the accuracy, relevance, and grounding of chatbot responses.

- To explore how learner profiles and learning context can be used to provide personalized educational support.
- To identify the technical, educational, privacy, and security challenges associated with RAG-based educational chatbots.
- To propose an evaluation framework and a future-oriented research framework for developing adaptive and reliable RAG-based educational chatbots.

III. LITERATURE REVIEW

3.1 Existing Educational Chatbots

There is a great deal of early educational chatbots that existed in the form of FAQ-based and scripted virtual assistants on institutional websites and learning management systems to respond to common administrative questions (like admissions, timetables, deadlines). Such systems perform well on narrow, well-defined tasks, but they would not be able to deal with the open-ended, conceptual questions that occur when doing real subject matter learning. The chatbots of the following generation introduced machine learning capabilities for intent classification, and then transformer-based LLMs, that made conversations much more flexible. Directly developed systems on general purpose LLMs (without retrieval) tended to perform well on generic QA tasks but exhibited noticeable deficiencies in course-specific or fact-intensive academic tasks, often providing correct but incorrect explanations.



3.2 RAG-Based Systems

The RAG paradigm for knowledge-intensive natural language processing tasks is a combination of a dense passage retriever and a sequence-to-sequence generator that can condition its output by the retrieved documents instead of using its internal parameters only. After its debut, RAG has been used in a variety of fields such as open-domain question answering, customer support, legal document analysis, and medical information retrieval and consistently outperforms generation-only baselines in terms of factual accuracy and the reduction of hallucination. Specifically in the education sector, researchers and practitioners have started creating subject-specific AI tutors that can quote directly from the textbook section/lecture slide to back up a solution.

3.3 Limitations of Previous Research

This device can be used to gather data on the solar wind. The instrument can collect solar wind data.

However, although the findings from previous research on RAG-based educational systems have been promising, there are some common problems that have been encountered, which leads to the current study:

Current RAG systems emphasize retrieval precision and answer quality without adequately considering how to tailor the answer to the unique characteristics of the student, learning speed, or skill level.

Limited evaluation scope: Many studies test RAG systems with generic QA benchmarks, not on real-world classroom assignments and tasks like quiz generation, assignment support, exam preparation, etc.

Retrieval quality bottlenecks: The overall quality of a RAG system is very dependent on the quality of the retriever; a poor chunking or poor indexing of the educational content can cause the system to return irrelevant content, which can lead to insufficient answers.

Lack of practical considerations on privacy and cost: There are very few studies focusing on the practicalities of implementing RAG systems at an institutional level, such as student data protection, computational expenses, and infrastructure needs.

The gaps clearly point at the design goals of the RAG-based educational chatbot architecture

proposed in this paper, which explicitly introduces a personalization layer on top of existing retrieval-generation pipeline and considers deployment level concerns like privacy and cost.

IV. RETRIEVAL-AUGMENTED GENERATION (RAG)

4.1 What is RAG?

The retrieval-augmented generation (RAG) is a hybrid architecture for NLP systems that improves a generative language model by providing it with access to an external knowledge source during inference. Instead of relying solely on knowledge that is “hardcoded” in the parameters of the model, a RAG system dynamically fetches the relevant parts of the text from the database that correspond to a user's query and feeds them into the generator as extra context to the query. The generator then generates a response that's based on this retrieved evidence, as opposed to just memory. The RAG approach is the separation of the ‘what the model knows’ (parametric memory) from the ‘what the model can look up’ (non-parametric memory).


4.2 Main Components of RAG

- **Knowledge Base / Document Store:** A collection of source documents, such as textbooks, lecture notes, slides, past question papers, syllabus etc. in an educational context, that is relevant to the domain in question, either structured or unstructured.
- **Embedding Model:** A neural model which transforms a text (both the documents in the knowledge base and the user query) into dense numerical vectors that encapsulate its semantics.
- **Vector Database / Index:** A specific type of storage and indexing system, such as approximate nearest-neighbour index, that stores embeddings of documents and can perform similarity search efficiently.
- **Retriever:** Component that fetches top-k most semantically relevant passages from the document embedding in the vector database.
- **Prompt Augmentation Layer:** Layer in the language model that makes up a single prompt for the language model from the original user query, retrieved passages, and, if available, the student profile.

4.3 How RAG Works

The RAG pipeline can be broken down into five general steps. First, the source documents are indexed into smaller chunks (paragraphs or sections) and each chunk is embedded into a vector representation, which is stored in a vector database (this indexing step is usually done offline – before a user even interacts with the document). Second, the embedding model is used to embed a query as a vector when a student submits one. Third, the retriever will retrieve the passages whose embedding vectors are most like the query embedding, usually by measuring distances with cosine similarity or another similarity metric and

return the top-k distances. Fourth, the retrieved passages are then added to the original query (and, in personalized systems, to some information about the student's profile) to create an augmented prompt. Fifth, this augmented prompt is then fed into the generative language model that generates a final answer which is coherent, contextually appropriate, and — if used — enriched with citations to the retrieved source material. This overall architecture is shown in Section 5, and the step-by-step working methodology is described in Section 6.



V. PROPOSED RAG-BASED EDUCATIONAL CHATBOT ARCHITECTURE

5.1 System Overview

The proposed system is a modular pipeline that consists of three stages: First, the natural language question posed by the student is processed, then it is compared to an institutional knowledge base, and, finally, it is answered, while taking into account both the factual content and the special needs of the individual student. The system stores two real data stores, an educational knowledge base with indexed course material, and a learner profile store which stores each learner's grade level, pace, strengths, and weak topics. The two stores are invoked during the retrieval and generation phases, respectively, and the chatbot can respond to what students ask it to, and

how it should explain this information to that specific student.

5.2 Architecture

A complete system architecture is shown in Figure 1. The query is processed from a query processing module where the processing involves text normalizing and embedding the query vector. The embedding is passed on to the retriever module, which performs a semantic search in the vector database representation of the educational knowledge base (textbooks, course notes, lecture slides and transcripts, question bank, and syllabus) and outputs the top-k most relevant passages. The student profile (consisting of grade level, learning pace, and interaction history) is also merged with the query and the retrieved context within the prompt augmentation

module. This enhanced prompt is then fed into the personalization engine which fine tunes the tone, explanation complexity and difficulty level before it reaches the generation module, which is based on a large language model. The generation module generates the final answer, which is then presented

back to the student with supporting explanation and (if applicable) source reference. Each interaction is captured in a feedback and interaction log that is continually updated online to the student profile, thus closing the personalization loop.




Figure 1. Overall system architecture of the proposed RAG-based educational chatbot.

5.3 Working Process

The working flow for a single query in the development is shown in figure 2, starting from the question posed by the student, and ending at the display of a grounded and personalized answer. The process includes seven steps: (1) The student asks a question using the chat interface; (2) The question is represented as a dense vector embedding; (3) The retriever retrieves semantically similar content from the vector database; (4) The top-k semantically most similar passages are retrieved; (5) The retrieved context is combined with the original question into an augmented prompt; (6) The language model provides a grounded answer based on this prompt; and (7) The final answer and supporting sources are displayed to the student. The information generated by this interaction (e.g. did the student ask a follow-up question, did they do well on a related quiz) is incorporated into the student profile, allowing for more customization of future interactions to that student.

VI. WORKING METHODOLOGY

In addition to the high-level architecture, there is a well-structured methodology to be followed when creating a reliable RAG-based educational chatbot, from data collection to preprocessing, embedding, retrieval, constructing the context, generating answers, and collecting feedback. This pipeline is summarized in Figure 3 and described in the following subsections.

6.1 Data Collection

Documents used for education are obtained from trusted resources including course notes, approved books, University documents, teacher-generated documents, and trusted institutional resources. The quality of these documents has a direct impact on the quality of the Chatbots.

6.2 Pre-processing and Chunking

A machine-readable version of the documents is created. The longer documents are broken into smaller sections. Chunk size and overlap should be

determined by the educational content to ensure important context does not get lost.

6.3 Embeddings

An embedding model translates each chunk into a numerical vector that contains the semantic meaning of each chunk. The same or similar approach to embedding a student's query to make it into a vector is used.

6.4 Retrieval

The query vector is matched against the vectors in the vector database. The most relevant passages are retrieved by the system. In the case that exact terms, formulas, names or codes are meaningful, hybrid retrieval can be used, which combines semantic search with keyword-based search.

6.5 Context Construction

The passages retrieved are presented in a context which is provided to the language model. Passages with no relevance or repeated information should be eliminated to minimize noise.

6.6 Response Generation

The answer that LLM produces is based on user's question and retrieved educational context. The system can be told not to make an unsupported claim and can say that the information that is available is not sufficient.

6.7 Feedback

Student feedback can be utilized to evaluate the usefulness of the answer, to identify weak retrieval cases, and enhance the system. Handling feedback should take care to safeguard student privacy.

VII. PERSONALIZED LEARNING AND ADAPTIVE SUPPORT

7.1 Student Profile

A key component of the personalization layer is the use of a dynamic student profile, which consolidates data from various sources, such as the courses a student is enrolled in (subject, syllabus, academic level), the outcomes of quizzes and tests completed with or via the chatbot (including common error patterns), and the history of previous conversations with the chatbot. The profile is not static when

created, but updated as a student continues through a course, reflecting the student's developing strengths and weaknesses throughout the learning process.

7.2 Personalized Answers

The student profile is passed to the prompt augmentation step outlined in Section 5; the generation module can then adapt its output in various ways: the language it employs might be more complex or more simple; it may include more or fewer examples; it may include more or less scaffolding as steps; and it may include more or less detail or conciseness in the explanation. For example, a learner with a history of low scores on the same topic might be given a shorter explanation and more basic examples; a higher scoring learner would be given a shorter answer that introduces more difficult or advanced aspects of the same topic.

7.3 Adaptive Learning Support

The personalized learning workflow is detailed in Figure 4. As a student enrolls in a course, passes quizzes and tests, and interacts in the chat, their data is continually updated to the student profile in the centre of the system. This profile is then fed into an adaptive engine that adapts three parameters of the chatbot's behaviour: the challenge level of the content it displays, the level of explanation it gives, and the tone and type of examples it uses. The adjustments, based on the student's performance, direct the student to one of three general courses of response: beginner, with the language simplified and the material explained in steps, intermediate, with balanced depth and guided practice questions, and advanced, with concise answers and challenge questions for deeper conceptual understanding. Importantly, the results of each interaction also contribute to the student profile, enabling the system to fine tune the personalisation on a continual basis instead of once and for all judging a student's learning profile.

7.4 Adaptive Learning Levels and Privacy

- Simple explanations and examples can be provided to beginners.
- Intermediate students can be provided with structured explanations and practice questions.
- Higher ability pupils can be given more in-depth technical talks and complex problems.

- The system can fetch certain content for the course and semester of the student and suggest topics to revise depending on the learning gaps identified.

Personalization should be conceived as a means of instruction and support and not as an uncontrolled gathering of personal information. Student profiles and interactions logs should be protected by suitable privacy, access-control and data retention policies in institutions.

VIII. APPLICATIONS

- **AI Tutor:** This serves as a virtual subject tutor, providing explanations, answering follow-up questions, and guiding students through the steps of solving problems based on their course content.
- **Exam Preparation:** The system can pull up old question papers, syllabus and topic summaries, and encourage students to review important concepts and practice answering questions in exam-like formats.
- **Quiz Generation:** The chat bot can create practice tests and multiple-choice questions based on the specific chapters or lecture content, as well as adjust the difficulty level based on the student's profile.
- **Assignment Support:** Students can get guided (not just answer-giving) support for assignments, referring to relevant course material, and grading rubric.
- **Course-Specific Question Answering:** The knowledge base is constructed from course-specific and institution-specific content, allowing the chatbot to respond and answer specific questions that relate to a specific instructor for the subject matter.
- **University Assistant:** Provides answers to questions on courses, schedules, academic rules, etc. services on Campus.
- **Teacher Support:** Supports teachers in making summaries, questions, examples, and additional learning materials.
- **Learning Resource Recommendation:** Seeks out and recommends resources which relate to a student's topic or areas of weakness.

IX. ADVANTAGES

- **More accurate facts:** While generation-only chatbots can be inaccurate in their facts, grounding responses in retrieved source material significantly enhances factual accuracy.
- **The knowledge base can be updated without the need to retrain the language model,** so the chatbot can be updated to incorporate new course information.
- **Domain- and institution-specific content:** The system can access the rules, regulations, and syllabi of an institution, and not have to rely on generic knowledge.
- **Personalized learning:** They can integrate student profiles to customize explanations for individual students, balancing their speed and proficiency.
- **Low hallucination risk:** RAG also significantly mitigates the risk of confidently incorrect answers, due to the conditioning on retrieved evidence and the ability to cite sources.
- **Better accessibility:** Learning support is available at times other than scheduled class time and without the teacher present.
- **Transparency:** Source references enable students and instructors to check the basis of a given answer.

X. CHALLENGES AND LIMITATIONS

- **Retrieval quality:** When passages returned by the retriever are irrelevant or incomplete, due to poor chunking, weak embeddings, or ambiguous queries, a low-quality or misleading answer may be given by the generator.
- **Residual hallucination:** RAG can diminish but not eliminate hallucination; the generator may sometimes misinterpret or take the content too far into the retrieved context.
- **Quality of knowledge:** If the retrieval is correct, the knowledge can be incorrect because of wrong or out-of-date source documents.
- **Computational cost:** Huge computational infrastructure needs are required to maintain a vector database, run embedding models, and provide large language models at scale, and can be expensive for educational institutions.
- **Privacy:** Student profiles, student interaction log and quiz performance data are sensitive and must

be stored, processed and used in accordance with the provisions of data protection regulations and institutional policy.

- Security: Malicious and misleading content can be added to source documents and targeted on knowledge bases and prompts.

- Multimodality: Additional processing is needed for educational diagrams, handwritten notes, audio and video in comparison to plain text retrieval.

- Evaluation: It cannot be taken for granted that a technically correct response will necessarily enhance learning; evaluation must go beyond the correctness of the response.

XI. TRADITIONAL LLM CHATBOT VS. RAG EDUCATIONAL CHATBOT

Table 1 highlights the main differences between a conventional LLM chatbot that relies mainly on generated responses and the proposed RAG-based educational chatbot.

Feature	Traditional LLM Chatbot	RAG Educational Chatbot
Knowledge source	Mainly relies on the knowledge learned during model training	Uses the model along with an external educational knowledge base
Course-specific content	Limited unless the required content is provided in the prompt or context	Can retrieve relevant and approved course materials
Knowledge updates	Usually requires changes to the model or supplied context	The external knowledge base can be update independently
Source grounding	Responses are not always linked to specific sources	Responses can be supported by retrieved educational sources
Personalization	Can be achieved mainly through prompts and conversation context	Can combine learner information with relevant retrieved content
Hallucination control	Limited control over unsupported responses	Can be reduced through retrieval, grounding, and response validation
Infrastructure needs	Relatively simple infrastructure	Requires additional components such as a vector database and retrieval pipeline
Institutional deployment	May depend heavily on prompting and model capabilities	Can be integrated with institution-specific educational resources

XII. EVALUATION FRAMEWORK

Evaluating a RAG-based educational chatbot requires looking at both its technical performance and its usefulness for learners. Table 2 presents an evaluation framework that considers both aspects.

Area	Metric / Method	Purpose
Retrieval Quality	Recall, precision, and top-k relevance	Checks whether the system retrieves useful and relevant content
Answer correctness	Expert review or comparison with reference answers	Evaluates the factual accuracy of responses
Faithfulness	Grounding and source-attribution assessment	Checks whether the response is supported by the retrieved information
Answer relevance	Human evaluation or automated relevance scoring	Determines whether the response properly addresses the student's question
Response time	System latency	Measures how quickly the chatbot responds
Student satisfaction	Questionnaire and user feedback	Assesses how useful and satisfactory the

		chatbot is from the student's perspective
Learning outcome	Pre-test and post-test assessment	Measures Whether students show improvement after using the system
Personalization quality	Evaluation adaptive responses	Checks whether responses are appropriate for the learner's level, needs, and context

XIII. RESEARCH GAP

Previous research has shown an increasing interest in RAG and educational Chatbots, but there are substantial gaps in the research to be addressed. A lot of systems focus on the quality of answer generation and retrieval rather than long-term learning outcomes. There is also a demand for better retrieval that is aware of the learner, a more consistent assessment, privacy preserving personalization, multimodal retrieval, and a trustworthy source of attribution.

One of the key future research areas is to make chatbot an adaptive learning assistant. This system should identify the correct content, clarify it to the correct level, assess the learner's comprehension, suggest the next learning steps, and give feedback, whilst maintaining academic and ethical safeguards.

XIV. FUTURE SCOPE

- Multimodal RAG: Going beyond text to include diagrams, equations, charts and recorded lecture video, allowing for richer answers in subjects such as visual or procedural.
- Voice-Based AI Tutor: leveraging RAG and speech recognition and text-to-speech to enhance spoken, conversational tutoring, making it more accessible to younger students and those with reading challenges.
- Adaptive AI Tutor: Deeper integration of learning-science principles into the personalization engine.
- Real-time synchronization: Continuous synchronization with institutional course databases with the knowledge base always being in sync with the latest edition of the syllabus.
- Learning Analytics: Collecting and processing interaction and performance data from numerous students to provide dashboards for instructors about common misconceptions and class-wide learning gaps.

- AI Agents in Education: From a single-turn question answering to autonomous AI agents that can plan multi-step study schedules and coordinate across multiple educational tools.
- Enhanced citation and uncertainty management: Greater likelihood of correct retrieval of evidence and explicit statement of the confidence in the answer.
- Privacy-preserving architectures: On-device retrieval, federated personalization and differential privacy for student data and institutional data.

XV. PROPOSED RESEARCH FRAMEWORK

Based on the architecture, methodology, and evaluation framework mentioned previously, this paper suggests a comprehensive research framework that considers the educational chatbot as an evolving system instead of a question-answering system. The framework iterates as follows: processing and chunking of educational documents, vector embedding, storage in a vector database, understanding of student query, retrieval of relevant content, incorporation of student profile into customized context, generation of a response by the LLM, source verification, and presentation to the student, collection of student feedback and learning analytics, and continuous improvement, which is returned to the document processing and retrieval steps. There is a loop at work in the framework, as shown in Figure 5: educational documents are processed and chunked, then embedded into vectors and stored in a vector database; the student query is understood, and matched against the store to retrieve relevant educational content; retrieved content is combined with the student profile to create a personalized context; the LLM generates a response, which passes through source verification before being presented to the student; student feedback and student learning analytics are collected and used for continuous improvement, which in turn leads back to the document processing and retrieval steps.

This framework brings together RAG, LLMs, personalization, and learning analytics to support future research on intelligent educational assistants. It aims to move beyond simple question-and-answer systems toward more adaptive and learner-focused educational support.

XVI. CONCLUSION

This paper has discussed the Retrieval-Augmented Generation as a key paradigm to develop more accurate, trusted, and personalized education chatbots. The retrieval pipeline enables easy integration with personalization features based on students' profiles and the RAG-based grounding in verifiable course content directly addresses the hallucination and knowledge-staleness issues that plague purely generative chatbots.

The proposed architecture and working methodology are described to show the integration of query processing, semantic retrieval, the augmentation of prompts and the generation of queries with an adaptive personalisation engine to enable applications such as AI tutoring, exam preparation, quiz generation and course-specific question answering. The evaluation framework and research gaps identified further highlight that while a technically correct answer is important, it is not enough; future systems must be evaluated in relation to actual learning outcomes.

Although issues related to retrieval quality, data privacy, and computational expense are relevant for implementation in real-world scenarios, the advantages regarding the accuracy, timeliness of information, and customisation in learning make RAG a promising and increasingly practical basis for the development of the next generation of smart education systems. Developed through rigorous evaluation, human oversight, privacy protection, and sound pedagogical principles, the long-term vision is an adaptive AI educational assistant that

can understand a student's question, retrieve the reliable learning resources, explain concepts at the right level, create practice activities, assess understanding and recommend the next learning step.

REFERENCES

- [1] Chen, J., Lin, H., Han, X., & Sun, L. (2024). Benchmarking large language models in retrieval-augmented generation. *Proceedings of the AAAI Conference on Artificial Intelligence*, 38(16), 17754–17762. <https://doi.org/10.1609/aaai.v38i16.29728>
- [2] Tim Debets, T., Kazem Banihashem, S. K., Joosten-Ten Brinke, D., Vos, T. E. J., Wenniger, G. M. D. B., & Camp, G. (2025). Chatbots in education: A systematic review of objectives, underlying technology and theory, evaluation criteria, and impacts. *Computers & Education*, 234, 105323. <https://doi.org/10.1016/j.compedu.2025.105323>
- [3] Gao, Y., Xiong, Y., Gao, X., Jia, K., Pan, J., Bi, Y., Dai, Y., Sun, J., Wang, M., & Wang, H. (2023). Retrieval-augmented generation for large language models: A survey. *arXiv*. <https://doi.org/10.48550/arXiv.2312.10997>
- [4] Guan, R., Baković, M., Chen, G., & Gašević, D. (2025). How educational chatbots support self-regulated learning? A systematic review of the literature. *Education and Information Technologies*, 30, 4493–4518. <https://doi.org/10.1007/s10639-024-12881-y>
- [5] Karpukhin, V., Oğuz, B., Min, S., Lewis, P., Wu, L., Edunov, S., Chen, D., & Yih, W.-t. (2020). Dense passage retrieval for open-domain question answering. *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, 6769–6781. <https://doi.org/10.18653/v1/2020.emnlp-main.550>
- [6] Kasneci, E., Seßler, K., Küchemann, S., Bannert, M., Dementieva, D., Fischer, F., Gasser, U., Groh, G., Günnemann, S., Hüllermeier, E., Krusche, S., Kutyniok, G., Michaeli, T., Nerdel, C., Pfeffer, J., Poquet, O., Sailer, M., Schmidt, A., Seidel, T., ... Kasneci, G. (2023). ChatGPT for good? On opportunities and challenges of large language models for education. *Learning and Individual Differences*, 103, 102274. <https://doi.org/10.1016/j.lindif.2023.102274>
- [7] Lewis, P., Perez, E., Piktus, A., Petroni, F., Karpukhin, V., Goyal, N., Küttler, H., Lewis, M., Yih, W.-t., Rocktäschel, T., Riedel, S., & Kiela, D. (2020). Retrieval-augmented

- generation for knowledge-intensive NLP tasks. *Advances in Neural Information Processing Systems*, 33, 9459–9474.
- [8] Li, Z., Wang, Z., Wang, W., Hung, K., Xie, H., & Wang, F. L. (2025). Retrieval-augmented generation for educational application: A systematic survey. *Computers and Education: Artificial Intelligence*, 8, 100417. <https://doi.org/10.1016/j.caeai.2025.100417>
 - [9] Nye, B. D. (2015). Intelligent tutoring systems by and for the developing world: A review of trends and approaches for educational technology in a global context. *International Journal of Artificial Intelligence in Education*, 25(2), 177–203. <https://doi.org/10.1007/s40593-014-0028-6>
 - [10] Qian, Y. (2025). Pedagogical applications of generative AI in higher education: A systematic review of the field. *TechTrends*, 69, 1105–1120. <https://doi.org/10.1007/s11528-025-01100-1>
 - [11] VanLehn, K. (2011). The relative effectiveness of human tutoring, intelligent tutoring systems, and other tutoring systems. *Educational Psychologist*, 46(4), 197–221. <https://doi.org/10.1080/00461520.2011.611369>
 - [12] Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). Attention is all you need. *Advances in Neural Information Processing Systems*, 30, 5998–6008.
 - [13] Winkler, R., & Söllner, M. (2018). Unleashing the potential of chatbots in education: A state-of-the-art analysis. *Academy of Management Proceedings*, 2018(1), 15903. <https://doi.org/10.5465/AMBPP.2018.15903>
 - [14] Zhang, Z., Zhang, A., Li, M., & Smola, A. (2023). Automatic chain of thought prompting in large language models. In *International Conference on Learning Representations (ICLR)*.