

Intelligent Robot System For Women Safety In Public Areas

Chandana M¹, Asha D C², Abhilasha Kanavi³, Ashwini V P⁴, Mr. Nataraja N⁵

^{1,2,3,4}*Department of Electronics and Communications Engineering, Atria Institute of Technology, Bengaluru, India*

⁵*Guide, Asst Professor, Department of Electronics and Communications Engineering, Atria Institute of Technology, Bengaluru, India*

Abstract—Women’s safety in public areas has become a major social concern due to the increasing number of harassment and assault incidents. To address this issue, this project proposes an Intelligent Robot System for Women Safety in Public Areas that utilizes modern technologies such as robotics, Internet of Things (IoT), artificial intelligence (AI), and wireless communication to provide real-time monitoring and emergency assistance. The robot can patrol public places such as streets, parks, college campuses, bus stops, and railway stations, acting as a preventive security measure. By providing continuous surveillance, quick response, and real-time data transmission, the system aims to reduce crime rates and improve women’s confidence and safety in public spaces. The proposed solution offers a cost-effective, scalable, and intelligent approach to enhancing public safety and supporting smart city initiatives.

I. INTRODUCTION

Ensuring women’s safety in public areas has become a critical challenge in modern society due to the rising number of harassment, stalking, and assault incidents. Despite the presence of conventional safety measures such as CCTV cameras, street lighting, and police patrols, many public places still lack real-time monitoring and immediate response systems. These traditional methods are often reactive rather than preventive, highlighting the need for a more intelligent and proactive safety solution.

With advancements in robotics, artificial intelligence (AI), and the Internet of Things (IoT), smart technologies can now be integrated to enhance public security. An Intelligent Robot System for Women Safety in Public Areas is designed to act as a mobile surveillance and assistance unit capable of monitoring

environments, detecting unsafe situations, and providing instant support during emergencies. Unlike fixed surveillance systems, robotic platforms can move across large areas, interact with people, and adapt to changing surroundings.

The proposed system employs sensors, cameras, GPS, and wireless communication modules to continuously observe public spaces such as streets, parks, college campuses, railway stations, and bus stops. By using AI-based image processing and behavior analysis, the robot can identify suspicious activities and abnormal behaviors.

In emergency situations, the system can automatically or manually trigger alerts, share real-time location data, and notify law enforcement authorities or emergency contacts include:

1. To enhance women’s safety in public areas by deploying an intelligent robotic system capable of continuous monitoring and assistance.
2. To detect suspicious activities and unsafe situations using sensors, cameras, and AI-based image and behavior analysis techniques.
3. To provide real-time surveillance of public spaces such as streets, parks, bus stops, railway stations, and educational campuses.
4. To enable quick emergency response by sending instant alerts, location details, and visual data to police, security personnel, or registered contacts.
5. To integrate panic alert mechanisms such as emergency buttons or voice commands for immediate help during critical situations.
6. To track the exact location of incidents using GPS technology to ensure faster and accurate response from authorities.

II. RELATED WORK

A. IoT-Based Women's Safety Systems

Internet of Things (IoT)-based technologies developed to improve women's safety. It discusses safety devices that use sensors, GPS, GSM, Raspberry Pi, and machine-learning algorithms to detect possible emergencies and transmit alerts. The study identifies the need for better automatic alert generation, improved detection accuracy, and reduced dependence on manual activation. The findings are relevant to the proposed intelligent safety robot because they provide guidance on integrating sensors, communication modules, and intelligent processing into a unified safety system.

B. Comprehensive Review of Women's Safety Technologies

women's safety technologies, including mobile applications, wearable devices, GPS tracking, public surveillance systems, and IoT-based monitoring solutions. It examines the advantages and limitations of these technologies and discusses challenges such as connectivity, battery life, affordability, and privacy. The study emphasizes the importance of combining suitable technologies to develop accessible and effective safety solutions. This research is related to the proposed project because it supports the integration of intelligent monitoring, location information, and emergency communication in a mobile robotic platform.

C. Enhancing Women's Safety Using Machine Learning and Deep Learning

emerging technologies for women's safety, focusing on automated detection of potentially dangerous activities using machine learning and deep learning. It discusses techniques such as Convolutional Neural Networks (CNNs), Long Short-Term Memory (LSTM) networks, and Support Vector Machines (SVMs) for analyzing data and identifying suspicious behavior. The study also highlights challenges related to detection accuracy, computational requirements, and data privacy.

These findings are relevant to the proposed project because intelligent image processing and event detection could help the robot identify predefined situations requiring attention and send alerts to security personnel.

D. IoT-Based Systems for Enhancing Women's Safety

IoT-based safety devices designed to protect women in emergency situations. It discusses wearable devices, sensor-based monitoring, communication technologies, and machine-learning techniques used in existing safety solutions. The study reviews the features and limitations of these systems and highlights the importance of reliable emergency alerts and intelligent detection. The research provides useful background for the proposed robotic system, particularly in selecting appropriate sensors, integrating wireless communication, and designing a mechanism to notify emergency contacts when a predefined safety condition occurs.

III. PROPOSED SOLUTION

A. System Overview

The proposed solution is to design and develop an Intelligent Robot System for Women Safety in Public Areas that uses robotics, embedded systems, sensors, and wireless communication technologies to improve safety in public environments. The system is designed to monitor its surroundings, detect obstacles, identify predefined emergency conditions, and send alerts to registered emergency contacts or security personnel. The robot can be deployed in locations such as college campuses, shopping malls, railway stations, bus stops, parks, and office premises to provide an additional layer of safety monitoring.

The proposed robot consists of a mobile chassis, a controller such as Arduino or Raspberry Pi, a camera module, ultrasonic sensors, a motor driver, DC motors, a communication module, and an emergency alert unit. The ultrasonic sensors help detect obstacles and support safe navigation, while the camera captures visual information from the surroundings. If artificial intelligence and computer vision are implemented, the system can analyze visual data to recognize predefined events. An emergency button can also be provided so that a person can manually activate an alert when assistance is required.

When an emergency condition is triggered, the controller processes the input and activates the appropriate response. The system can sound a buzzer and send an emergency notification through GSM or Wi-Fi to registered contacts or a security control center. If a GPS module is included, location information can be shared to help responders identify where assistance

is needed. The robot may also support remote monitoring, allowing authorized personnel to receive alerts and review available information.




Fig. Overall workflow of the system.

B. System Architecture

Intelligent Robot System for Women Safety in Public Areas

The system architecture illustrates the overall organization of the proposed robot, including its input devices, processing unit, movement control, emergency detection, and communication system. The architecture integrates sensors, a camera, a controller, and wireless communication to support public safety monitoring and emergency alerts.

The system is divided into five main layers: Sensing Layer, Processing Layer, Robot Control Layer, Communication Layer, and Emergency Response Layer.

C. User Roles

In the Intelligent Robot System for Women Safety in Public Areas, the user interacts with the robot to monitor safety conditions and request emergency assistance when needed.

Functions of the User

1. System activation: The user switches on the robot or starts its monitoring operation.
2. Safety monitoring: The user can observe the robot's status through a connected mobile application, if available.
3. Emergency activation: The user presses the emergency button or uses a supported voice command to request help.
4. Location sharing: The user can allow location information to be shared with registered emergency contacts.
5. Alert reception: The user may receive confirmation that an emergency alert has been generated or delivered.
6. Communication: The user can communicate with security personnel or emergency contacts when assistance is needed.

D. Administrator Module

The administrative module is responsible for managing, monitoring, and controlling the overall operation of the Intelligent Robot System for Women Safety in Public Areas.

The administrator has access to the system settings and can manage registered users, emergency contacts, robot status, and alert information. This module helps ensure that the robot operates properly and that emergency notifications are sent to the appropriate personnel.

The administrator can configure the robot's monitoring area, update system settings, manage communication modules, and maintain user information. The module can also provide access to event logs, including emergency alerts, timestamps, and available location details. If a mobile application or web-based dashboard is implemented, the administrator can monitor the robot remotely and review its operational status. The administrator may also check battery status, communication connectivity, sensor functionality, and system errors to support maintenance and reliable operation.

E. Decision Support Module

- Sensor Data Analysis: Process inputs from sensors and other connected devices.
- Obstacle Detection: Determine suitable movement adjustments when obstacles are detected.

- **Emergency Identification:** Recognize manual emergency activation and supported predefined emergency conditions.
- **Decision Making:** Select an appropriate response based on programmed rules or AI algorithms.
- **Alert Generation:** Activate the buzzer and initiate emergency notifications when required.
- **Location-Based Assistance:** Include GPS information in alerts when the module is available.
- **Priority Management:** Give emergency events higher priority than routine monitoring tasks.

IV. IMPLEMENTATION

The implementation of the proposed system involves integrating hardware and software components to develop a mobile robot capable of monitoring its surroundings, detecting obstacles, and generating emergency alerts.

The project can be implemented through the following steps.

1. Hardware Setup:

A robotic chassis is assembled with DC motors, wheels, a motor driver, and a battery. An Arduino or Raspberry Pi is used as the main controller. Ultrasonic sensors are connected for obstacle detection, while a camera can be added for visual monitoring. An emergency button and buzzer are installed to support emergency activation and audible alerts.

2. Sensor Integration:

The sensors are connected to the controller to collect information about the robot's surroundings. The ultrasonic sensors measure obstacle distance and provide input for movement control. If a camera is used, it captures images or video for monitoring or further processing.

3. Software Development:

The controller is programmed to read sensor data, control the motors, and respond to emergency inputs. Basic obstacle-avoidance logic is implemented to help the robot move safely.

If AI-based monitoring is included, suitable computer-vision software can be developed to identify predefined events.

4. Emergency Alert System:

A GSM or Wi-Fi module is integrated to send notifications to registered emergency contacts or security personnel. When the emergency button is pressed or a configured emergency condition is detected, the controller activates the buzzer and initiates the alert. GPS can be added to provide location information.

5. Testing and Evaluation:

The complete system is tested to verify obstacle detection, robot movement, emergency-button operation, alarm activation, and message delivery. The system is also evaluated under different environmental and connectivity conditions to identify errors and improve reliability.

V. RESULT AND DISCUSSION

The Intelligent Robot System for Women Safety in Public Areas is designed to provide an additional layer of safety through robotic monitoring, obstacle detection, and emergency alert generation. The proposed system integrates a controller, sensors, a camera, a motor driver, and wireless communication modules to support its intended functions.

The robot is designed to move within a designated area while using ultrasonic sensors to detect obstacles and assist with navigation. The camera provides visual monitoring, while the controller processes sensor inputs and responds to predefined conditions.

When the emergency button is activated, the system can trigger an audible alarm and send an emergency notification to registered contacts or security personnel through GSM or Wi-Fi. If GPS is integrated, location information can also be included in the alert.

- **Obstacle detection:** The robot detects obstacles and adjusts its movement according to the programmed control logic.
- **Environmental monitoring:** The camera captures visual information from the surrounding area.
- **Emergency alert generation:** The system activates an alarm when an emergency is triggered.
- **Wireless communication:** Notifications can be sent to registered contacts or security personnel.
- **Location tracking:** The optional GPS module provides location information for emergency assistance.

- Automated operation: The robot performs configured monitoring and control functions with limited manual intervention.

Wireless communication is an important part of the system because it allows emergency information to be transmitted to people who can provide assistance. However, successful notification depends on network availability, correct configuration, and reliable message delivery. Similarly, camera-based threat detection requires suitable image-processing or artificial intelligence algorithms; a camera alone cannot reliably identify harassment or dangerous behaviour.

VI. CONCLUSION AND FUTUREWORK

The project “INTELLIGENT ROBOT SYSTEM FOR WOMEN SAFETY IN PUBLIC AREAS” aims to improve women's safety by using intelligent robotic technology, sensors, and communication systems. The proposed robot is designed to monitor its surroundings, identify potential safety threats, detect obstacles, and send emergency alerts to security personnel or designated contacts when required. By integrating these features, the system can support faster emergency response and provide additional assistance in public places such as parks, streets, college campuses, bus stations, and other crowded areas.

The system demonstrates how embedded systems, automation, and intelligent monitoring can be combined to develop a practical safety solution. It has the potential to reduce response time, improve surveillance, and increase confidence among women when travelling or moving through public spaces. However, its effectiveness depends on reliable sensor operation, communication connectivity, accurate threat detection, and proper testing under real-world conditions. The robot is intended to supplement existing safety measures rather than replace human security personnel.

Overall, this project provides a foundation for developing affordable, reliable, and intelligent robotic systems that contribute to safer public environments.

- Artificial Intelligence Integration: Implement advanced AI algorithms to identify suspicious 1.
- Activities and recognize potential emergency situations more accurately.

- GPS-Based Location Tracking: Integrate GPS technology to determine the robot's location and include accurate location information in emergency alerts.
- Mobile Application Development: Develop a mobile application that allows users to receive alerts, view the robot's status, and contact emergency services quickly.
- Real-Time Video Monitoring: Add live video streaming so authorized security personnel can monitor public areas and assess emergency situations remotely.
- Voice Recognition and Emergency Commands: Enable the robot to recognize emergency voice commands and respond to requests for assistance.

REFERENCES

- [1] Shubhangi D. C. and S. M. Hashmi, “IoT based women safety night patrolling robot,” *Journal of Scientific Research and Technology*, vol. 2, no. 6, pp. 13–20, 2024.
- [2] U. Srinivasulu, T. Bhargavi, M. Akshitha, C. Gayathri, M. Daniel, and K. Gireeshma, “Development of patrolling robot for women safety at night using IoT,” *International Journal of Scientific Research in Science and Technology (IJSRST)*, vol. 11, no. 11, pp. 806–810, Mar.–Apr. 2024.
- [3] M. Cooney, L. Klasén, and F. Alonso-Fernandez, “Designing robots to help women,” in *Proc. 14th Scandinavian Conference on Artificial Intelligence (SCAI 2024)*, Jönköping, Sweden, Jun. 10–11, 2024, pp. 168–177, doi: 10.3384/ecp208019.
- [4] S. Lee, S. Park, and H. Kim, “Autonomous surveillance robot for smart security systems,” *International Journal of Robotics and Automation Technology*, vol. 9, no. 2, pp. 45–52, 2025.
- [5] A. M. J. Akshath, A. M. Tanish, M. M. Monisha, M. D. Nishika, and R. B. Kerur, “AI-driven intelligent autonomous surveillance and women safety system,” *International Journal of Advanced Research in Science and Engineering*, vol. 15, no. 1, pp. 112–118, 2026.
- [6] A. Clementeena, P. Aishwarya, P. Vaishnavi, and S. Padma Priya, “Implementation of a night patrol robot for security surveillance,” *International Journal of Innovative Research in Engineering and*

Technology (IJIERT), vol. 12, no. 3, pp. 55–61, 2025.

- [7] A. Nithya and K. Suresh, “Women safety robot with live video monitoring,” *International Journal of Engineering Research & Technology (IJERT)*, vol. 11, no. 5, pp. 120–125, 2022.
- [8] S. Wei, M. Zhang, Y. Gan, D. Huang, L. Ma, and C. Yang, “Behavioral conflict avoidance between humans and quadruped robots in shared environments,” *IEEE Robotics and Automation Letters*, vol. 10, no. 2, pp. 1450–1457, 2025.